Chicago Metallic

Commercial & Foodservice Bakeware

A BUNDY BAKING SOLUTION





Table of Contents



Company

The Chicago Metallic Story 4

The Bundy Promise 5

Quality, Service, & Customized Solutions 6

World-Class Pan Coatings 7

Products

Sheet Pans 8-12

Cupcake & Muffin Pans 13-19

Bun & Roll Pans 20-21

Bread & Baguette Pans 22-25

Specialty Bread Pans 26-27

Pizza Pans 28-31

Cake & Pie Pans 32-35

Bundy Professional Bakeware 36-39

Accessories 40-41

Product Index 42-43

Chicago Metallic is proud to manufacture the NSF StayFlat® Sheet Pan, the world's first sheet pan with the strength of a completely enclosed pan rim and a certification by NSF International. See page 8 for all of our NSF certified sheet pans.

The Chicago Metallic Story

For more than a century, the Chicago Metallic name has been synonymous with innovative products, superior quality, and exceptional service. Today, we manufacture more than 300 different baking pans and ship to customers worldwide—typically within 48 hours.

Quality

- **Biggest Inventory:** We maintain the world's largest inventory, so you can get the products you need without delay.
- **Best Coatings:** Our proprietary coatings outperform everything else on the market.
- **Superior Performance:** Our materials and coatings provide unmatched durability and strength, and we continually innovate to make products safer, more sanitary, and environmentally sound.

Expertise

- **Deep Experience:** We began creating quality bakeware in 1898—and have continually innovated and enhanced for more than a century.
- **Precision Manufacturing:** All Chicago Metallic products are designed and manufactured in our USA facilities for unmatched quality control.
- **Custom Solutions:** Need something unique? We'll create custom pans to meet your exact specifications and supply chain needs.

Service

- **Delivery on Demand:** We stock vast inventory, so most orders ship within 24 to 48 hours.
- **Outstanding Service:** Chicago Metallic is a family-owned company, and our deep passion for the baking industry is matched only by our commitment to exceptional service.
- **Guaranteed Satisfaction:** In addition to the confidence of working with the world's largest baking pan manufacturer, you can enjoy the peace of mind that comes with knowing your satisfaction is 100% guaranteed.

The Bundy Promise

For more than 50 years, Bundy Baking Solutions has driven innovation and excellence to exceed customer expectations. Today, our family-owned company remains committed to providing complete satisfaction for every customer, with every order, and in every interaction with our team. We are not satisfied until you are 100% satisfied. That's The Bundy Promise.

We Promise Fairness

We treat all customers fairly through our pricing, product guarantees, and service.

We Promise Responsiveness

We respond to the needs of our customers—and the industry overall—in a timely and professional manner.

We Promise Intelligence

We offer products and services designed to provide intelligent solutions to our customers' challenges, and we continue to innovate and advance through reinvestment in our brands.

We Promise Quality

We are passionate about quality, design, and precision. We manufacture our products to exacting standards and stand behind everything we sell.

We Promise Integrity

Our brands are rooted in honesty, trust, and respect, and these values guide everything we do.

American Pan®
Industrial Baking Pans & Coatings
USA | UK | Romania | Spain | Brazil

Chicago Metallic®
Commercial & Foodservice Bakeware
USA | Canada

DuraShield®
Non-Stick Coatings

Pan Glo®
Pan Cleaning & Recoating
USA | Canada | Mexico | Colombia

RTB®
Pre-Owned Baking Pans & Equipment

Shaffer®
Mixers & Processing Equipment

Synova®
Release Agents

Quality, Service, & Customized Solutions

We have 26 facilities around the world to better serve your straightening, cleaning, and coating needs. For more information and to see the capabilities of each of our pan refurbishment locations, please visit our website.

Custom Pan Manufacturing

Need custom pan sizes, mould designs, or configurations? Chicago Metallic can design a pan to meet your specific baking needs. Minimum order quantities are as low as 250 on most pans (500 for individual bread pans and 200 for bread sets). Contact us for more information.

We can create pans to your specifications including:

- **Sizes & Arrangements:** Customize your overall pan size, mould arrangements, and dimensions.
- **Mould Designs:** Create unique mould designs for signature products.
- **Materials:** Build your pan from strong and durable materials such as aluminum, aluminized steel, stainless steel, anodized aluminum, etc.
- **Pan Strengthening Options:** Enhance the strength of your pan with structural ribs, large-radius corners, and more.
- **Coatings:** Select one of our proprietary coatings: AMERICOAT® ePlus glaze, OptiShield® liquid dispersion coating, or DuraShield® non-stick coating in standard or custom colors.

Pan Glo® Pan Recoating Service

Even with proper care and cleaning, your pans will eventually need to be refurbished. That is why we offer The Pan Glo® Process. Every year, millions of baking pans of every shape, size, brand, and configuration are processed by Pan Glo plants across North America, South America, and Europe. These cleaned and freshly reglazed pans are returned to productivity with improved release characteristics.

For more information on our Pan Glo services in the USA, call 1.800.652.2151 or visit our website at ***panglo.com***. For more information on our Pan Glo services in Canada, call 1.800.265.8445, Ext. 237 or visit our website at ***panglo.ca***.

World-Class Pan Coatings

Pan Coatings

Chicago Metallic offers different coatings to meet your production needs or preference. Below is a table showing the basic differences between our standard pan coatings. Coatings can also be tinted for easy, at-a-glance identification, or pans can be stamped with an identifying label. Please note, while nearly all of our glazed pans are stock items, some DuraShield® and all OptiShield® coated pans would require a custom order with minimum order quantities (see Custom Pan Manufacturing on page 6).

Pan Coating	Release Mechanism	Standard Color	Other Color(s) Available	Approx. # Releases*	Oil Usage Reduction	Dishwasher Safe	PFOA-Free	FDA Conformity	Recoating Available
AMERICOAT® ePlus	Silicone	Clear	Yes	600	Up to 50%	No	Yes	Yes	Yes
OptiShield®	Liquid Dispersion Fluoropolymer	Grey/Black	Yes	1500	Up to 75%	Yes	Yes	Yes	Yes
DuraShield®	Fluoropolymer	Dark Green/Black	Yes	3500	Up to 100%	Yes	Yes	Yes	Yes
DuraShield® 265U	Fluoropolymer	Purple	No	3500	Up to 100%	Yes	Yes	Yes	Yes

**Note that this is an approximate number and may not be the exact number of releases achieved.*

Pan Use & Care

For complete pan use and care guidelines for any of our coated pans, please visit ***useandcare.cmbakeware.com***. Printed Use & Care cards are included in all factory shipments and are available upon request.

Sheet Pans

NSF StayFlat® Sheet Pans Aluminum

Item #	In Stock	Coating	Description	Weight Each (lb)	Overall Size (in)
Full-Size					
30694	★	Plain	16 gauge, band in rim, NSF Certified	4.0	17 13/16 x 25 13/16 x 1
30698	★	DuraShield	16 gauge, band in rim, NSF Certified	4.0	17 13/16 x 25 13/16 x 1
Half-Size					
30850	★	Plain	18 gauge, band in rim, NSF Certified	1.9	12 13/16 x 17 13/16 x 1
30858	★	DuraShield	18 gauge, band in rim, NSF Certified	1.9	12 13/16 x 17 13/16 x 1

Full-Size Sheet Pan Identification Guide

4069X

Our item number stamping system allows for easy reordering of any of our full-size sheet pans. Check the back of your sheet pan for one of these numbers and then choose the appropriate item number based on your preferred coating option.

Stamp #	Items with this Stamp	Stamp #	Items with this Stamp
4069X	40690 / 40695	4069XS	StayFlat® 40694 / 40698
4080X	40800 / 40805	4080XS	StayFlat® 40804 / 40808
4469X	———	4469XS	StayFlat® 44693 / 44694
4469X	44697 / 44691	4469XS	StayFlat® 44699 / 44690
4489X	44890 / 44895	4489XS	StayFlat® 44891 / 44896
4090X	40904 / 40908	4090XS	———

StayFlat® Full-Size Sheet Pans Aluminum

Item #	In Stock	Coating	Description	Weight Each (lb)	Overall Size (in)
40694	🍁	Plain	16 gauge, wire in rim	4.0	17 7/8 x 25 13/16 x 1
40698	🍁	Glazed	16 gauge, wire in rim	4.0	17 7/8 x 25 13/16 x 1
50691	★	DuraShield	16 gauge, wire in rim	4.0	17 7/8 x 25 13/16 x 1
40804	🍁	Plain	18 gauge, wire in rim	3.8	17 7/8 x 25 13/16 x 1
40808	🍁	Glazed	18 gauge, wire in rim	3.8	17 7/8 x 25 13/16 x 1
50801	★	DuraShield	18 gauge, wire in rim	3.8	17 7/8 x 25 13/16 x 1
40904	★	Plain	20 gauge, wire in rim	3.3	17 7/8 x 25 13/16 x 1
40908	★	Glazed	20 gauge, wire in rim	3.3	17 7/8 x 25 13/16 x 1
44699	★	Plain	16 gauge, .081" diameter bottom perforation, wire in rim	3.5	17 7/8 x 25 13/16 x 1
44690	🍁	Glazed	16 gauge, .081" diameter bottom perforation, wire in rim	3.5	17 7/8 x 25 13/16 x 1
44891	🍁	Plain	18 gauge, .125" diameter bottom perforation, wire in rim	2.9	17 7/8 x 25 13/16 x 1
44896	🍁	Glazed	18 gauge, .125" diameter bottom perforation, wire in rim	2.9	17 7/8 x 25 13/16 x 1
44693	★	Plain	16 gauge hardcoat anodized aluminum, wire in rim, BĀKALON	3.4	17 7/8 x 25 13/16 x 1 3/32
44694	★	Pre-Seasoned	16 gauge hardcoat anodized aluminum, wire in rim, BĀKALON	3.4	17 7/8 x 25 13/16 x 1 3/32

Stayflat® Sheet Pans



StayFlat® Sheet Pans feature sidewalls that are continuously reinforced with a horizontal engineered rib. This feature increases sidewall strength up to 30% and provides an easy visual identification reference for situations where stronger, flatter sheet pans are required, such as for transport or for baking pies and cakes.

In addition to our standard StayFlat Sheet Pans, we also offer the world's first sheet pans to have the strength of a completely enclosed pan rim and to be certified by NSF International.

As part of our commitment to continuous improvement, throughout 2017 we upgraded several of our standard sheet pans to the StayFlat design. *(StayFlat U.S. Patent No. 9,737,171)*

Old #	StayFlat #	Old #	StayFlat #	Old #	StayFlat #	Old #	StayFlat #
40690	40694	40805	40808	44697	44699	44895	44896
40695	40698	40691	50691	44691	44690	———	———
40800	40804	40801	50801	44890	44891	———	———

Sheet Pans

Standard Sheet Pans Aluminum (unless otherwise noted)

Item #	In Stock	Coating	Description	Weight Each (lb)	Overall Size (in)
Full-Size					
40600	★	Plain	12 gauge, sanitary open bead, semi-curled rim	4.3	17 13/16 x 25 13/16 x 15/16
40605	★	Glazed	12 gauge, sanitary open bead, semi-curled rim	4.3	17 13/16 x 25 13/16 x 15/16
44692	★	Glazed	16 gauge, square perforation all over, wire in rim	3.1	17 7/8 x 25 13/16 x 1 3/32
41031	★	Glazed	22 gauge aluminized steel, band in rim	7.2	17 3/4 x 25 3/4 x 1
41555	★	Glazed	22 gauge aluminized steel, wire in rim	5.6	17 11/16 x 25 11/16 x 1 3/32
40700	★	Plain	.036" stainless steel (304), sanitary open bead, semi-curled rim	5.4	17 7/8 x 25 7/8 x 1
Three-Quarter-Size					
41500	★	Plain	18 gauge, wire in rim	2.6	15 13/16 x 21 13/16 x 1
41505	★	Glazed	18 gauge, wire in rim	2.6	15 13/16 x 21 13/16 x 1
10317	★	Glazed	22 gauge aluminized steel, wire in rim	4.5	15 13/16 x 21 13/16 x 1
10248	★	Glazed	16 gauge, square perforation all over, wire in rim	2.0	15 13/16 x 21 13/16 x 1
Half-Size					
40850	★	Plain	18 gauge, wire in rim	2.1	12 7/8 x 17 3/4 x 31/32
40855	★	Glazed	18 gauge, wire in rim	2.1	12 7/8 x 17 3/4 x 31/32
40950	★	Plain	14 gauge, sanitary open bead, semi-curled rim	1.7	12 7/8 x 17 3/4 x 1
40955	★	Glazed	14 gauge, sanitary open bead, semi-curled rim	1.7	12 7/8 x 17 3/4 x 1
40858	★	DuraShield	18 gauge, wire in rim	1.9	12 7/8 x 17 3/4 x 31/32
40952	★	Plain	14 gauge hardcoat anodized aluminum, sanitary open bead, semi-curled rim, BĀKALON	1.7	12 7/8 x 17 3/4 x 1
40954	★	Pre-Seasoned	14 gauge hardcoat anodized aluminum, sanitary open bead, semi-curled rim, BĀKALON	1.7	12 7/8 x 17 3/4 x 1
40857	★	Plain	18 gauge, bottom perforation only, wire in rim	1.9	12 7/8 x 17 13/16 x 31/32
40851	★	Glazed	18 gauge, bottom perforation only, wire in rim	1.9	12 7/8 x 17 13/16 x 31/32
Quarter-Size					
40450	★	Plain	16 gauge, curled rim, no wire	0.8	9 1/2 x 13 x 1 1/16
40455	★	Glazed	16 gauge, curled rim, no wire	0.8	9 1/2 x 13 x 1 1/16
40452	★	Plain	16 gauge hardcoat anodized aluminum, curled rim, no wire, BĀKALON	0.8	9 1/2 x 13 x 1 1/16
40454	★	Pre-Seasoned	16 gauge hardcoat anodized aluminum, curled rim, no wire, BĀKALON	0.8	9 1/2 x 13 x 1 1/16
Eighth-Size					
41800	★	Plain	16 gauge, curled rim, no wire	0.4	6 7/16 x 9 7/16 x 1 1/32
41805	★	Glazed	16 gauge, curled rim, no wire	0.4	6 7/16 x 9 7/16 x 1 1/32
41852	★	Plain	16 gauge hardcoat anodized aluminum, curled rim, no wire, BĀKALON	0.4	6 7/16 x 9 7/16 x 1 1/32
41854	★	Pre-Seasoned	16 gauge hardcoat anodized aluminum, curled rim, no wire, BĀKALON	0.4	6 7/16 x 9 7/16 x 1 1/32

Sheet Pan Size Reference

Full-Size Sheet Pan | Three-Quarter-Size Sheet Pan | Half-Size Sheet Pan | Quarter-Size Sheet Pan | Eighth-Size Sheet Pan

BĀKALON Diamond Grill Pan Hardcoat anodized aluminum



Item #	In Stock	Coating	Description	Weight Each (lb)	Overall Size (in)
70821	★	Plain	16 gauge, textured	0.8	8 5/16 x 11 9/16 x 13/16
70824	★	Pre-Seasoned	16 gauge, textured	0.8	8 5/16 x 11 9/16 x 13/16

Display Pans Anodized aluminum



Item #	In Stock	Coating	Description	Weight Each (lb)	Overall Size (in)
Full-Size					
40912	★	Plain	16 gauge, non-textured, semi-closed rim, no wire	2.6	17 13/16 x 25 13/16 x 1 3/32
40910	★	Gold	16 gauge, textured, semi-closed rim, no wire	2.6	17 13/16 x 25 13/16 x 1 3/32
40917	★	Silver	16 gauge, textured, semi-closed rim, no wire	2.6	17 13/16 x 25 13/16 x 1 3/32
Half-Long					
40922	★	Plain	16 gauge, non-textured, semi-closed rim, no wire	1.3	8 11/16 x 24 7/16 x 15/16
40920	★	Gold	16 gauge, textured, semi-closed rim, no wire	1.3	8 11/16 x 24 7/16 x 15/16
40927	★	Silver	16 gauge, textured, semi-closed rim, no wire	1.3	8 11/16 x 24 7/16 x 15/16
Half-Size					
40930	★	Gold	16 gauge, textured, semi-closed rim, no wire	1.2	11 15/16 x 17 15/16 x 13/16
Quarter-Size					
40940	★	Gold	16 gauge, textured, semi-closed rim, no wire	0.8	9 7/16 x 12 15/16 x 13/16
40947	★	Silver	16 gauge, textured, semi-closed rim, no wire	0.8	9 7/16 x 12 15/16 x 13/16

BĀKALON Diamond Grill Pan

The Chicago Metallic BĀKALON Diamond Grill Pan is designed to add grill marks to steak, chicken, or fish when cooked in conveyorized or conventional ovens. The pan is constructed of high strength aluminum with a durable, hardcoat anodized surface that will not chip, peel, rust, or interact with food.

Sheet Pans



Perforated Baking Sheets/Bagel Screens Aluminum

Item #	In Stock	Coating	Description	Weight Each (lb)	Overall Size (in)
Swedish Style, Unperforated Margins					
44850	★	Glazed	12 gauge, hemmed sides, .081" diameter perforation	3.0	17 13/16 x 25 13/16 x 21/32
45135	★	Glazed	14 gauge, embossed side ribs, .094" diameter perforation	2.3	18 x 25 15/16 x 5/16
Cookie Sheet Style, Unperforated Margins with Seamless Corners					
44801		Plain	16 gauge, .081" diameter bottom perforation only, wire in rim	3.9	17 13/16 x 25 13/16 x 3/16
44800	★	Glazed	16 gauge, .081" diameter bottom perforation only, wire in rim	3.9	17 13/16 x 25 13/16 x 3/16
StayFlat® Perforated					
44699		Plain	16 gauge, .081" diameter bottom perforation, wire in rim	3.5	17 7/8 x 25 7/8 x 1
44690	★	Glazed	16 gauge, .081" diameter bottom perforation, wire in rim	3.5	17 7/8 x 25 7/8 x 1
44891	★	Plain	18 gauge, .125" diameter bottom perforation, wire in rim	2.9	17 7/8 x 25 7/8 x 1
44896	★	Glazed	18 gauge, .125" diameter bottom perforation, wire in rim	2.9	17 7/8 x 25 7/8 x 1
Full-Size Perforated					
44692	★	Glazed	16 gauge, square perforation all over, wire in rim	3.1	17 13/16 x 25 13/16 x 1 3/32
Three-Quarter-Size Perforated					
10248	★	Glazed	16 gauge, square perforation all over, wire in rim	2.0	15 13/16 x 21 13/16 x 1
Half-Size Perforated					
40857		Plain	18 gauge, bottom perforation only, wire in rim	1.9	12 7/8 x 17 13/16 x 31/32
40851	★	Glazed	18 gauge, bottom perforation only, wire in rim	1.9	12 7/8 x 17 13/16 x 31/32

Allergen Management Sheet Pans Aluminum with 265U purple colored DuraShield® non-stick coating

Item #	In Stock	Coating	Description	Weight Each (lb)	Overall Size (in)
60690		DuraShield	Full-size, 16 gauge, wire in rim	4.1	17 7/8 x 25 13/16 x 1 3/32
60800		DuraShield	Full-size, 18 gauge, wire in rim	3.7	17 7/8 x 25 13/16 x 1 3/32
60850		DuraShield	Half-size, 18 gauge, wire in rim	2.0	12 13/16 x 17 13/16 x 1

Allergen Management Bakeware

When dealing with customers diagnosed with food allergies, careful attention to food preparation and communication is a necessity. It is also a major business decision that can draw loyal customers. Chicago Metallic is excited to offer a collection of color-coded DuraShield® 265U coated pans to help your operation more safely and efficiently produce allergen–free alternatives for your customers.

Cupcake & Muffin Pans

Mini-Fluted Cake Pan & Mini-Fluted Tube Cake Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrange-ment	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top (A)	Btm. Out.(B)	Depth (C)	L	W		
26200	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	4 rows of 3	3.0	2¾	2⅝	1¼	3⁵⁄₁₆	3⁵⁄₁₆	2.2	11⅛ x 15¾
43055	★	Glazed	22 gauge, wire in rim with tube	3 rows of 5	7.5	3¹⁵⁄₁₆	3	1¹¹⁄₁₆	4⅝	4⅞	9.6	17⅞ x 25⅞





**Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.*

Cupcake & Muffin Pans

Mini-Muffin Pans Aluminized steel

Item #	In Stock	Coating	Description	Arrange-ment	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top (A)	Btm. Out.(B)	Depth (C)	L	W		
45195	🍁	Glazed	22 gauge, square corners, wire in rim	5 rows of 6	1.1	1 7/8	1 1/4	7/8	2 3/4	2 1/4	4.5	12 7/8 x 17 7/8
45295	🍁	Glazed	22 gauge, wire in rim	6 rows of 8	1.1	1 7/8	1 1/4	7/8	2 3/4	2 1/4	8.5	17 7/8 x 25 7/8
10355	🍁	Glazed	22 gauge, square corners, wire in rim	6 rows of 8	1.1	1 7/8	1 3/8	7/8	3 1/16	2 11/16	8.8	17 7/8 x 25 7/8
45245	🍁	Glazed	26 gauge, wire in rim	4 rows of 6	2.1	2 1/16	1 5/8	1 1/8	2 3/4	2 3/4	4.0	13 1/2 x 17 7/8
45255	🍁	Glazed	26 gauge, wire in rim	6 rows of 8	2.1	2 1/16	1 5/8	1 1/8	2 3/4	2 3/4	7.3	17 7/8 x 25 7/8

Mini-Crown Muffin Pans Aluminized steel

Item #	In Stock	Coating	Description	Arrange-ment	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top (A)	Btm. Out.(B)	Depth (C)	L	W		
42754	★	Glazed	26 gauge, wire in rim	3 rows of 4	3.0	2 3/4	1 5/8	1 1/8	3 5/16	3 5/16	2.0	10 5/8 x 13 7/8
42755	★	Glazed	26 gauge, square corners, wire in rim	4 rows of 6	3.0	2 3/4	1 5/8	1 1/8	3 5/16	3 5/16	4.8	14 1/16 x 20 11/16
42756	★	Glazed	26 gauge, wire in rim	5 rows of 7	3.0	2 3/4	1 5/8	1 1/8	3 5/16	3 5/16	6.5	17 7/8 x 25 7/8

**Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.*

Mini-Crown Muffin Pans

Mini-Crown Muffin Pans from Chicago Metallic provide bakers with a profitable and unique solution to meet the food industry's current health and convenience trends. The pans produce an appealing, cupcake-like crown, but use 20% less batter.

Cupcake Pans Aluminized steel (unless otherwise noted)



Item #	In Stock	Coating	Description	Arrange-ment	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top (A)	Btm. Out.(B)	Depth (C)	L	W		
45125	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	3 rows of 4	3.8	2¾	2 1/16	1⅜	3 5/16	3 5/16	2.3	11⅛ x 15¾
45128	★	DuraShield	26 gauge cups, 22 gauge panel, curled rim	3 rows of 4	3.8	2¾	2 1/16	1⅜	3 5/16	3 5/16	2.3	11⅛ x 15¾
45225	★	Glazed	26 gauge, wire in rim	3 rows of 4	3.8	2¾	2 1/16	1⅜	4	4	3.8	12⅞ x 17⅞
45525	★	Glazed	26 gauge cups, 22 gauge panel, square corners, wire in rim	4 rows of 6	3.8	2¾	2 1/16	1⅜	3 5/16	3 5/16	5.2	14 1/16 x 20 11/16
45575	★	Glazed	26 gauge, wire in rim	5 rows of 7	3.8	2¾	2 1/16	1⅜	3 5/16	3 5/16	7.3	17⅞ x 25⅞
45605	★	Glazed	26 gauge, wire in rim	4 rows of 6	3.8	2¾	2 1/16	1⅜	4	4	6.5	17⅞ x 25⅞
46120	★	Plain	20 gauge aluminum, square corners, wire in rim	3 rows of 4	3.8	2¾	2 1/16	1⅜	3 5/16	3 5/16	2.0	10¾ x 14⅛
46125	★	Glazed	20 gauge aluminum, square corners, wire in rim	3 rows of 4	3.8	2¾	2 1/16	1⅜	3 5/16	3 5/16	2.0	10¾ x 14⅛
46520	★	Plain	20 gauge aluminum, square corners, wire in rim	4 rows of 6	3.8	2¾	2 1/16	1⅜	3 5/16	3 5/16	3.5	14⅛ x 20¾
46525	★	Glazed	20 gauge aluminum, square corners, wire in rim	4 rows of 6	3.8	2¾	2 1/16	1⅜	3 5/16	3 5/16	3.5	14⅛ x 20¾

**Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.*

Cupcake & Muffin Pans

Specialty Dessert Pans Aluminized steel (unless otherwise noted)

Item #	In Stock	Coating	Description	Arrange-ment	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top (A 1, 2)	Btm. Out. (B 1, 2)	Depth (C)	L	W		
Brownie Bite (pans do not nest)												
25300	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	5 rows of 4	1.8	1 21/32 x 1 21/32	1 9/16 x 1 9/16	1 9/32	2 3/8	2 11/16	3.0	11 1/8 x 15 3/4
42865	★	Glazed	26 gauge, wire in rim	8 rows of 6	2.2	1 21/32 x 1 21/32	1 9/16 x 1 9/16	1 9/32	2 3/8	2 11/16	7.4	17 7/8 x 25 7/8
Mary Ann/Strawberry Shortcake												
43385	★	Glazed	26 gauge, wire in rim, indent size - 2" x ½" deep	3 rows of 4	6.0	3 3/8	3	1½	4	3 15/16	4.1	12 7/8 x 17 7/8
43395	★	Glazed	26 gauge, wire in rim, indent size - 2" x ½" deep	4 rows of 6	6.0	3 3/8	3	1½	3 13/16	3 13/16	7.5	17 7/8 x 25 7/8
Mini-Loaf												
25100	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	4 rows of 2	5.1	3 7/8 x 2½	3 3/8 x 2	1¼	3⅛	4½	2.0	11 1/8 x 15 3/4
45755	★	Glazed	26 gauge, square corners, wire in rim	2 rows of 6	6.4	3 7/8 x 2½	3½ x 2⅛	1 5/16	3⅛	4½	3.8	9 7/8 x 19½
45725	★	Glazed	26 gauge, square corners, wire in rim	4 rows of 7	6.4	3 7/8 x 2½	3½ x 2⅛	1 5/16	3⅛	4½	7.8	18 7/8 x 25 7/8
45727	★	Glazed	26 gauge, square corners, wire in rim	4 rows of 7	6.4	3 7/8 x 2½	3½ x 2⅛	1 5/16	3⅛	4¼	7.9	17 7/8 x 25 7/8
Square Muffin												
46605	★	Glazed	20 gauge aluminum, square corners, wire in rim	4 rows of 6	4.4	2 5/8 x 2 5/8	2 x 2	1 9/16	3⅛	3¼	3.8	14⅛ x 20¾
46601	★	Dura-Shield	20 gauge aluminum, square corners, wire in rim	4 rows of 6	4.4	2 5/8 x 2 5/8	2 x 2	1 9/16	3⅛	3¼	3.8	14⅛ x 20¾
Mini-Star												
43045	★	Glazed	22 gauge, square corners, wire in rim	3 rows of 4	6.0	4½	4 3/32	1	5½	5	8.4	17 7/8 x 25 7/8
Fluted Tart												
25500	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	3 rows of 2	7.2	4 9/16	4 1/16	7/8	5	5 3/8	2.0	11 1/8 x 15 3/4
Mini-Swirl Cake												
26300	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	3 rows of 2	6.1	3 11/16	2½	1 25/32	4¼	4¼	2.2	11 1/8 x 15 3/4

Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.

Mini-Fluted Cake & Mini-Fluted Tube Cake Pans



Item # 26200 (C)
Mini-Fluted Cake



Item # 43055 (C)
Mini-Fluted Tube Cake

Mini-Muffin, Mini-Crown Muffin & Cupcake Pans



Item # 10355 (B)
Mini-Muffin



Item # 45195, 45295 (B)
Mini-Muffin



Item # 45245, 45255 (A)
Mini-Muffin



Item # 42754, 42755, 42756 (B)
Mini-Crown Muffin



Item # 45125, 45128, 45225, 45525, 45575, 45605, 46120, 46125, 46520, 46525 (A)
Cupcake

Specialty Dessert Pans



Item # 25300, 42865 (C)
Brownie Bite



Item # 43385, 43395 (C)
Mary Ann/Strawberry Shortcake



Item # 25100 (C)
Mini-Loaf



Item # 45755, 45725, 45727 (C)
Mini-Loaf



Item # 46601, 46605 (A)
Square Muffin



Item # 43045 (C)
Mini-Star



Item # 25500 (C)
Fluted Tart



Item # 26300 (C)
Mini-Swirl Cake

Cupcake & Muffin Pan Mould Profiles



(A)	(B)	(C)
Bell-Shaped Crown	Large Rounded Crown	Cake Top

Most Chicago Metallic cupcake and muffin pans produce a bell-shaped crown. Other moulds produce a rounded crown or a flatter, cake-like top. Each mould profile is marked with an (A), (B), or (C) to indicate its typical crown shape.

Please note that all dimensions are in inches.

Cupcake & Muffin Pans

Oversized Muffin Pans



Item # 43645, 45645 (A)
Large Muffin



Item # 43215, 45265 (A)
Texas Muffin



Item # 43515, 44515 (A)
Jumbo Muffin



Item # 43375, 45285 (A)
Jumbo Muffin



Item # 45445 (A)
Jumbo Muffin



Item # 43555, 44555 (B)
Large Crown Muffin



Item # 43025, 43026 (B)
Large Crown Muffin



Item # 45435 (B)
Large Crown Muffin



Item # 26500, 43695, 43698,
44705, 47005 (B)
Pecan Roll/Large Muffin



Item # 43035, 43038 (C)
Mini-Cake



Item # 44305, 44215, 45305 (C)
Mini-Cake



Item # 45355 (C)
Mini-Cake

Allergen Management Cupcake Pan



Item # 65525 (A)
Allergen Management
Cupcake

Large-Radius Corners

Most Chicago Metallic muffin pans feature an innovative large-radius, seamless corner design. This design significantly increases pan frame and corner strength, extends pan life, and makes pans safer, more sanitary, and easier to handle. These pans also nest and stack easily with older, small-radius corner pans.

Oversized Muffin Pans Aluminized steel

Item #	In Stock	Coating	Description	Arrange-ment	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top (A)	Btm. Out.(B)	Depth (C)	L	W		
Large Muffin												
43645	★	Glazed	26 gauge, wire in rim	3 rows of 4	5.0	3 1/4	2 1/2	1 1/4	3 5/8	3 5/8	3.8	12 7/8 x 17 7/8
45645	★	Glazed	26 gauge, wire in rim	4 rows of 6	5.0	3 1/4	2 1/2	1 1/4	3 5/8	3 5/8	7.0	17 7/8 x 25 7/8
Texas Muffin												
43215	★	Glazed	26 gauge, wire in rim	3 rows of 4	5.6	3 3/16	2 15/16	1 1/4	3 5/8	3 5/8	3.9	12 7/8 x 17 7/8
45265	★	Glazed	26 gauge, wire in rim	4 rows of 6	5.6	3 3/16	2 15/16	1 1/4	3 5/8	3 5/8	7.2	17 7/8 x 25 7/8
Jumbo Muffin												
43515	★	Glazed	26 gauge, wire in rim	3 rows of 4	6.2	3 1/2	3 1/8	1 1/4	4 1/8	4 1/8	4.2	13 1/2 x 17 7/8
44515	★	Glazed	26 gauge, wire in rim	4 rows of 5	6.2	3 1/2	3 1/8	1 1/4	4 1/8	4 1/8	6.7	17 7/8 x 25 7/8
43375	★	Glazed	26 gauge, wire in rim	3 rows of 4	7.0	3 3/8	3	1 1/2	4	3 15/16	4.0	12 7/8 x 17 7/8
45285	★	Glazed	26 gauge, wire in rim	4 rows of 6	7.0	3 3/8	3	1 1/2	3 7/8	4	7.5	17 7/8 x 25 7/8
45445	★	Glazed	26 gauge, wire in rim	4 rows of 6	7.0	3 3/8	2 15/16	1 17/32	3 27/32	4	7.7	17 7/8 x 25 3/4
Large Crown Muffin												
43555	★	Glazed	26 gauge, wire in rim	3 rows of 4	7.3	3 1/2	2 1/16	1 15/16	4 1/8	4 1/8	4.2	13 1/2 x 17 7/8
44555	★	Glazed	26 gauge, wire in rim	4 rows of 5	7.3	3 1/2	2 1/16	1 15/16	4 1/8	4 1/8	6.8	17 7/8 x 25 7/8
43025	★	Glazed	22 gauge, square corners, wire in rim	3 rows of 4	7.3	3 5/8	2 1/16	1 3/8	4	4	5.5	13 1/2 x 17 1/2
43026	★	Glazed	22 gauge, wire in rim	4 rows of 6	7.3	3 5/8	2 1/16	1 3/8	4	4	9.8	17 7/8 x 25 7/8
45435	★	Glazed	22 gauge, wire in rim	3 rows of 5	7.5	4 1/8	2 1/16	1 13/16	4 5/8	4 5/8	8.2	17 7/8 x 25 7/8
Pecan Roll/Large Muffin												
26500	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	3 rows of 2	8.2	3 11/16	2 1/2	1 13/16	4 1/4	4 1/4	2.2	11 1/8 x 15 3/4
43695	★	Glazed	26 gauge, wire in rim	3 rows of 4	8.2	3 11/16	2 1/2	1 13/16	4 1/4	4 1/4	4.2	13 1/2 x 17 7/8
43698	★	DuraShield	26 gauge, wire in rim	3 rows of 4	8.2	3 11/16	2 1/2	1 13/16	4 1/4	4 1/4	4.2	13 1/2 x 17 7/8
44705	★	Glazed	26 gauge, wire in rim	4 rows of 5	8.2	3 11/16	2 1/2	1 13/16	4 1/4	4 1/4	7.0	17 7/8 x 25 7/8
47005	★	Glazed	26 gauge, wire in rim	3 rows of 5	8.2	3 11/16	2 1/2	1 13/16	4 1/4	4 1/4	6.5	17 7/8 x 25 7/8
Mini-Cake												
43035	★	Glazed	22 gauge, wire in rim	3 rows of 5	10.0	4 1/8	3 11/16	1 1/2	4 5/8	4 7/8	9.0	17 7/8 x 25 7/8
43038	★	DuraShield	22 gauge, wire in rim	3 rows of 5	10.0	4 1/8	3 11/16	1 1/2	4 5/8	4 7/8	9.0	17 7/8 x 25 7/8
44305	★	Glazed	26 gauge, wire in rim	2 rows of 3	10.5	4 1/4	3 3/4	1 1/2	4 7/8	5 3/16	2.0	11 1/8 x 15 3/4
44215	★	Glazed	26 gauge, square corners, wire in rim	3 rows of 4	10.5	4 1/4	3 11/16	1 1/2	4 7/8	4 7/8	5.0	15 1/2 x 20 1/2
45305	★	Glazed	26 gauge, wire in rim	3 rows of 5	10.5	4 1/4	3 3/4	1 1/2	4 21/32	4 7/8	6.7	17 7/8 x 25 7/8
45355	★	Glazed	26 gauge, square corners, wire in rim	3 rows of 4	16.5	5 1/4	4 3/4	1 3/8	5 5/8	5 11/16	7.0	18 x 25 7/8

Allergen Management Cupcake Pan Aluminized steel with 265U colored DuraShield® non-stick coating



Item #	In Stock	Coating	Description	Arrange-ment	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top (A)	Btm. Out.(B)	Depth (C)	L	W		
65525	★	DuraShield	26 gauge, wire in rim	4 rows of 6	3.8	2 3/4	2 1/16	1 3/8	3 5/16	3 5/16	5.2	14 1/16 x 20 11/16

**Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.*

Bun & Roll Pans

Hamburger Bun Pans Aluminized steel

Item #	In Stock	Coating	Description	Arrangement	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
					Top Inside	Btm. Out	Depth		
Individual Moulds									
41002	★	Glazed	22 gauge, band in rim	3 rows of 5	4 1/8	3 3/4	1/2	8.3	17 3/4 x 25 3/4 x 1 1/2
41005	★	Glazed	22 gauge, band in rim	3 rows of 4	5	4 3/4	1/2	8.5	17 3/4 x 25 3/4 x 1 1/2
41006	★	Glazed	22 gauge, band in rim	2 rows of 3	4 1/8	3 7/8	1 1/8	5.3	12 x 17 5/8 x 2 1/8
42495*	★	Glazed	26 gauge, wire in rim	4 rows of 6	3 3/4	3 1/8	3/8	4.6	17 3/4 x 25 3/4 x 1 1/3
42425*	★	Glazed	26 gauge, wire in rim	3 rows of 5	4 1/8	3 7/8	1/2	4.5	17 11/16 x 25 11/16 x 1 19/32
42345	★	Glazed	26 gauge, wire in rim	4 rows of 6	4 1/4	3 5/8	1/2	6.8	19 1/2 x 28 3/4 x 1 5/8
52345	★	DuraShield	26 gauge, wire in rim	4 rows of 6	4 1/4	3 5/8	1/2	6.8	19 1/2 x 28 3/4 x 1 5/8
Cluster Moulds									
42445*	★	Glazed	26 gauge, wire in rim	6 clusters of 4	3 7/8	3 3/8	1/2	4.5	17 11/16 x 25 11/16 x 1 5/8

ePAN® Pans



Band in Rim



Wire in Rim

Pan Rim Designs

- **Band in Rim:** Heavier; anti-shingle design, ideal for conveyorized and high-volume bakeries.
- **Wire in Rim:** Lighter; best for rack oven applications.

Hot Dog Bun Pans Aluminized steel

Item #	In Stock	Coating	Description	Arrangement	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
					Top Inside	Btm. Out	Depth		
Individual Moulds									
42435*	★	Glazed	22 gauge, wire in rim	3 rows of 6	6 x 2 1/16	5 1/2 x 1 9/16	1/2	4.5	17 11/16 x 25 11/16 x 1 5/8
52435*	★	DuraShield	22 gauge, wire in rim	3 rows of 6	6 x 2 1/16	5 1/2 x 1 9/16	1/2	4.5	17 11/16 x 25 11/16 x 1 5/8
42415	★	Glazed	22 gauge, wire in rim	4 rows of 6	6 x 2 1/16	5 1/2 x 1 9/16	1/2	6.0	16 3/4 x 27 3/4 x 1 5/8
Cluster Moulds									
42465	★	Glazed	22 gauge, band in rim, oval ends	8 clusters of 4	5 5/8 x 2 1/16	5 x 1 5/8	15/32	7.5	19 3/8 x 25 3/4 x 1 15/32

**ePAN® Pans*

Hoagie Bun Pans Aluminized steel

Item #	In Stock	Coating	Description	Arrangement	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
					Top Inside	Btm. Out	Depth		
Blunt Ends									
41052	★	Glazed	22 gauge, band in rim	5 rows of 2	12 x 2 3/4	11 3/4 x 2 7/16	3/8	7.9	17 3/4 x 25 3/4 x 1 3/8
41053	★	Glazed	22 gauge, band in rim	2 rows of 4	10 x 3	9 3/4 x 2 3/4	1/2	7.9	17 3/4 x 25 3/4 x 1 1/2
Round Ends									
41055	★	Glazed	22 gauge, band in rim	6 rows of 2	7 7/8 x 2 1/2	7 5/16 x 2 1/8	7/16	7.9	17 3/4 x 25 3/4 x 1 7/16
41058	★	DuraShield	22 gauge, band in rim	6 rows of 2	7 7/8 x 2 1/2	7 5/16 x 2 1/8	7/16	7.9	17 3/4 x 25 3/4 x 1 7/16
10450	★	Glazed	22 gauge, band in rim	6 rows of 3	7 3/32 x 2	6 11/16 x 1 11/16	1/2	7.4	17 3/4 x 25 3/4 x 1 1/2

Slider Bun Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrangement	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
					Top In.	Btm. Out	Depth		
40434	★	Glazed	22 gauge, band in rim	8 clusters of 12	1 3/8	1/8 concave bottom	1/8	7.1	17 5/8 x 25 5/8 x 1 1/8

Square Ciabatta Roll Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrangement	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
					Top Inside	Btm. Out	Depth		
46351	★	Glazed	22 gauge, band in rim	4 rows of 5	3 1/4 x 3	3 7/64 x 2 21/25	23/32	7.5	17 3/4 x 25 3/4 x 1 23/32

Allergen Management Hamburger Bun Pan Aluminized steel with 265U colored DuraShield® non-stick coating

Item #	In Stock	Coating	Description	Arrangement	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
					Top Inside	Btm. Out	Depth		
62425	★	DuraShield	26 gauge, wire in rim	3 rows of 5	4 1/8	3 7/8	1/2	4.5	17 11/16 x 25 11/16 x 1 19/32

ePAN® Bun Pans

Chicago Metallic ePAN® Bun Pans are manufactured from high tensile strength aluminized steel which produces a pan that is thinner and lighter, yet substantially stronger than traditional pans. Using less metal also means ePAN Bun Pans heat faster and cool more quickly.

Bread & Baguette Pans

Single Open Top Bread Pans
Aluminized steel, folded construction (unless otherwise noted)

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Loaf Weight Each (lb)
				Top Inside	Btm. Out	Depth		
40411	★	Plain	26 gauge, seamless construction, curled rim	5⅝ x 3⅛	5 x 2½	2 3/16	0.3	⅜
40415	🍁	Glazed	26 gauge, seamless construction, curled rim	5⅝ x 3⅛	5 x 2½	2 3/16	0.3	⅜
45031	🍁	Glazed	26 gauge, seamless construction, wire in rim with notched corners	7¼ x 3⅝	6¾ x 3	2¼	0.8	½
41065	🍁	Glazed	26 gauge, wire in rim	8 x 4	7¼ x 3¼	2½	0.9	¾
40421	★	Plain	26 gauge, wire in rim	8½ x 4½	7⅝ x 3⅝	2 11/16	1.0	1.0
40425	🍁	Glazed	26 gauge, wire in rim	8½ x 4½	7⅝ x 3⅝	2 11/16	1.0	1.0
40561	★	Plain	26 gauge, wire in rim	9 x 4½	8¼ x 3¾	2¾	1.1	1.0
40565	★	Glazed	26 gauge, wire in rim	9 x 4½	8¼ x 3¾	2¾	1.1	1.0
10257	🍁	Glazed	26 gauge, wire in rim	9½ x 4½	9 x 4	2¾	1.3	1.0
49110	★	Plain	26 gauge, wire in rim	10 x 5	9⅜ x 4⅜	3	1.3	1.5
49115	🍁	Glazed	26 gauge, wire in rim	10 x 5	9⅜ x 4⅜	3	1.3	1.5
40491	★	Plain	26 gauge, wire in rim	12¼ x 4½	11½ x 3¾	2¾	1.3	1.5
40495	★	Glazed	26 gauge, wire in rim	12¼ x 4½	11½ x 3¾	2¾	1.3	1.5
10291	🍁	Glazed	26 gauge, wire in rim	12 x 5	11¼ x 4¼	3½	1.9	1.5

3-Strap Open Top Bread Pans Aluminized steel, folded construction, band over wire

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out	Depth		
44235	★	Glazed	26 gauge, wire in rim	8½ x 4½	7⅝ x 3⅝	2¾	4.7	9 7/32 x 17⅞
45635	★	Glazed	26 gauge, wire in rim	9 x 4½	8¼ x 3¾	2¾	4.8	9 23/32 x 17¾

4-Strap Open Top Bread Pans Aluminized steel, folded construction, band over wire (unless otherwise noted)

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out	Depth		
44145	★	Glazed	26 gauge, seamless construction, strap under curled pan rims	5⅝ x 3⅛	5 x 2½	2 3/16	2.0	6⅛ x 18
44065	★	Glazed	26 gauge, wire in rim	8 x 4	7¼ x 3¼	2½	5.1	8¾ x 19¾
44245	★	Glazed	26 gauge, wire in rim	8½ x 4½	7⅝ x 3⅝	2¾	6.0	9 7/32 x 21⅞
44585	★	Glazed	26 gauge, wire in rim	8½ x 5¾	8 x 5	3	7.5	9 3/16 x 26
10392	★	Glazed	26 gauge, wire in rim	9½ x 4½	9 x 4	2¾	6.8	10¼ x 21¾
10396	★	Glazed	26 gauge, wire in rim	10½ x 4½	10 x 4	3	8.0	11¼ x 21¾
45642	★	Glazed	26 gauge, wire in rim	9 x 4½	8¼ x 3¾	2¾	6.1	9 23/32 x 21⅞
49145	★	Glazed	26 gauge, wire in rim	10 x 5	9⅜ x 4⅜	3	7.1	10 23/32 x 23⅞
49415	★	Glazed	26 gauge, wire in rim	10 x 5	9⅜ x 4⅜	3	7.3	10 23/32 x 26
44765	★	Glazed	26 gauge, wire in rim	12 x 5	11¼ x 4¼	3½	9.0	12 11/16 x 23⅜
44945	★	Glazed	26 gauge, wire in rim	12¼ x 4½	11½ x 3¾	2¾	7.5	12 31/32 x 21⅞

5-Strap Open Top Bread Pans Aluminized steel, folded construction, band over wire

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out	Depth		
44575	★	Glazed	26 gauge, wire in rim	7⅜ x 3⅝	6¾ x 3	2¼	6.1	8 5/32 x 25¾
10424	★	Glazed	26 gauge, wire in rim	8 x 4	7¼ x 3¼	2½	6.9	8¾ x 25¾
44255	★	Glazed	26 gauge, wire in rim	8½ x 4½	7⅝ x 3⅝	2¾	7.1	9 7/32 x 26
10428	★	Glazed	26 gauge, wire in rim	9½ x 4½	9 x 4	2¾	8.8	10¼ x 26
10430	★	Glazed	26 gauge, wire in rim	10½ x 4½	10 x 4	3	10.0	11¼ x 26
45655	★	Glazed	26 gauge, wire in rim	9 x 4½	8¼ x 3¾	2¾	7.5	9 23/32 x 26
44955	★	Glazed	26 gauge, wire in rim	12¼ x 4½	11½ x 3¾	2¾	9.0	12 31/32 x 26

6-Strap Open Top Bread Pans Aluminized steel, seamless construction, strap under pan rims

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out	Depth		
46925	★	Glazed	26 gauge, curled rim, large-radius corners	5⅝ x 3⅛	5⅛ x 2½	2¼	3.3	6 x 25⅞
41465	★	Glazed	26 gauge, wire in rim, small-radius corners	5⅝ x 3⅛	5 x 2½	2 3/16	3.0	6 1/16 x 25⅞

AMERICOAT® ePlus

AMERICOAT® ePlus silicone release coating is the industry's leading silicone coating technology used on all Chicago Metallic glazed pans. AMERICOAT® ePlus features longer-lasting performance and reduces the need for oil usage up to 50%.

Bread & Baguette Pans

Single Pullman Pans/Covers
Aluminized steel, folded construction

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Loaf Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out	Depth			
44615	★	Glazed	26 gauge, wire in rim	13 x 4	12¾ x 3¾	4	1.8	1.5	13$^{14}/_{25}$ x 4$^{14}/_{25}$
44660	★	Glazed	Individual sliding cover for #44615	———	———	——	0.6	——	14$^{9}/_{16}$ x 4¾
44650	🍁	Glazed	26 gauge, wire in rim	16 x 4	15¾ x 3¾	4	2.1	2.0	16⅝ x 4⅝
44655	🍁	Glazed	Individual sliding cover for #44650	———	———	——	0.7	——	17⅜ x 4⅝



3-Strap Pullman Pans/Covers
Aluminized steel, folded construction, band over wire

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Loaf Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out	Depth			
10367	🍁	Glazed	26 gauge, wire in rim	12 x 4	11¾ x 3¾	4	7.5	1.5	12¾ x 15¾
10471	🍁	Glazed	1" non-nesting, drop cover for #10367	———	———	——	6.3	——	13¾ x 16¾
44635	★	Glazed	26 gauge, wire in rim	13 x 4	12¾ x 3¾	4	7.3	1.5	13$^{23}/_{32}$ x 15⅝
44645	★	Glazed	1" non-nesting, drop cover for #44635	———	———	——	4.3	——	14⅜ x 16$^{9}/_{32}$
44365	★	Glazed	26 gauge, wire in rim	16 x 4	15¾ x 3¾	4	8.5	2.0	16$^{23}/_{32}$ x 15¾
46465	★	Glazed	1" non-nesting, drop cover for #44365	———	———	——	5.3	——	17⅜ x 16$^{13}/_{32}$
10369	🍁	Glazed	26 gauge, wire in rim	16 x 4½	15¾ x 4¼	4½	10.0	2.1	16¾ x 17
16083	🍁	Glazed	1" non-nesting, drop cover for #10369	———	———	——	6.2	——	17¾ x 18



4-Strap Pullman Pan/Cover
Aluminized steel, folded construction, band over wire

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Loaf Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out	Depth			
44685	★	Glazed	26 gauge, wire in rim	13 x 4	12¾ x 3¾	4	9.5	1.5	13¾ x 21⅜
44695	★	Glazed	1½" nested cover for #44685	———	———	——	6.3	——	14¾ x 22⅜

3-Strap Hearth Bread Pan
Aluminized steel, seamless construction, band over wire, partial bottom and sidewall perforations, flat bottom

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Loaf Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out	Depth			
44405	★	Glazed	22 gauge, wire in rim	11½ x 6	11 x 3½	2½	6.5	1.5	12$^{3}/_{16}$ x 25⅞

4-Strap Hearth Bread Pan
Aluminized steel, folded construction, band over wire, quilted corrugations, flat bottom with two rows of sidewall perforations

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Loaf Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out	Depth			
41145	★	Glazed	22 gauge, wire in rim	11$^{9}/_{16}$ x 5¾	10$^{15}/_{16}$ x 3¾	2¾	7.8	1.5	12⅜ x 26$^{1}/_{16}$

Rye Bread/Miche Pan 3-Strap Set Aluminized steel

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Loaf Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out	Depth			
47125	★	Glazed	22 gauge, seamless construction, wire in rim, band over wire	11½ x 7	4½ x 11	3	7.9	1.5	12¼ x 25⅞

Allergen Management Bread Pan Aluminized steel with 265U colored DuraShield® non-stick coating

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Loaf Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out	Depth			
60561	★	DuraShield	26 gauge, wire in rim	9 x 4½	8¼ x 3¾	2¾	1.1	1.0	12¼ x 25⅞

Baguette Pans Aluminum



Item #	In Stock	Coating	Description	Moulds Per Pan	Mould Dimensions (in) Top Inside	Weight Each (lb)	Overall Size (in)
49011	🍁	Glazed	16 gauge, .081" diameter perforation, open ends, welded style	3 long	5 x 25¾	3.3	17¾ x 25¾ x 2 1⁄16
45505	★	Glazed	16 gauge, .081" diameter perforation, open ends, welded style	5 across	3⅞ x 17¾	3.8	17¾ x 25¾ x 1

Uni-Lock® Baguette Pans† Aluminum



Item #	In Stock	Coating	Description	Moulds Per Pan	Mould Dimensions (in) Top Inside	Weight Each (lb)	Overall Size (in)
49034	🍁	Glazed	16 gauge, .081" diameter perforation, open ends	4 long	3⅞ x 25¾	3.5	17¾ x 25¾ x 1
49043	★	Dura-Shield	16 gauge, .081" diameter perforation, open ends	4 long	3⅞ x 25¾	3.5	17¾ x 25¾ x 1
49035	🍁	Glazed	16 gauge, .081" diameter perforation, open ends	5 long	3 x 25¾	3.7	17¾ x 25¾ x 1
49053	★	Dura-Shield	16 gauge, .081" diameter perforation, open ends	5 long	3 x 25¾	3.7	17¾ x 25¾ x 1
45515	★	Glazed	16 gauge, .081" diameter perforation, open ends	5 across	3⅞ x 17¾	3.5	17¾ x 25¾ x 1
49036	🍁	Glazed	16 gauge, .081" diameter perforation, open ends	6 long	2 7⁄16 x 25¾	3.7	17¾ x 25¾ x 1
49063	★	Dura-Shield	16 gauge, .081" diameter perforation, open ends	6 long	2 7⁄16 x 25¾	3.7	17¾ x 25¾ x 1

Allergen Management Uni-Lock® Baguette Pan† Aluminum with 265U colored DuraShield® non-stick coating



Item #	In Stock	Coating	Description	Moulds Per Pan	Mould Dimensions (in) Top Inside	Weight Each (lb)	Overall Size (in)
69035	★	Dura-Shield	16 gauge, .081" diameter perforation, open ends	5 long	3 x 25¾	3.7	17¾ x 25¾ x 1

†Uni-Lock U.S. Patent No. 7,258,246 and Canada Patent No. 2,557,979. For Uni-Lock patent numbers of other countries, please visit www.bundybakingsolutions.com/patents-trademarks/.

Uni-Lock® Baguette Pans

Our Uni-Lock® Baguette Pans utilize a patented locking method to provide a permanent connection between the frame and panel. Our unique design does not rely on individual fasteners or welding so there are no rivets to loosen and fall free and no broken welds to worry about.

Specialty Bread Pans

Crimped Round Bread 4-Pan Set Aluminized steel

Item #	In Stock	Coating	Description	Individual Pan Size (in)		Weight Each (lb)	Loaf Weight (lb)	Overall Size (in)
				Top Inside	Diameter			
48514	★	Glazed	26 gauge, wire in rim, 2-piece locking set	10	3¾	10.0	1.0	10 17/32 x 17¼

Cinnamon/Package Roll 3-Pan Set Aluminized steel

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out	Depth		
41695	★	Glazed	26 gauge, seamless construction, wire in rim	9¼ x 6⅝	9 x 6⅜	1⅞	4.5	9⅞ x 22⅛

Tortilla Shell Pans Aluminized steel

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)
				Top Inside	Btm. Out	Depth	
46990	★	Plain	26 gauge	9⅛	4⅛	3	0.5
46995	★	Glazed	26 gauge	9⅛	4⅛	3	0.5
47675	★	DuraShield	26 gauge	9⅛	4⅛	3	0.5
45990	★	Plain	22 gauge	6⅝	3⅛	2 3⁄16	0.3
45995	★	Glazed	22 gauge	6⅝	3⅛	2 3⁄16	0.3
46675	★	DuraShield	22 gauge	6⅝	3⅛	2 3⁄16	0.3

Sub Sandwich Roll Pans Aluminum



Item #	In Stock	Coating	Description	Arrange-ment	Individual Pan Size (in)			Weight Each (lb)	Overall Size (in)
					Top Inside	Btm. Out	Depth		
Full-Size									
49015	★	Glazed	16 gauge, perforated, individual flat bottom moulds with end caps	2 rows of 5	12½ x 3	12½ x 2¼	¾	3.4	17¾ x 25⅜ x ¾
Half-Size									
49014	★	Glazed	16 gauge, perforated, individual flat bottom moulds with end caps	1 row of 5	12½ x 3	12½ x 2¼	¾	1.9	17¾ x 12¾ x ¾

Mini-Loaf Pans Aluminized steel

Item #	In Stock	Coating	Description	Arrange-ment	Vol. (oz)*	Individual Pan Size (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top Inside	Btm. Out.	Depth	L	W		
45755	🍁	Glazed	26 gauge, square corners, wire in rim	2 rows of 6	6.4	3⅞ x 2½	3½ x 2⅛	1 5⁄16	3⅛	4½	3.8	9⅞ x 19½
45725	★	Glazed	26 gauge, square corners, wire in rim	4 rows of 7	6.4	3⅞ x 2½	3½ x 2⅛	1 5⁄16	3⅛	4½	7.8	18⅞ x 25⅞
45727	🍁	Glazed	26 gauge, square corners, wire in rim	4 rows of 7	6.4	3⅞ x 2½	3½ x 2⅛	1 5⁄16	3⅛	4¼	7.9	17⅞ x 25⅞

**Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.*

Allergen Management Sub Sandwich Roll Pan Aluminum with 265U colored DuraShield® non-stick coating



Item #	In Stock	Coating	Description	Arrange-ment	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
					Top Inside	Btm. Out	Depth		
69015	★	DuraShield	16 gauge, perforated, welded style	2 rows of 5	12½ x 3	12½ x 2¼	¾	3.4	17¾ x 25⅜ x ¾

Tortilla Shell Pans

Chicago Metallic's Tortilla Shell Pan is ideal for baking a more healthy version of the popular tortilla bowl. Baking tortillas instead of frying eliminates the extra fat and calories from frying while still providing the crispy texture that consumers love. The tortilla shell pan can accommodate a variety of tortilla sizes, thus the tortillas can be used as a delicious serving bowl for dips, salads, desserts, and more.



Pizza Pans

Straight Sidewall Pizza Pans Aluminized steel

Item #	In Stock	Coating	Description	Nominal Size (in)	Top Inside (in)	Btm. Out (in)	Depth (in)	Weight Each (lb)
41010	★	Plain	26 gauge, straight sidewalls	10	10	10	1	0.8
41210	★	Plain	26 gauge, straight sidewalls	12	12	12	1	1.0
41400	★	Plain	22 gauge, straight sidewalls	14	14	14	1	1.8
41610	★	Plain	22 gauge, straight sidewalls	16	16	16	1	2.2
41810	★	Plain	22 gauge, straight sidewalls	18	18	18	1 1/16	2.8
46150	★	Plain	26 gauge, straight sidewalls	6	6	6	1 1/2	0.4
48050	★	Plain	26 gauge, straight sidewalls	8	8	8	1 1/2	0.7
49152	★	Plain	26 gauge, straight sidewalls	9	9	9	1 1/2	0.8
45020	★	Plain	26 gauge, straight sidewalls	5	5 1/32	5 1/32	2 1/16	0.4
46020	★	Plain	26 gauge, straight sidewalls	6	6	6	2	0.5
47020	★	Plain	26 gauge, straight sidewalls	7	7	7	2	0.6
48020	★	Plain	26 gauge, straight sidewalls	8	8	8	2	0.8
49020	★	Plain	26 gauge, straight sidewalls	9	9	9	2	0.9
41020	★	Plain	26 gauge, straight sidewalls	10	10	10	2	1.1
41220	★	Plain	26 gauge, straight sidewalls	12	12	12	2	1.4
41420	★	Plain	22 gauge, straight sidewalls	14	14	14	2	2.3

Detroit Style Pizza Pans Aluminized steel



Item #	In Stock	Coating	Description	Weight Each (lb)	Overall Size (in)
90810	★	Plain	24 gauge, folded/welded corners	1.6	8⅛ x 10¼ x 2½
90815	★	Glazed	24 gauge, folded/welded corners	1.6	8⅛ x 10¼ x 2½
91014	★	Plain	24 gauge, folded/welded corners	2.6	10⅛ x 14¼ x 2½
91015	★	Glazed	24 gauge, folded/welded corners	2.6	10⅛ x 14¼ x 2½

EXACT STACK® Deep Dish Pizza Pans Hardcoat anodized aluminum

Item #	In Stock	Coating	Description	Nominal Size (in)	Top Inside (in)	Btm. Out (in)	Depth (in)	Weight Each (lb)
75010	★	Plain	14 gauge, nestable	12	12¼	11 15/16	2	1.2
75012	★	Pre-Seasoned	14 gauge, nestable	12	12¼	11 15/16	2	1.2
75140	★	Plain	14 gauge, nestable	14	14⅛	13 15/16	2	1.4
75145	★	Pre-Seasoned	14 gauge, nestable	14	14⅛	13 15/16	2	1.4

Allergen Management Pizza Pans Aluminum with 265U colored DuraShield® non-stick coating

Item #	In Stock	Coating	Description	Top Inside (in)	Btm. Out (in)	Depth (in)	Weight Each (lb)
69100	★	DuraShield	10" thin crust pizza, 14 gauge	10	9 27/32	⅜	0.8
69120	★	DuraShield	12" thin crust pizza, 14 gauge	12	11⅞	⅜	1.1

EXACT STACK® Pizza Pans

Chicago Metallic EXACT STACK® Pizza Pans are engineered to stack securely yet release easily when lifted. The pans can be used to proof dough while stacked and will not stick together due to the proprietary design. They offer an average overall space savings of 30% over traditional pizza pans with lids. Made with high-strength aluminum with a durable, hardcoat anodized surface that will not chip, peel, rust, or interact with food, EXACT STACK Pizza Pans are available plain or pre-seasoned with AMERICOAT® ePlus glaze.

Pizza Pans

BĀKALON Deep Dish Pizza Pans Hardcoat anodized aluminum

Item #	In Stock	Coating	Description	Nominal Size (in)	Top Inside (in)	Btm. Out (in)	Depth (in)	Weight Each (lb)
91060	★	Plain	14 gauge, nestable	6	6 5/8	6	1 1/2	0.5
91065	★	Pre-Seasoned	14 gauge, nestable	6	6 5/8	6	1 1/2	0.5
91068	★	Plain	14 gauge, nestable, perforated bottom	6	6 5/8	6	1 1/2	0.5
91090	★	Plain	14 gauge, nestable, embossed feet	9	9	8 3/8	1 1/2	0.8
91095	★	Pre-Seasoned	14 gauge, nestable, embossed feet	9	9	8 3/8	1 1/2	0.8
91098	★	Plain	14 gauge, nestable, embossed feet, perforated bottom	9	9	8 3/8	1 1/2	0.8
91100	★	Plain	14 gauge, nestable, embossed feet	10	10 1/4	9 5/8	1 1/2	0.9
91105	★	Pre-Seasoned	14 gauge, nestable, embossed feet	10	10 1/4	9 5/8	1 1/2	0.9
91108	★	Plain	14 gauge, nestable, embossed feet, perforated bottom	10	10 1/4	9 5/8	1 1/2	0.9
91120	★	Plain	14 gauge, nestable, embossed feet	12	12	11 3/8	1 1/2	1.2
91125	★	Pre-Seasoned	14 gauge, nestable, embossed feet	12	12	11 3/8	1 1/2	1.2
91128	★	Plain	14 gauge, nestable, embossed feet, perforated bottom	12	12	11 3/8	1 1/2	1.2
91130	★	Plain	14 gauge, nestable, embossed feet	13	13 1/16	12 3/8	1 1/2	1.4
91135	★	Pre-Seasoned	14 gauge, nestable, embossed feet	13	13 1/16	12 3/8	1 1/2	1.4
91138	★	Plain	14 gauge, nestable, embossed feet, perforated bottom	13	13 1/16	12 3/8	1 1/2	1.4
91140	★	Plain	14 gauge, nestable, embossed feet	14	14 3/16	13 17/32	1 1/2	1.6
91145	★	Pre-Seasoned	14 gauge, nestable, embossed feet	14	14 3/16	13 17/32	1 1/2	1.6
91148	★	Plain	14 gauge, nestable, embossed feet, perforated bottom	14	14 3/16	13 17/32	1 1/2	1.6
91150	★	Plain	14 gauge, nestable, embossed feet	15	14 3/4	14 1/8	1 1/2	1.7
91155	★	Pre-Seasoned	14 gauge, nestable, embossed feet	15	14 3/4	14 1/8	1 1/2	1.7
91158	★	Plain	14 gauge, nestable, embossed feet, perforated bottom	15	14 3/4	14 1/8	1 1/2	1.7
91160	★	Plain	14 gauge, nestable, embossed feet	16	16 1/32	15 5/16	1 1/2	2.0
91165	★	Pre-Seasoned	14 gauge, nestable, embossed feet	16	16 1/32	15 5/16	1 1/2	2.0

BĀKALON Thin Crust Pizza Pans Hardcoat anodized aluminum

Item #	In Stock	Coating	Description	Nominal Size (in)	Top Inside (in)	Btm. Out (in)	Depth (in)	Weight Each (lb)
49100	★	Plain	14 gauge	10	10	9 7/8	3/8	0.8
49103	★	Pre-Seasoned	14 gauge	10	10	9 7/8	3/8	0.8
49108	★	Plain	14 gauge, perforated bottom	10	10	9 7/8	3/8	0.8
49120	★	Plain	14 gauge	12	12	11 7/8	3/8	1.1
49123	★	Pre-Seasoned	14 gauge	12	12	11 7/8	3/8	1.1
49128	★	Plain	14 gauge, perforated bottom	12	12	11 7/8	3/8	1.1
49140	★	Plain	14 gauge	14	13 15/16	13 13/16	3/8	1.4
49143	★	Pre-Seasoned	14 gauge	14	13 15/16	13 13/16	3/8	1.4
49148	★	Plain	14 gauge, perforated bottom	14	13 15/16	13 13/16	3/8	1.4
49160	★	Plain	14 gauge	16	16 1/8	15 23/32	3/8	1.7
49163	★	Pre-Seasoned	14 gauge	16	16 1/8	15 23/32	3/8	1.7

BĀKALON Sheet Pans Hardcoat anodized aluminum

Item #	In Stock	Coating	Description	Weight Each (lb)	Overall Size (in)
Full-Size					
44693	★	Plain	16 gauge, wire in rim, StayFlat®	3.4	17 7/8 x 25 13/16 x 1 1/16
44694	★	Pre-Seasoned	16 gauge, wire in rim, StayFlat®	3.4	17 7/8 x 25 13/16 x 1 1/16
Half-Size					
40952	★	Plain	14 gauge, open/semi-curled rim	1.7	12 7/8 x 17 3/4 x 1
40954	★	Pre-Seasoned	14 gauge, open/semi-curled rim	1.7	12 7/8 x 17 3/4 x 1
Quarter-Size					
40452	★	Plain	16 gauge, curled rim	0.8	9 1/2 x 13 x 1 1/16
40454	★	Pre-Seasoned	16 gauge, curled rim	0.8	9 1/2 x 13 x 1 1/16
Eighth-Size					
41852	★	Plain	16 gauge, curled rim, no wire	0.4	6 7/16 x 9 7/16 x 1 1/32
41854	★	Pre-Seasoned	16 gauge, curled rim, no wire	0.4	6 7/16 x 9 7/16 x 1 1/32

BĀKALON Pans

Chicago Metallic BĀKALON Pans are hard anodized aluminum pans that provide optimal strength, durability, and thermal conductivity. This ultra-hard, aluminum oxide surface provides a nearly permanent protective dark gray cooking surface that will not chip, peel, rust, or interact with food. In fact, these pans are so durable that some bakers have experienced over 50,000 bakes.

BĀKALON pans pre-seasoned with Chicago Metallic's proprietary AMERICOAT® ePlus silicone release coating offer exceptional ease and convenience, combining the release characteristics of a non-stick coating with the flexibility to use metal utensils.

Cake & Pie Pans

Fluted Tube Cake Pan Aluminized steel

Item #	In Stock	Coating	Description	Vol. (oz)*	Mould Dimensions (in)			Weight Each (lb)
					Top Inside	Btm. Out	Depth	
51060	★	Plain	22 gauge, seamless, curled rim	96.0	10	8 7/8	3 3/4	2.3
51065	★	Glazed	22 gauge, seamless, curled rim	96.0	10	8 7/8	3 3/4	2.3





Mini-Fluted Cake Pan & Mini-Fluted Tube Cake Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrange-ment	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top (A)	Btm. Out.(B)	Depth (C)	L	W		
26200	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	4 rows of 3	3.0	2 3/4	2 5/8	1 1/4	3 5/16	3 5/16	2.2	11 1/8 x 15 3/4
43055	★	Glazed	22 gauge, wire in rim with tube	3 rows of 5	7.5	3 15/16	3	1 11/16	4 5/8	4 7/8	9.6	17 7/8 x 25 7/8



Slab Cake Pans Aluminized steel

Item #	In Stock	Coating	Description	Vol. (oz)*	Mould Dimensions (in)			Weight Each (lb)
					Top Inside	Btm. Out.	Depth	
40232	🍁	Glazed	22 gauge, seamless, wire in rim, non-nesting	21.5	15 3/25 x 21 3/25	14 5/8 x 20 5/8	2	5.8
40237	🍁	Glazed	22 gauge, seamless, band in rim, non-nesting	30.0	17 11/50 x 25 11/50	17 x 25	2	8.2

**Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.*

Bundt® Pans† Cast aluminum

Item #	In Stock	Coating	Description	Vol. (oz)*	Mould Dimensions (in)				Weight Each (lb)
					Top Inside	Btm. Out.	Top Out.	Depth	
Small Bundt®									
51224	★	Non-Stick Black	10 gauge, no handles	48.0	7⅞	6¾	8³⁄₁₆	2²⁹⁄₃₂	1.3
Large Bundt®									
50136	★	Non-Stick Black	10 gauge, no handles	96.0	9¹⁵⁄₁₆	8¾	10⅜	3²¹⁄₃₂	1.8

Bundtlette® Pans† Cast aluminum

Item #	In Stock	Coating	Description	Arrangement	Vol. (oz)*	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
						Top Inside	Btm. Out.	Depth		
50624	★	Non-Stick Black	10 gauge	2 rows of 3	8.0	4	2¾	1⅞	2.2	8¹⁵⁄₁₆ x 13¹⁵⁄₁₆

†Bundt® and Bundtlette® are the registered trademarks of Nordic Ware®, a division of Northland Aluminum Products, Inc., Minneapolis, MN 55416

Angel Food/Tube Cake Pans Aluminum

Item #	In Stock	Coating	Description	Vol. (oz)*	Mould Dimensions (in)			Tube Dimensions (in)			Weight Each (lb)
					Top Inside	Btm. Out.	Depth	Top Inside	Btm. Inside	Depth	
46500	★	Plain	15 gauge, solid bottom, nesting ring in tube	62.0	7½	7	2¾	1¾	2⅝	3	0.8
46505	★	Glazed	15 gauge, solid bottom, nesting ring in tube	62.0	7½	7	2¾	1¾	2⅝	3	0.8
46530	🍁	Plain	15 gauge, solid bottom, nesting ring in tube	60.0	7½	6⅞	3¹⁄₁₆	2⁹⁄₁₆	3⅛	3⅛	0.8
46535	★	Glazed	15 gauge, solid bottom, nesting ring in tube	60.0	7½	6⅞	3¹⁄₁₆	2⁹⁄₁₆	3⅛	3⅛	0.8
46540	★	Plain	15 gauge, solid bottom, nesting ring in tube	116.0	9¼	8	4	2¼	3	4⅛	1.2
46545	★	Glazed	15 gauge, solid bottom, nesting ring in tube	116.0	9¼	8	4	2¼	3	4⅛	1.2
46550	🍁	Plain	15 gauge, solid bottom, nesting ring in tube	128.0	9⅜	8¼	4	2⅜	3⅛	4⅛	1.3
46555	★	Glazed	15 gauge, solid bottom, nesting ring in tube	128.0	9⅜	8¼	4	2⅜	3⅛	4⅛	1.3
46560	★	Plain	15 gauge, solid bottom, nesting ring in tube	144.0	10	9¼	3¾	3¼	4	4½	1.5
46565	★	Glazed	15 gauge, solid bottom, nesting ring in tube	144.0	10	9¼	3¾	3¼	4	4½	1.5

Spring Form Cake Pans High strength aluminum alloy

Item #	In Stock	Coating	Description	Vol. (oz)*	Overall Dimensions (in)		Weight Each (lb)
					Top Inside	Depth	
40406	★	Plain	0.032", includes removable bottom	47.0	6	2¾	0.6
40408	★	Plain	0.032", includes removable bottom	83.5	8	2¾	0.8
40409	★	Plain	0.032", includes removable bottom	105.7	9	2¾	0.8
40410	★	Plain	0.032", includes removable bottom	130.5	9⅞	2¾	0.8
40412	★	Plain	0.032", includes removable bottom	187.9	12	2¾	1.2

**Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.*

Cake & Pie Pans

Round Cake Pans Aluminized steel

Item #	In Stock	Coating	Description	Vol. (oz)*	Overall Dimensions (in)		Weight Each (lb)
					Top Inside	Depth	
41010	★	Plain	26 gauge, straight sidewalls	43.5	10	1	0.8
41018	★	Glazed	26 gauge, straight sidewalls	43.5	10	1	0.8
41210	★	Plain	26 gauge, straight sidewalls	62.6	12	1	1.0
41215	★	Glazed	26 gauge, straight sidewalls	62.6	12	1	1.0
41400	★	Plain	22 gauge, straight sidewalls	85.3	14	1	1.8
41405	★	Glazed	22 gauge, straight sidewalls	85.3	14	1	1.8
41610	★	Plain	22 gauge, straight sidewalls	111.4	16	1	2.2
41615	★	Glazed	22 gauge, straight sidewalls	111.4	16	1	2.2
41810	★	Plain	22 gauge, straight sidewalls	140.9	18	1 1/16	2.8
41815	★	Glazed	22 gauge, straight sidewalls	140.9	18	1 1/16	2.8
46150	★	Plain	26 gauge, straight sidewalls	23.5	6	1 1/2	0.4
46155	★	Glazed	26 gauge, straight sidewalls	23.5	6	1 1/2	0.4
48050	★	Plain	26 gauge, straight sidewalls	41.8	8	1 1/2	0.7
48055	★	Glazed	26 gauge, straight sidewalls	41.8	8	1 1/2	0.7
49152	★	Plain	26 gauge, straight sidewalls	52.8	9	1 1/2	0.8
49155	★	Glazed	26 gauge, straight sidewalls	52.8	9	1 1/2	0.8
45020	★	Plain	26 gauge, straight sidewalls	21.8	5 1/32	2 1/16	0.4
45025	★	Glazed	26 gauge, straight sidewalls	21.8	5 1/32	2 1/16	0.4
46020	★	Plain	26 gauge, straight sidewalls	31.3	6	2	0.5
46025	★	Glazed	26 gauge, straight sidewalls	31.3	6	2	0.5
47020	★	Plain	26 gauge, straight sidewalls	42.6	7	2	0.6
47026	★	Glazed	26 gauge, straight sidewalls	42.6	7	2	0.6
48020	★	Plain	26 gauge, straight sidewalls	55.7	8	2	0.8
48025	★	Glazed	26 gauge, straight sidewalls	55.7	8	2	0.8
49020	★	Plain	26 gauge, straight sidewalls	70.5	9	2	0.9
49025	★	Glazed	26 gauge, straight sidewalls	70.5	9	2	0.9
41020	★	Plain	26 gauge, straight sidewalls	87.0	10	2	1.1
41025	★	Glazed	26 gauge, straight sidewalls	87.0	10	2	1.1
41220	★	Plain	26 gauge, straight sidewalls	125.3	12	2	1.4
41225	★	Glazed	26 gauge, straight sidewalls	125.3	12	2	1.4
41420	★	Plain	22 gauge, straight sidewalls	170.5	14	2	2.3
41425	★	Glazed	22 gauge, straight sidewalls	170.5	14	2	2.3

Allergen Management Round Cake Pan Aluminized steel with 265U colored DuraShield® non-stick coating

Item #	In Stock	Coating	Description	Vol. (oz)*	Top Inside (in)	Depth (in)	Weight Each (lb)
68050	★	DuraShield	22 gauge, straight sidewalls	41.8	8	1 1/2	0.7

**Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.*

Specialty Cake Pans Aluminum (unless otherwise noted)

Item #	In Stock	Coating	Description	Vol. (oz)*	Mould Dimensions (in)		Weight Each (lb)	Tube Dimensions (in)		
					Top Inside	Depth		Top Inside	Btm. Inside	Depth
Turks Head										
47605	★	Glazed	.060" gauge, wire in rim, fluted sidewalls, round bottom	36.0	6½	2 15/16	0.6	1 diameter	2 diameter	3⅜
Sand Torte										
47645	★	Glazed	.060" gauge, wire in rim, ribbed sidewalls, embossed bottom	56.0	7 7/16	3⅛	0.6	2 diameter	2½ diameter	3
Heart										
48105	★	Glazed	26 gauge aluminized steel	60.0	8 13/16 x 8⅛	2	0.8	———	———	—
Lava Cake										
40575	★	Glazed	22 gauge aluminized steel, curled rim, fluted sidewalls	18.0	5¾	2 1/16	0.5	1⅝	1⅞	1¼

Mini-Easter Egg/Mini-Football Cake Pan Set Aluminized steel (includes top and bottom pans)

Item #	In Stock	Coating	Description	Arrangement	Vol. (oz)*	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
						Top Inside	Btm. Out.	Depth		
47255	★	Glazed	22 gauge, wire in rim	5 rows of 5	1.0	2½ x 1⅝	Elliptical	1 9/16	7.7	12⅞ x 17⅞

Easter Egg/Football Cake Pans Aluminized steel



Item #	In Stock	Coating	Description	Arrangement	Vol. (oz)*	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
						Top Inside†	Btm. Out.	Depth		
Small Egg										
47685	★	Glazed	26 gauge, wire in rim	3 rows of 4	5.0	3½ x 2¼	Elliptical	1¾	3.3	9⅝ x 17⅝
Large Egg										
47695	★	Glazed	26 gauge, wire in rim	1 row of 3	42.0	8 11/16 x 5¾	Elliptical	2 11/16	3.5	9⅞ x 19¾

†Refers to top inside at the widest point

Pie Pans Aluminum (unless otherwise noted), sold by the gross only (144 minimum)

Item #	In Stock	Coating	Description	Top Inside (in)	Btm. Out. (in)	Depth (in)	Weight per Gross (lb)	Overall Size (in)
41509	★	Plain	.011" gauge	8	6¼	1 3/16	14.4	8 29/32 x 1 3/16
41110†	★	Plain	.011" gauge tin	9	7½	1	43.2	9 27/32 x 1
48110	★	Plain	.011" gauge	8⅞	7 3/16	1⅛	10.2	9⅝ x 1⅛

†Hand-wash only

Heavy Duty Pie Pan, Deep Dish Aluminized steel

Item #	In Stock	Coating	Description	Top Inside (in)	Btm. Out. (in)	Depth (in)	Weight Each (lb)	Overall Size (in)
23100	★	Glazed	22 gauge, curled rim	9	6 15/16	1½	1.0	10 x 1½

Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.

Custom Embossed Pans

You don't have to order thousands of pans to take advantage of our custom embossing services. Contact Chicago Metallic today to request pans stamped with your logo or other custom design.

Bundy Professional Bakeware

Cake Pans Aluminized steel

Item #	In Stock	Coating	Description	Vol. (oz)*	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
					Top Inside	Btm. Out.	Depth		
Square Cake									
21300		Glazed	22 gauge, folded construction, wire in rim	77.3	8 x 8	7¾ x 7¾	2¼	2.0	8⁹⁄₁₆ x 8⁹⁄₁₆
21500		Glazed	22 gauge, folded construction, wire in rim	87.3	9 x 9	8¾ x 8¾	2¼	2.2	9⁹⁄₁₆ x 9⁹⁄₁₆
Rectangular Cake									
21100		Glazed	22 gauge, folded construction, wire in rim	126.6	9 x 13	8¾ x 12¾	2¼	2.3	9⁹⁄₁₆ x 13⁹⁄₁₆

**Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.*

Mini-Fluted Cake Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrange-ment	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top Inside	Btm. Out.	Depth	L	W		
26200	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	4 rows of 3	3.0	2¾	2⅝	1¼	3⁵⁄₁₆	3⁵⁄₁₆	2.2	11⅛ x 15¾

Mini-Swirl Cake Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrange-ment	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top Inside	Btm. Out.	Depth	L	W		
26300	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	3 rows of 2	8.1	3¹¹⁄₁₆	2½	1²⁵⁄₃₂	4¼	4¼	2.2	11⅛ x 15¾

Mini-Swirl/Turban/Beehive Cake Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrange-ment	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top Inside	Btm. Out.	Depth	L	W		
25600	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	3 rows of 2	6.1	3¹¹⁄₁₆	Varies	1¹³⁄₁₆	4¼	4¼	2.2	11⅛ x 15¾

Heavy Duty Pie Pan, Deep Dish Aluminized steel

Item #	In Stock	Coating	Description	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out.	Depth		
23100	★	Glazed	22 gauge, curled rim	9	6¹⁵⁄₁₆	1½	1.0	10 x 1½

Mini-Cheesecake Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrange-ment	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top Inside	Btm. Out.	Depth	L	W		
21700	★	Glazed	26 gauge cups, 22 gauge panel, includes 6 removable bottoms	3 rows of 2	8.5	3³⁄₃₂	3¹⁄₃₂	2⅛	3⅝	4	2.8	11⅛ x 15¾
21706	★	Glazed	Replacement disks (6) for #21700	——	—	—	—	—	—	—	——	———

**Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.*

Bundy Professional Bakeware

Bundy Professional Bakeware, a line of bakeware manufactured in the USA, provides new pan designs in convenient sizes for smaller operations or new product introductions. All Bundy Professional Bakeware pans are constructed of heavy duty, commercial grade aluminized steel and are designed to the same quality standards as our commercial baking pans. These pans are also coated with AMERICOAT® ePlus, the world's leading silicone release coating, providing clean releases without the use of oil, grease, spray, parchment, or liners.

Bundy Professional Bakeware

Pecan Roll/Large Muffin Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrange-ment	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top Inside	Btm. Out.	Depth	L	W		
26500	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	3 rows of 2	7.1	3 11/16	2 1/2	1 13/16	4 1/4	4 1/4	2.2	11 1/8 x 15 3/4

Madeleine Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrange-ment	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top Inside	Btm. Out.	Depth	L	W		
25400	★	Glazed	22 gauge, curled rim	4 rows of 4	1.0	3	3	5/8	3 23/64	2 7/16	1.7	11 1/8 x 15 3/4

Donut Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrange-ment	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top Inside	Btm. Out.	Depth	L	W		
25200	★	Glazed	22 gauge, curled rim	3 rows of 2	3.5	3 1/2	3 3/8	7/8	4 1/8	4 1/8	2.1	11 1/8 x 15 3/4



Jelly Roll Pans Aluminized steel

Item #	In Stock	Coating	Description	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out.	Depth		
20700	★	Glazed	22 gauge, wire in rim	9 5/16 x 14 1/4	8 5/8 x 13 9/16	1	2.3	9 13/16 x 14 3/4
20800	★	Glazed	22 gauge, wire in rim	12 5/16 x 17 1/4	11 5/8 x 16 5/8	1	3.3	12 13/16 x 17 3/4
20900	★	Glazed	22 gauge, wire in rim	9 x 12 1/2	8 5/16 x 11 13/16	1	1.8	9 1/2 x 13

Brownie Bite Pan Aluminized steel (pans do not nest)

Item #	In Stock	Coating	Description	Arrange-ment	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top Inside	Btm. Out.	Depth	L	W		
25300	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	5 rows of 4	1.8	1 21/32 x 1 21/32	1 9/16 x 1 9/16	1 9/32	2 3/8	2 11/16	3.0	11 1/8 x 15 3/4



Fluted Tart Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrange-ment	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top Inside	Btm. Out.	Depth	L	W		
25500	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	3 rows of 2	7.2	4 9/16	4 1/16	7/8	5	5 3/8	2.0	11 1/8 x 15 3/4

**Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.*

Cookie Sheet Pans Aluminized steel



Item #	In Stock	Coating	Description	Baking Surface (in)		Weight Each (lb)	Overall Size (in)
				Overall	Thickness		
20100	★	Glazed	22 gauge	8 5/16 x 13	1/16	1.7	9 7/8 x 14
20300	★	Glazed	22 gauge	12 5/16 x 13 1/16	1/16	2.3	13 7/8 x 14
20500	★	Glazed	22 gauge	12 5/16 x 17	1/16	2.7	13 7/8 x 18

Hearth Bread Pan Aluminized steel

Item #	In Stock	Coating	Description	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out.	Depth		
24100	★	Glazed	26 gauge	5 5/8 x 12	11 1/2 x 3	2 1/2	1.7	6 3/16 x 12 9/16

Italian Loaf Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrange-ment	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
					Top Inside	Btm. Out.	Depth		
24200	★	Glazed	18 gauge perforated	2 long	4	16	1 7/8	1.3	8 x 16

Mini-Loaf Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrange-ment	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top Inside	Btm. Out.	Depth	L	W		
25100	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	4 rows of 2	5.1	3 7/8 x 2 1/2	3 3/8 x 2	1 1/4	3 1/8	4 1/2	2.0	11 1/8 x 15 3/4

New England Hot Dog Bun Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrange-ment	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
					Top Inside	Btm. Out.	Depth		
22100	★	Glazed	26 gauge	1 row of 10	1 5/16 x 14 13/16	1 1/16 x 4 1/8	5/16	1.7	6 1/2 x 15 1/2 x 1 7/16

**Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.*

Accessories



Sheet Pan Dollies & Racks Steel (unless otherwise noted)

Item #	In Stock	Coating	Description	Weight Each (lb)
40428	🍁	Plain	Double width dolly truck for 20" x 25½" strapped bread sets, 3" casters	15.0
42580	★🍁	Plain	Dolly truck for 17⅝" x 25⅝" sheet pans, 3" casters, dark green, can hold up to 800 pounds	16.0
18112	🍁	Plain	ETL 12-shelf aluminum knock-down rack, 5" spacing	42.0
18120	🍁	Plain	ETL 20-shelf aluminum knock-down rack, 3" spacing	48.0

Egg Omelet Ring with Handle

Item #	In Stock	Coating	Description	Mould Dimensions, Top Inside (in)	Weight Each (lb)	Overall Size (in)
48001	★	Glazed	8" black non-stick with 5" stainless steel wire handle	1 7/10	0.7	7/10

Manual Cake Filler & Replacement Parts Stainless steel

Item #	In Stock	Coating	Description	
10001	★	Plain	Manual Cake Filler, 5 quart capacity	(Right image)
10003	★	Plain	#3 Adjustment Pin, replacement part for #10001	
10004	★	Plain	#4 Handle, replacement part for #10001	
10005	★	Plain	#5 Nozzle, replacement part for #10001	
10006	★	Plain	#6 Piston Assembly, replacement part for #10001	
10007	★	Plain	#7 Split Roll Pin, replacement part for #10001	
10008	★	Plain	#8 Spring, replacement part for #10001	
10009	★	Plain	#9 Spring Bushing, replacement part for #10001	
10010	★	Plain	#10 Thumbscrew, replacement part for #10001	(Pictured together with #10011, below)
10011	★	Plain	#11 Wing Nut, replacement part for #10001	
10012	★	Plain	#5B Nozzle Nut, replacement part for #10001	

Manual Cake Filler

Chicago Metallic's Manual Cake Filler is affordable and easy to use and can add instant value to many of your existing baked goods. It holds about 5 quarts of filling, and the design allows for quick and easy adjustment of the amount of filling deposited into your baked goods, ensuring proper portioning and cost control as well as desired quality and taste level. It is constructed of stainless steel, and is easily disassembled for cleaning.

Product Index

Item #	Stock #	Page #	Item #	Stock #	Page #	Item #	Stock #	Page #	Item #	Stock #	Page #
10001	———	41	25600	———	37	40904	———	8, 9	41810	———	28, 34
10003	———	41	26200	———	13, 32, 37	40908	———	8, 9	41815	———	34
10004	———	41	26300	———	16, 37	40910	91D	11	41852	———	10, 31
10005	———	41	26500	———	19, 38	40912	91D	11	41854	———	10, 31
10006	———	41	30694	———	8	40917	91D	11	42345	B2413	20
10007	———	41	30698	———	8	40920	4092X	11	42415	B2410	21
10008	———	41	30850	———	8	40922	4092X	11	42425	B2402	20
10009	———	41	30858	———	8	40927	4092X	11	42435	B2403	21
10010	———	41	40232	———	32	40930	93D	11	42445	B2404	20
10011	———	41	40237	———	32	40940	94D	11	42465	———	21
10012	———	41	40406	8406	33	40947	94D	11	42495	B2409	20
10248	———	10, 12	40408	8408	33	40950	95	10	42580	———	40
10257	———	22	40409	8409	33	40952	95BK	10, 31	42754	———	14
10291	———	22	40410	8410	33	40954	95BK	10, 31	42755	———	14
10317	———	10	40411	———	22	40955	95	10	42756	———	14
10355	———	14	40412	8412	33	41002	01002	20	42865	———	16
10367	———	24	40415	———	22	41005	01005	20	43025	03025	19
10369	———	24	40421	———	22	41006	01006	20	43026	03026	19
10392	———	23	40425	42S	22	41010	P1010	28, 34	43035	303D	19
10396	———	23	40428	———	40	41018	P1010	34	43038	303D	19
10424	———	23	40434	———	21	41020	P1020	28, 34	43045	———	16
10428	———	23	40450	45	10	41025	P1020	34	43055	03055	13, 32
10430	———	23	40452	45BK	10, 31	41031	01031	10	43215	321D	19
10450	———	21	40454	———	10, 31	41052	01052	21	43375	337F	19
10471	———	24	40455	45	10	41053	———	21	43385	338F	16
16083	———	24	40491	49S	22	41055	———	21	43395	339F	16
18112	———	40	40495	49S	22	41058	———	21	43515	351F	19
18120	———	40	40561	56S	22	41065	B4106	22	43555	355F	19
20100	———	39	40565	56S	22	41110	1110B	35	43645	364D	19
20300	———	39	40575	———	35	41145	11-4	24	43695	369F	19
20500	———	39	40600	60	10	41210	———	28, 34	43698	369F	19
20700	———	38	40605	60	10	41215	———	34	44065	B4406	23
20800	———	38	40690	69	8, 9	41220	P1220	28, 34	44145	40-4	23
20900	———	38	40691	———	9	41225	P1220	34	44215	421F	19
21100	———	36	40694	———	8, 9	41400	P1410	28, 34	44235	42-3	23
21300	———	36	40695	69	8, 9	41405	P1410	34	44245	42-4	23
21500	———	36	40698	———	8, 9	41420	P1420	28, 34	44255	42-5	23
21700	———	37	40700	70	10	41425	P1420	34	44305	430D	19
21706	———	37	40800	80	8, 9	41465	———	23	44365	464	24
22100	———	39	40801	———	9	41500	15	10	44405	B4440	24
23100	———	35, 37	40804	———	8, 9	41505	15	10	44515	451D	19
24100	———	39	40805	80	8, 9	41509	1509G	35	44555	455D	19
24200	———	39	40808	———	8, 9	41555	B1552	10	44575	B4572	23
25100	———	16, 39	40850	85	10	41610	———	28, 34	44585	B4485	23
25200	———	38	40851	85P	10, 12	41615	———	34	44615	461S	24
25300	———	16, 38	40855	85	10	41695	B1690	26	44635	461	24
25400	———	38	40857	85P	10, 12	41800	———	10	44645	461C	24
25500	———	16, 38	40858	———	10	41805	———	10	44650	464S	24

Item #	Stock #	Page #	Item #	Stock #	Page #	Item #	Stock #	Page #	Item #	Stock #	Page #
44655	464SC	24	45725	572D	16, 27	48514	B8514-1	26	69120	912	29
44660	461SC	24	45727	572DS	16, 27	49011	B5016	25	70821	———	11
44685	468B	24	45755	572-D12	16, 27	49014	———	27	70824	———	11
44690	———	8, 9, 12	45990	———	27	49015	———	27	75010	———	29
44691	469P	8, 9	45995	———	27	49020	P9020	28, 34	75012	———	29
44692	469PF	10, 12	46020	P6020	28, 34	49025	P9020	34	75140	———	29
44693	469BK	8, 9, 31	46025	P6020	34	49034	B5017	25	75145	———	29
44694	———	8, 9, 31	46120	612D	15	49035	B5015	25	90810	———	29
44695	468C	24	46125	612D	15	49036	B5019	25	90815	———	29
44697	469P	8, 9	46150	P6015	28, 34	49043	———	25	91014	———	29
44699	———	8, 9, 12	46155	P6015	34	49053	———	25	91015	———	29
44705	470D	19	46351	———	21	49063	———	25	91060	9106	30
44765	B4476	23	46465	464C	24	49100	910	31	91065	9106	30
44800	B5011	12	46500	650	33	49103	910	31	91068	———	30
44801	B5011	12	46505	650	33	49108	———	31	91090	9109	30
44850	485P	12	46520	652D	15	49110	91S	22	91095	9109	30
44890	489P	8, 9	46525	652D	15	49115	91S	22	91098	———	30
44891	———	8, 9, 12	46530	653	33	49120	912	31	91100	9110	30
44895	498P	8, 9	46535	653	33	49123	912	31	91105	9110	30
44896	———	8, 9, 12	46540	654	33	49128	———	31	91108	———	30
44945	49-4	23	46545	654	33	49140	914	31	91120	9112	30
44955	49-5	23	46550	655	33	49143	914	31	91125	9112	30
45020	———	28, 34	46555	655	33	49145	91-4	23	91128	———	30
45025	———	34	46560	656	33	49148	———	31	91130	9113	30
45031	05031	22	46565	656	33	49152	P9015	28, 34	91135	9113	30
45125	———	15	46601	660D	16	49155	P9015	34	91138	———	30
45128	———	15	46605	660D	16	49160	916	31	91140	9114	30
45135	B5013	12	46675	———	27	49163	916	31	91145	9114	30
45195	519D	14	46925	B6902	23	49415	91-4L	23	91148	———	30
45225	522D	15	46990	———	27	50136	———	33	91150	9115	30
45245	524D	14	46995	———	27	50624	———	33	91155	9115	30
45255	525D	14	47005	470-35	19	50691	———	9	91158	———	30
45265	526D	19	47020	P7020	28, 34	50801	———	9	91160	9116	30
45285	528D	19	47026	P7020	34	51060	———	32	91165	9116	30
45295	529D	14	47125	———	25	51065	———	32			
45305	530D	19	47255	———	35	51224	———	33			
45355	535D	19	47605	B7060T	35	52345	B2413	20			
45435	B5435	19	47645	B7064T	35	52435	B2403	21			
45445	B5446	19	47675	———	27	60561	56S	25			
45505	B5018	25	47685	B7068F	35	60690	69	12			
45515	B5018W	25	47695	B7069	35	60800	80	12			
45525	552D	15	48001	———	40	60850	———	12			
45575	557D	15	48020	P8020	28, 34	62425	B2402	21			
45605	560D	15	48025	P8020	34	65525	552D	19			
45635	56-3	23	48050	P8015	28, 34	68050	P8015	34			
45642	56-4	23	48055	P8015	34	69015	———	27			
45645	564D	19	48105	B8100	35	69035	B5015	25			
45655	56-5	23	48110	———	35	69100	910	29			

Chicago Metallic

Commercial & Foodservice Bakeware

A BUNDY BAKING SOLUTION

Chicago Metallic USA
1502 North Central Avenue
Humboldt, Tennessee 38343-1798
Tel: 731.824.4130 | **Fax:** 731.784.5404
Toll-Free: 1.800.323.3966
customerservice@cmbakeware.com
cmbakeware.com |

Chicago Metallic Canada
84 Easton Road
Brantford, Ontario N3P 1J5
Tel: 226.400.4035
Fax: 226.400.4035
customerservice@cmbakeware.ca
cmbakeware.ca |