

Available Configurations



www.pasmousa.com
+1 (844) 52-PASMO

CATEGORY	MODEL	SERIES	MODEL NUMBER	COOLING TYPE	VOLTAGE	HERTZ	PHASE	SYSTEM	PASTEURIZE	BLENDER
Soft Serve	S110	F	S110FA2	Air Cooled	220v	60hz	1ph	Gravity Fed	No	No
Soft Serve	S110	F	S110FA4	Air Cooled	110v	60hz	1ph	Gravity Fed	No	No
Soft Serve	S110	F	S110FW2	Water Cooled	220v	60hz	1ph	Gravity Fed	No	No
Soft Serve	S110	F	S110FW4	Water Cooled	110v	60hz	1ph	Gravity Fed	No	No
Soft Serve	S230	F	S230FA2	Air Cooled	220v	60hz	1ph	Gravity Fed	No	No
Soft Serve	S230	F	S230FAP2	Air Cooled	220v	60hz	1ph	Air Pump	No	No
Soft Serve	S230	F	S230FW2	Water Cooled	220v	60hz	1ph	Gravity Fed	No	No
Soft Serve	S230	F	S230FWP2	Water Cooled	220v	60hz	1ph	Air Pump	No	No
Soft Serve	S520	F	S520FA2	Air Cooled	220v	60hz	1ph	Gravity Fed	No	No
Soft Serve	S520	F	S520FWP2	Water Cooled	220v	60hz	1ph	Air Pump	No	No
Soft Serve	S520	F	S520FAP2	Air Cooled	220v	60hz	1ph	Gravity Fed	No	No
Soft Serve	S520	F	S520FWP2	Water Cooled	220v	60hz	1ph	Air Pump	No	No
Soft Serve	S970	F	S970FA2	Air Cooled	220v	60hz	1ph	Gravity Fed	No	No
Soft Serve	S970	F	S970FAP2	Air Cooled	220v	60hz	1ph	Air Pump	No	No
Soft Serve	S970	F	S970FW2	Water Cooled	220v	60hz	1ph	Gravity Fed	No	No
Soft Serve	S970	F	S970FWP2	Water Cooled	220v	60hz	1ph	Air Pump	No	No
Soft Serve	S930	F	S930FA2	Air Cooled	220v	60hz	1ph	Gravity Fed	No	No
Soft Serve	S930	F	S930FAP2	Air Cooled	220v	60hz	1ph	Air Pump	No	No
Soft Serve	S111	T	S111A2	Air Cooled	220v	60hz	1ph	Air Pump	No	No
Soft Serve	S111	T	S111A2-P	Air Cooled	220v	60hz	3ph	Air Pump	Yes	No
Soft Serve	S930	T	S930TA2	Air Cooled	220v	60hz	1ph	Gravity Fed	No	No
Soft Serve	S930	T	S930TW2	Water Cooled	220v	60hz	1ph	Gravity Fed	No	No
Soft Serve	S930	T	S930TAP2	Air Cooled	220v	60hz	1ph	Air Pump	No	No
Soft Serve	S930	T	S930TWP2	Water Cooled	220v	60hz	1ph	Air Pump	No	No
Soft Serve	S230	T	S230F-TLA2	Air Cooled	220v	60hz	1ph	Gravity Fed	No	No
Soft Serve	S230	T	S230F-TLAP2	Air Cooled	220v	60hz	1ph	Air Pump	No	No
Soft Serve	S230	T	S230F-TLAP2-P	Air Cooled	220v	60hz	3ph	Air Pump	Yes	No
Soft Serve	S230	T	S230F-TLW2	Water Cooled	220v	60hz	1ph	Gravity Fed	No	No
Soft Serve	S230	T	S230F-TLWP2	Water Cooled	220v	60hz	1ph	Air Pump	No	No
Soft Serve	S230	T	S230F-TLWP2-P	Water Cooled	220v	60hz	3ph	Air Pump	Yes	No
Soft Serve	S970	T	S970F-TLA4	Air Cooled	220v	60hz	1ph	Gravity Fed	No	No
Soft Serve	S970	T	S970F-TLAP4	Air Cooled	220v	60hz	1ph	Air Pump	No	No
Soft Serve	S970	T	S970F-TLAP4-P	Air Cooled	220v	60hz	3ph	Air Pump	Yes	No
Soft Serve	S970	T	S970F-TLW4	Water Cooled	220v	60hz	1ph	Gravity Fed	No	No
Soft Serve	S970	T	S970F-TLWP4	Water Cooled	220v	60hz	1ph	Air Pump	No	No
Soft Serve	S970	T	S970F-TLWP4-P	Water Cooled	220v	60hz	3ph	Air Pump	Yes	No
Soft Serve	S970	T	S970TAP2	Air Cooled	220v	60hz	3ph	Air Pump	No	No
Soft Serve	S970	T	S970TAP2-P	Air Cooled	220v	60hz	3ph	Air Pump	Yes	No
Soft Serve	S970	T	S970TWP2	Water Cooled	220v	60hz	3ph	Air Pump	No	No
Soft Serve	S970	T	S970TWP2-P	Water Cooled	220v	60hz	3ph	Air Pump	Yes	No
Frozen Beverage	S727	T	S727A2	Air Cooled	220v	60hz	1ph	Gravity Fed	No	No
Frozen Beverage	S728	T	S728A1	Air Cooled	110v	60hz	1ph	Gravity Fed	No	No
Frozen Beverage	S728	T	S728A2	Air Cooled	220v	60hz	1ph	Gravity Fed	No	No
Frozen Beverage	S728	T	S728A1-B	Air Cooled	110v	60hz	1ph	Gravity Fed	No	Yes
Frozen Beverage	S728	T	S728A2-B	Air Cooled	220v	60hz	1ph	Gravity Fed	No	Yes
Whipped Cream	COFA-2	T	COFA-2	Air Cooled	110v	60hz	1ph	Air Pump	No	No
Whipped Cream	COFA-4	C	COFA-4-1	Air Cooled	110v	60hz	1ph	Air Pump	No	No
Whipped Cream	COFA-4	C	COFA-4-2	Air Cooled	220v	60hz	1ph	Air Pump	No	No
Whipped Cream	COFA-6	C	COFA-6	Air Cooled	110v	60hz	1ph	Air Pump	No	No

NOTES:



AFTER SALES SERVICE



Factory
Support



National
Service
Network



On-Site
Trainings



Parts & Labor
Warranty





S110F

Table Top Soft Serve Freezer



www.pasmousa.com

+1 (844) 52-PASMO



GENERAL INFO

Model Number	S110F
Type	Table Top
Production Capacity	20 L/H (5.28 gal)
Number of Flavors	1
Number of Hoppers	1
Hopper Capacity	9.5 L (2.5 gal)
Specifications	15.16" 28.35" 28.80"
Carton Size	19.29" 32.68" 32.87"
Net Weight	198 lbs
Gross Weight	227 lbs
Cylinder Capacity	1.6 L (0.42 gal)
Beater Type	304 Stainless Steel
Hopper Agitator	Standard
*Power	1.5 kW
*Self-Check	Yes
Low Mixture Sensor	Yes
Frequency Conversion	Yes

DESCRIPTION

PASMO S110F - Gravity-Fed, Single Flavor, Table Top Soft Serve Freezer, Air Cooled, 110-115 V, 60 Hz, 1-ph Power with Hopper Mixer Standard. Offers all of the popular soft serve variations from low to non-fat ice creams, custards, yogurt, italian ices and sorbet. cETLus, ETL, CE

FEATURES

DIGITAL CONTROL AND DISPLAY:

Digital control provides access to system settings and critical information.

QUIET OPERATION:

Adopt the most advanced soft-starting technology with our advanced noise reduction system; reduces the resonance between parts for more energy-saving and quieter operation.

STAND-BY FUNCTION:

Ensures product temperatures in the hopper and cylinder are maintained below 4.4°C (40°F) for safety throughout the evening.

INTELLIGENT FAULT DETECTION:

Provides multiple levels of security with easy to read "Error Codes".

INTEGRATED CYLINDER:

Seamless design makes cleaning easier and helps to prevent the growth of bacteria.

REFRIGERATION SYSTEM

Number of Compressors	1
Compressor Brand	Aspera
Compressor Capacity	3753 BTU/Hr
Compressor Gas	R-404A
Gas Quantity	500g
Cooling Type	Air Cooled

TRANSMISSION

Number of Motors	1
Motor Capacity	550 W

PRODUCT LIST

Model Number	Cooling Type	Voltage	Hertz	Phase	System
S110FA2	Air Cooled	220v	60hz	1ph	Gravity Fed
S110FA4	Air Cooled	110v	60hz	1ph	Gravity Fed
S110FW2	Water Cooled	220v	60hz	1ph	Gravity Fed
S110FW4	Water Cooled	110v	60hz	1ph	Gravity Fed



* All specifications mentioned must be considered approximate; PASMO reserves the right to modify, without notice, all parts when deemed necessary. Production capacity depends on the mix used and the room temperature.

S230F

Table Top Soft Serve Freezer



www.pasmousa.com
+1 (844) 52-PASMO



Intertek

Intertek

DESCRIPTION

PASMO S230F - Twin Twist, Table Top Soft Serve Freezer, Air Cooled, 208-230 V, 60 Hz, 1-ph Power with Hopper Mixer Standard. Double control system: 2+1 twist flavors. Offers all of the popular soft serve variations from low to non-fat ice creams, custards, yogurt, italian ices and sorbet. Serve two separate soft serve flavors, or an equal combination of both in a twist. Redundant components use one side while the other side is off. Self returning handles. cETLus, ETL, CE

FEATURES

DIGITAL CONTROL AND DISPLAY:

Digital control provides access to system settings and critical information.

QUIET OPERATION:

Adopt the most advanced soft-starting technology with our advanced noise reduction system; reduces the resonance between parts for more energy-saving and quieter operation.

STAND-BY FUNCTION:

Ensures product temperatures in the hopper and cylinder are maintained below 4.4°C (40°F) for safety throughout the evening.

INTELLIGENT FAULT DETECTION:

Provides multiple levels of security with easy to read "Error Codes".

INTEGRATED CYLINDER:

Seamless design makes cleaning easier and helps to prevent the growth of bacteria.

GENERAL INFO

Model Number

Type

Production Capacity

Number of Flavors

Number of Hoppers

Hopper Capacity

Specifications

Carton Size

Net Weight

Gross Weight

Cylinder Capacity

Beater Type

Hopper Agitator

Power

Self-Check

Low Mixture Sensor

Frequency Conversion

S230F

Table Top

30 L/H (7.93 gal)

2 + 1 Twist

2

9.5 L (2.5 gal)

20.47" | 30.30" | 38.10"

24.80" | 34.25" | 41.34"

370 lbs

421 lbs

1.6 L (0.42 gal)

304 Stainless Steel

Standard

3 kW

Yes

Yes

Yes

REFRIGERATION SYSTEM

Number of Compressors

2

Compressor Brand

Aspera

Compressor Capacity

3752 BTU/Hr

Compressor Gas

R-404A

Gas Quantity

500g

Cooling Type

Air Cooled

PRODUCT LIST

Model Number	Cooling Type	Voltage	Hertz	Phase	System
S230FA2	Air Cooled	220v	60hz	1ph	Gravity Fed
S230FAP2	Air Cooled	220v	60hz	1ph	Air Pump
S230FW2	Water Cooled	220v	60hz	1ph	Gravity Fed
S230FWP2	Water Cooled	220v	60hz	1ph	Air Pump

TRANSMISSION

Number of Motors

2

Motor Capacity

550 W

* All specifications mentioned must be considered approximate; PASMO reserves the right to modify, without notice, all parts when deemed necessary. Production capacity depends on the mix used and the room temperature.




S520F

Floor Standing Soft Serve Freezer



www.pasmouusa.com

+1 (844) 52-PASMO



GENERAL INFO

Model Number	S520F
Type	Floor Standing
Production Capacity	50 L/H (13.21 gal)
Number of Flavors	2 + 1 Twist
Number of Hoppers	2
Hopper Capacity	12.5 L (3.3 gal)
Specifications	25.00" 33.90" 57.60"
Carton Size	29.92" 38.58" 64.57"
Net Weight	507 lbs
Gross Weight	551 lbs
Cylinder Capacity	2.0 L (0.53 gal)
Beater Type	304 Stainless Steel
Hopper Agitator	Standard
Power	3.2 kW
Self-Check	Yes
Low Mixture Sensor	Yes
Frequency Conversion	Yes

DESCRIPTION

PASMO S520F - Twin Twist, Standing Soft Serve Freezer, Air Cooled, 208-230 V, 60 Hz, 1-ph Power with Hopper Mixer Standard. Double control system: 2+1 twist flavors. Offers all of the popular soft serve variations from low to non-fat ice creams, custards, yogurt, italian ices and sorbet. Serve two separate soft serve flavors, or an equal combination of both in a twist. Redundant components use one side while the other side is off. Self returning handles.

FEATURES

DIGITAL CONTROL AND DISPLAY:

Digital control provides access to system settings and critical information.

QUIET OPERATION:

Adopt the most advanced soft-starting technology with our advanced noise reduction system; reduces the resonance between parts for more energy-saving and quieter operation.

STAND-BY FUNCTION:

Ensures product temperatures in the hopper and cylinder are maintained below 4.4°C (40°F) for safety throughout the evening.

INTELLIGENT FAULT DETECTION:

Provides multiple levels of security with easy to read "Error Codes".

INTEGRATED CYLINDER:

Seamless design makes cleaning easier and helps to prevent the growth of bacteria.

REFRIGERATION SYSTEM

Number of Compressors	2
Compressor Brand	Aspera
Compressor Capacity	3752 BTU/Hr
Compressor Gas	R-404A
Gas Quantity	700g
Cooling Type	Air Cooled

TRANSMISSION

Number of Motors	2
Motor Capacity	750 W



PRODUCT LIST

Model Number	Cooling Type	Voltage	Hertz	Phase	System
S520FA2	Air Cooled	220v	60hz	1ph	Gravity Fed
S520FWP2	Air Cooled	220v	60hz	1ph	Air Pump
S520FAP2	Water Cooled	220v	60hz	1ph	Gravity Fed
S520FWP2	Water Cooled	220v	60hz	1ph	Air Pump

* All specifications mentioned must be considered approximate; PASMO reserves the right to modify, without notice, all parts when deemed necessary. Production capacity depends on the mix used and the room temperature.

S970F

Floor Standing Soft Serve Freezer



DESCRIPTION

PASMO S970F - Twin Twist, Standing Soft Serve Freezer, Air Cooled, 208-230 V, 60 Hz, 1-ph Power with Hopper Mixer Standard. Double control system: 2+1 twist flavors. Offers all of the popular soft serve variations from low to non-fat ice creams, custards, yogurt, italian ices and sorbet. Serve two separate soft serve flavors, or an equal combination of both in a twist. Redundant components use one side while the other side is off. Self returning handles.

FEATURES

DIGITAL CONTROL AND DISPLAY:

Digital control provides access to system settings and critical information.

QUIET OPERATION:

Adopt the most advanced soft-starting technology with our advanced noise reduction system; reduces the resonance between parts for more energy-saving and quieter operation.

STAND-BY FUNCTION:

Ensures product temperatures in the hopper and cylinder are maintained below 4.4°C (40°F) for safety throughout the evening.

INTELLIGENT FAULT DETECTION:

Provides multiple levels of security with easy to read "Error Codes".

INTEGRATED CYLINDER:

Seamless design makes cleaning easier and helps to prevent the growth of bacteria.

GENERAL INFO

Model Number

S970F

Type

Floor Standing

Production Capacity

60 L/H (15.85 gal)

Number of Flavors

2 + 1 Twist

Number of Hoppers

2

Hopper Capacity

9.5 L (2.5 gal)

Specifications

20.47" | 30.31" | 56.85"

Carton Size

25" | 35.03" | 61.02"

Net Weight

498 lbs

Gross Weight

568 lbs

Cylinder Capacity

2.5 L (0.66 gal)

Beater Type

304 Stainless Steel

Hopper Agitator

Standard

Power

3.2 kW

Self-Check

Yes

Low Mixture Sensor

Yes

Frequency Conversion

Yes

REFRIGERATION SYSTEM

Number of Compressors

2

Compressor Brand

Aspera

Compressor Capacity

4094 BTU/Hr

Compressor Gas

R-404A

Gas Quantity

500g

Cooling Type

Air Cooled

PRODUCT LIST

Model Number	Cooling Type	Voltage	Hertz	Phase	System
S970FA2	Air Cooled	220v	60hz	1ph	Gravity Fed
S970FAP2	Air Cooled	220v	60hz	1ph	Air Pump
S970FW2	Water Cooled	220v	60hz	1ph	Gravity Fed
S970FWP2	Water Cooled	220v	60hz	1ph	Air Pump

TRANSMISSION

Number of Motors

2

Motor Capacity

550 W

* All specifications mentioned must be considered approximate; PASMO reserves the right to modify, without notice, all parts when deemed necessary. Production capacity depends on the mix used and the room temperature.





S930F

Table Top Soft Serve Freezer



www.pasmousa.com

+1 (844) 52-PASMO



GENERAL INFO

Model Number	S930F
Type	Table Top
Production Capacity	40 L/H (10.57 gal)
Number of Flavors	1
Number of Hoppers	1
Hopper Capacity	9.0 L (2.37 gal)
Specifications	12.91" 32.09" 34.63"
Carton Size	17.13" 36.61" 40.75"
Net Weight	220 lbs
Gross Weight	265 lbs
Cylinder Capacity	2.0 L (0.52 gal)
Beater Type	304 Stainless Steel
Hopper Agitator	Standard
Power	1.6 kW
Self-Check	Yes
Low Mixture Sensor	Yes
Frequency Conversion	Yes

DESCRIPTION

PASMO S930F - Single Flavor, Table Top Soft Serve Freezer, Air Cooled, 208-230 V, 60 Hz, 1-ph Power with Hopper Mixer Standard. Offers all of the popular soft serve variations from low to non-fat ice creams, custards, yogurt, italian ices and sorbet. cETLus, ETL, CE

FEATURES

DIGITAL CONTROL AND DISPLAY:

Digital control provides access to system settings and critical information.

QUIET OPERATION:

Adopt the most advanced soft-starting technology with our advanced noise reduction system; reduces the resonance between parts for more energy-saving and quieter operation.

STAND-BY FUNCTION:

Ensures product temperatures in the hopper and cylinder are maintained below 4.4°C (40°F) for safety throughout the evening.

INTELLIGENT FAULT DETECTION:

Provides multiple levels of security with easy to read "Error Codes".

INTEGRATED CYLINDER:

Seamless design makes cleaning easier and helps to prevent the growth of bacteria.

REFRIGERATION SYSTEM

Number of Compressors	1
Compressor Brand	Aspera
Compressor Capacity	4094 BTU/Hr
Compressor Gas	R-404A
Gas Quantity	500g
Cooling Type	Air Cooled

TRANSMISSION

Number of Motors	1
Motor Capacity	550 W

PRODUCT LIST

Model Number	Cooling Type	Voltage	Hertz	Phase	System
S930FA2	Air Cooled	220v	60hz	1ph	Gravity Fed
S930FAP2	Air Cooled	220v	60hz	1ph	Air Pump

* All specifications mentioned must be considered approximate; PASMO reserves the right to modify, without notice, all parts when deemed necessary. Production capacity depends on the mix used and the room temperature.




S930T (Gravity)

Table Top Soft Serve Freezer



www.pasmousa.com
+1 (844) 52-PASMO



DESCRIPTION

PASMO S930T - Gravity-Fed, Single Flavor, Table Top Soft Serve Freezer, Air Cooled, 208-230 V, 60 Hz, 1-ph Power with Hopper Mixer Standard. Heat Treat Optional. Offers all of the popular soft serve variations from low to non-fat ice creams, custards, yogurt, Italian ices and sorbet. cETLus, ETL, CE

FEATURES

DIGITAL CONTROL AND DISPLAY:

Digital control provides access to system settings and critical information.

QUIET OPERATION:

Adopt the most advanced soft-starting technology with our advanced noise reduction system; reduces the resonance between parts for more energy-saving and quieter operation.

STAND-BY FUNCTION:

Ensures product temperatures in the hopper and cylinder are maintained below 4.4°C (40°F) for safety throughout the evening.

INTELLIGENT FAULT DETECTION:

Provides multiple levels of security with easy to read "Error Codes".

INTEGRATED CYLINDER:

Seamless design makes cleaning easier and helps to prevent the growth of bacteria.

DEFROSTING FUNCTION:

Reduces ice build up in the hopper and cylinder to produce a better texture.

HEATING FUNCTION:

Increases efficiency during cleaning by heating frozen product in cylinder.

PASTEURIZATION FUNCTION:

Provides a daily heating and cooling cycle to maintain dairy products up to 14 days before a complete disassembly and cleaning is required.

GENERAL INFO

Model Number	S930T (Gravity)
Type	Table Top
Production Capacity	40 L/H (10.57 gal)
Number of Flavors	1
Number of Hoppers	1
Hopper Capacity	9.5 L (2.5 gal)
Specifications	16.54" 32.76" 32.26"
Carton Size	19.09" 33.46" 34.65"
Net Weight	243 lbs
Gross Weight	265 lbs
Cylinder Capacity	2.0 L (0.53 gal)
Beater Type	304 Stainless Steel
Hopper Agitator	Standard
Power	2 kW
Self-Check	Yes
Low Mixture Sensor	Yes
Frequency Conversion	Yes

REFRIGERATION SYSTEM

Number of Compressors	1
Compressor Brand	Aspera
Compressor Capacity	4230 BTU/Hr
Compressor Gas	R-404A
Gas Quantity	800g
Cooling Type	Air Cooled

TRANSMISSION

Number of Motors	1
Motor Capacity	750 W

PRODUCT LIST

Model Number	Cooling Type	Voltage	Hertz	Phase	System	Pasteurize
S930TA2	Air Cooled	220v	60hz	1ph	Gravity Fed	No
S930TW2	Water Cooled	220v	60hz	3ph	Gravity Fed	No

* All specifications mentioned must be considered approximate; PASMO reserves the right to modify, without notice, all parts when deemed necessary. Production capacity depends on the mix used and the room temperature.




S930T (Pressurized)

Table Top Soft Serve Freezer



www.pasmousa.com

+1 (844) 52-PASMO



GENERAL INFO

Model Number	S930T (Pressurized)
Type	Table Top
Production Capacity	40 L/H (10.57 gal)
Number of Flavors	1
Number of Hoppers	1
Hopper Capacity	9.5 L (2.5 gal)
Specifications	14.96" 25.39" 31.60"
Carton Size	19.09" 33.46" 34.65"
Net Weight	243 lbs
Gross Weight	265 lbs
Cylinder Capacity	2.0 L (0.53 gal)
Beater Type	304 Stainless Steel
Hopper Agitator	Standard
Power	2 kW
Self-Check	Yes
Low Mixture Sensor	Yes
Frequency Conversion	Yes

DESCRIPTION

PASMO S930T - Pressurized, Single Flavor, Table Top Soft Serve Freezer, Air Cooled, 208-230 V, 60 Hz, 1-ph Power with Hopper Mixer Standard. Heat Treat Optional. Offers all of the popular soft serve variations from low to non-fat ice creams, custards, yogurt, italian ices and sorbet. cETLus, ETL, CE

FEATURES

DIGITAL CONTROL AND DISPLAY:

Digital control provides access to system settings and critical information.

QUIET OPERATION:

Adopt the most advanced soft-starting technology with our advanced noise reduction system; reduces the resonance between parts for more energy-saving and quieter operation.

STAND-BY FUNCTION:

Ensures product temperatures in the hopper and cylinder are maintained below 4.4°C (40°F) for safety throughout the evening.

INTELLIGENT FAULT DETECTION:

Provides multiple levels of security with easy to read "Error Codes".

INTEGRATED CYLINDER:

Seamless design makes cleaning easier and helps to prevent the growth of bacteria.

DEFROSTING FUNCTION:

Reduces ice build up in the hopper and cylinder to produce a better texture.

HEATING FUNCTION:

Increases efficiency during cleaning by heating frozen product in cylinder.

PASTEURIZATION FUNCTION:

Provides a daily heating and cooling cycle to maintain dairy products up to 14 days before a complete disassembly and cleaning is required.

REFRIGERATION SYSTEM

Number of Compressors	1
Compressor Brand	Aspera
Compressor Capacity	4230 BTU/Hr
Compressor Gas	R-404A
Gas Quantity	800g
Cooling Type	Air Cooled

TRANSMISSION

Number of Motors	1
Motor Capacity	750 W

PRODUCT LIST

Model Number	Cooling Type	Voltage	Hertz	Phase	System	Pasteurize
S930TAP2	Air Cooled	220v	60hz	1ph	Gravity Fed	No
S930TWP2	Water Cooled	220v	60hz	1ph	Gravity Fed	No

* All specifications mentioned must be considered approximate; PASMO reserves the right to modify, without notice, all parts when deemed necessary. Production capacity depends on the mix used and the room temperature.




S230F-T

Table Top Soft Serve Freezer



www.pasmousa.com
+1 (844) 52-PASMO



DESCRIPTION

PASMO S230F-T - Twin Twist, Table Top Soft Serve Freezer, Air Cooled, 208-230 V, 60 Hz, 1-ph Power with Hopper Mixer Standard. Double control system: 2+1 twist flavors. Offers all of the popular soft serve variations from low to non-fat ice creams, custards, yogurt, italian ices and sorbet. Serve two separate soft serve flavors, or an equal combination of both in a twist. Redundant components use one side while the other side is off. Self returning handles. cETLus, ETL, CE

FEATURES

DIGITAL CONTROL AND DISPLAY:

Digital control provides access to system settings and critical information.

QUIET OPERATION:

Adopt the most advanced soft-starting technology with our advanced noise reduction system; reduces the resonance between parts for more energy-saving and quieter operation.

STAND-BY FUNCTION:

Ensures product temperatures in the hopper and cylinder are maintained below 4.4°C (40°F) for safety throughout the evening.

INTELLIGENT FAULT DETECTION:

Provides multiple levels of security with easy to read "Error Codes".

INTEGRATED CYLINDER:

Seamless design makes cleaning easier and helps to prevent the growth of bacteria.

DEFROSTING FUNCTION:

Reduces ice build up in the hopper and cylinder to produce a better texture.

HEATING FUNCTION:

Increases efficiency during cleaning by heating frozen product in cylinder.

PASTEURIZATION FUNCTION:

Provides a daily heating and cooling cycle to maintain dairy products up to 14 days before a complete disassembly and cleaning is required.

GENERAL INFO

Model Number	S230F-T
Type	Table Top
Production Capacity	55 L/H (14.53 gal)
Number of Flavors	2 + 1 Twist
Number of Hoppers	2
Hopper Capacity	9.5 L (2.5 gal)
Specifications (Counter)	20.75" 30.70" 34.90"
Carton Size (Counter)	25.59" 35.19" 39.98"
Net Weight (Counter)	250 Lbs
Gross Weight (Counter)	270 Lbs
Cylinder Capacity	2.0 L (0.53 gal)
Beater Type	304 Stainless Steel
Hopper Agitator	Yes
Power	4.5 kW
Self-Check	Yes
Low Mixture Sensor	Yes
Frequency Conversion	Yes

REFRIGERATION SYSTEM

Number of Compressors	2
Compressor Brand	Embraco/Tecumseh
Compressor Capacity	4094 BTU/H
Compressor Gas	R-404A
Gas Quantity	800g
Cooling Type	Air Cooled

TRANSMISSION

Number of Motors	2
Motor Capacity	750 W

PRODUCT LIST

Model Number	Cooling Type	Voltage	Hertz	Phase	System	Pasteurize
S230F-TLA2	Air Cooled	220v	60hz	1ph	Gravity Fed	No
S230F-TLAP2	Air Cooled	220v	60hz	1ph	Air Pump	No
S230F-TLAP2-P	Air Cooled	220v	60hz	3ph	Air Pump	Yes
S230F-TLW2	Water Cooled	220v	60hz	1ph	Gravity Fed	No
S230F-TLWP2	Water Cooled	220v	60hz	1ph	Air Pump	No
S230F-TLWP2-P	Water Cooled	220v	60hz	3ph	Air Pump	Yes

* All specifications mentioned must be considered approximate; PASMO reserves the right to modify, without notice, all parts when deemed necessary. Production capacity depends on the mix used and the room temperature.




S970F-T

Floor Standing Soft Serve Freezer



www.pasmousa.com
+1 (844) 52-PASMO



GENERAL INFO

Model Number	S970F-T
Type	Table Top
Production Capacity	55 L/H (14.53 gal)
Number of Flavors	2 + 1 Twist
Number of Hoppers	2
Hopper Capacity	9.5 L (2.5 gal)
Specifications	20.50" 32.30" 57.20"
Carton Size	25.59" 38.19" 63.98"
Net Weight	250 Lbs
Gross Weight	270 Lbs
Cylinder Capacity	2.0 L (0.53 gal)
Beater Type	304 Stainless Steel
Hopper Agitator	Yes
Power	4.5 kW
Self-Check	Yes
Low Mixture Sensor	Yes
Frequency Conversion	Yes

DESCRIPTION

PASMO S970F-T - Twin Twist, Standing Soft Serve Freezer, Air Cooled, 208-230 V, 60 Hz, 1-ph Power with Hopper Mixer Standard. Double control system: 2+1 twist flavors. Offers all of the popular soft serve variations from low to non-fat ice creams, custards, yogurt, italian ices and sorbet. Serve two separate soft serve flavors, or an equal combination of both in a twist. Redundant components use one side while the other side is off. Self returning handles. cETLus, ETL, CE

FEATURES

DIGITAL CONTROL AND DISPLAY:

Digital control provides access to system settings and critical information.

QUIET OPERATION:

Adopt the most advanced soft-starting technology with our advanced noise reduction system; reduces the resonance between parts for more energy-saving and quieter operation.

STAND-BY FUNCTION:

Ensures product temperatures in the hopper and cylinder are maintained below 4.4°C (40°F) for safety throughout the evening.

INTELLIGENT FAULT DETECTION:

Provides multiple levels of security with easy to read "Error Codes".

INTEGRATED CYLINDER:

Seamless design makes cleaning easier and helps to prevent the growth of bacteria.

DEFROSTING FUNCTION:

Reduces ice build up in the hopper and cylinder to produce a better texture.

HEATING FUNCTION:

Increases efficiency during cleaning by heating frozen product in cylinder.

PASTEURIZATION FUNCTION:

Provides a daily heating and cooling cycle to maintain dairy products up to 14 days before a complete disassembly and cleaning is required.

REFRIGERATION SYSTEM

Number of Compressors	2
Compressor Brand	Embraco/Tecumseh
Compressor Capacity	4094 BTU/H
Compressor Gas	R-404A
Gas Quantity	800g
Cooling Type	Air Cooled

TRANSMISSION

Number of Motors	2
Motor Capacity	750 W

PRODUCT LIST

Model Number	Cooling Type	Voltage	Hertz	Phase	System	Pasteurize
S970F-TLAA4	Air Cooled	220v	60hz	1ph	Gravity Fed	No
S970F-TLAP4	Air Cooled	220v	60hz	1ph	Air Pump	No
S970F-TLAP4-P	Air Cooled	220v	60hz	3ph	Air Pump	Yes
S970F-TLW4	Water Cooled	220v	60hz	1ph	Gravity Fed	No
S970F-TLWP4	Water Cooled	220v	60hz	1ph	Air Pump	No
S970F-TLWP4-P	Water Cooled	220v	60hz	3ph	Air Pump	Yes

* All specifications mentioned must be considered approximate; PASMO reserves the right to modify, without notice, all parts when deemed necessary. Production capacity depends on the mix used and the room temperature.





S970T

Floor Standing Soft Serve Freezer



www.pasmousa.com
+1 (844) 52-PASMO



DESCRIPTION

PASMO S970T - Twin Twist, Standing Soft Serve Freezer, Air Cooled, 208-230 V, 60 Hz, 1-ph Power with Hopper Mixer Standard. Double control system: 2+1 twist flavors. Offers all of the popular soft serve variations from low to non-fat ice creams, custards, yogurt, italian ices and sorbet. Serve two separate soft serve flavors, or an equal combination of both in a twist. Redundant components use one side while the other side is off. Self returning handles. cETLus, ETL, CE

FEATURES

DIGITAL CONTROL AND DISPLAY:

Digital control provides access to system settings and critical information.

QUIET OPERATION:

Adopt the most advanced soft-starting technology with our advanced noise reduction system; reduces the resonance between parts for more energy-saving and quieter operation.

STAND-BY FUNCTION:

Ensures product temperatures in the hopper and cylinder are maintained below 4.4°C (40°F) for safety throughout the evening.

INTELLIGENT FAULT DETECTION:

Provides multiple levels of security with easy to read "Error Codes".

INTEGRATED CYLINDER:

Seamless design makes cleaning easier and helps to prevent the growth of bacteria.

DEFROSTING FUNCTION:

Reduces ice build up in the hopper and cylinder to produce a better texture.

HEATING FUNCTION:

Increases efficiency during cleaning by heating frozen product in cylinder.

PASTEURIZATION FUNCTION:

Provides a daily heating and cooling cycle to maintain dairy products up to 14 days before a complete disassembly and cleaning is required.

GENERAL INFO

Model Number	S970T
Type	Floor Standing
Production Capacity	80 L/H (21.13 gal)
Number of Flavors	2 + 1 Twist
Number of Hoppers	2
Hopper Capacity	12.5L (3.30 gal)
Specifications	21.65" 32.64" 61.14"
Carton Size	26.38" 35.04" 66.14"
Net Weight	270 Lbs
Gross Weight	280 Lbs
Cylinder Capacity	2.0 L (0.53 gal)
Beater Type	304 Stainless Steel
Hopper Agitator	Yes
Power	4.4 kW
Self-Check	Yes
Low Mixture Sensor	Yes
Frequency Conversion	Yes

REFRIGERATION SYSTEM

Number of Compressors	2
Compressor Brand	Tecumseh
Compressor Capacity	6000 BTU/H
Compressor Gas	R-404A
Gas Quantity	700g
Cooling Type	Air Cooled

PRODUCT LIST

Model Number	Cooling Type	Voltage	Hertz	Phase	System	Pasteurize
S970TAP2	Air Cooled	220v	60hz	3ph	Air Pump	No
S970TAP2-P	Air Cooled	220v	60hz	3ph	Air Pump	Yes
S970TWP2	Water Cooled	220v	60hz	3ph	Air Pump	No
S970TWP2-P	Water Cooled	220v	60hz	3ph	Air Pump	Yes

TRANSMISSION

Number of Motors	2
Motor Capacity	1100 W

* All specifications mentioned must be considered approximate; PASMO reserves the right to modify, without notice, all parts when deemed necessary. Production capacity depends on the mix used and the room temperature.




S111

Table Top Soft Serve Freezer



www.pasmousa.com

+1 (844) 52-PASMO



GENERAL INFO

Model Number	S111
Type	Table Top
Production Capacity	50 L/H (13.21 gal)
Number of Flavors	1
Number of Hoppers	1
Hopper Capacity	25 L (6.60 gal)
Specifications	20.10" 28.40" 32.40"
Carton Size	25.59" 33.86" 38.78"
Net Weight	331 lbs
Gross Weight	353 lbs
Cylinder Capacity	2.5 L (0.66 gal)
Beater Type	304 Stainless Steel
Hopper Agitator	Standard
Power	2.2 kW
Self-Check	Yes
Low Mixture Sensor	Yes
Frequency Conversion	Yes

REFRIGERATION SYSTEM

Number of Compressors	1
Compressor Brand	Aspera
Compressor Capacity	4230 BTU/Hr
Compressor Gas	R-404A
Gas Quantity	800g
Refrigeration Type	Air Cooled

TRANSMISSION

Number of Motors	1
Motor Capacity	950 W

DESCRIPTION

PASMO S111 - Pressurized, Single Flavor, Table Top Soft Serve Freezer, Air Cooled 208-230 V, 60 Hz, 1-ph Power with Continuous Discharging Ability and Staby-by option for both hopper and cylinder. Offers all of the popular soft serve variations from low to non-fat ice creams, custards, yogurt, italian ices and sorbet. cETLus, ETL, CE

FEATURES

DIGITAL CONTROL AND DISPLAY:

Digital control provides access to system settings and critical information.

QUIET OPERATION:

Adopt the most advanced soft-starting technology with our advanced noise reduction system; reduces the resonance between parts for more energy-saving and quieter operation.

STAND-BY FUNCTION:

Ensures product temperatures in the hopper and cylinder are maintained below 4.4°C (40°F) for safety throughout the evening.

INTELLIGENT FAULT DETECTION:

Provides multiple levels of security with easy to read "Error Codes".

INTEGRATED CYLINDER:

Seamless design makes cleaning easier and helps to prevent the growth of bacteria.

DEFROSTING FUNCTION:

Reduces ice build up in the hopper and cylinder to produce a better texture.

HEATING FUNCTION:

Increases efficiency during cleaning by heating frozen product in cylinder.

PASTEURIZATION FUNCTION:

Provides a daily heating and cooling cycle to maintain dairy products up to 14 days before a complete disassembly and cleaning is required.

PRODUCT LIST

Model Number	Cooling Type	Voltage	Hertz	Phase	System	Pasteurize
S111A2	Air Cooled	220v	60hz	1ph	Gravity Fed	No
S111A2-P	Air Cooled	220v	60hz	3ph	Air Pump	Yes

* All specifications meantioned must be considered approximate; PASMO reserves the right to modify, without notice, all parts when deemed necessary. Production capacity depends on the mix used and the room temperature.




S727

Table Top Frozen Beverage



www.pasmousa.com
+1 (844) 52-PASMO



DESCRIPTION

PASMO S727 - Gravity-Fed, Dual-Flavor, Table Top Multi-Functional Frozen Drink Machine. Air Cooled, 208-230 V, 60 Hz, 1-ph Power. Compact Size, High Capacity and Fast Refrigeration Speed with Easy Operation. Makes Milkshakes, Slushes, Smoothies or Frozen Cocktails. cETLus, ETL, CE

FEATURES

DIGITAL CONTROL AND DISPLAY:

Digital control provides access to system settings and critical information.

QUIET OPERATION:

Adopt the most advanced soft-starting technology with our advanced noise reduction system; reduces the resonance between parts for more energy-saving and quieter operation.

STAND-BY FUNCTION:

Ensures product temperatures in the hopper and cylinder are maintained below 4.4°C (40°F) for safety throughout the evening.

INTELLIGENT FAULT DETECTION:

Provides multiple levels of security with easy to read "Error Codes".

INTEGRATED CYLINDER:

Seamless design makes cleaning easier and helps to prevent the growth of bacteria.

GENERAL INFO

Model Number	S727
Type	Table Top
Production Capacity	50 L/H (13.21 gal)
Number of Flavors	2
Number of Hoppers	2
Hopper Capacity	9.5L (2.5 gal)
Specifications	22.00" 31.30" 40.80"
Carton Size	25.20" 36.02" 46.34"
Net Weight	392 lbs
Gross Weight	441 lbs
Cylinder Capacity	4.0 L (1.05 gal)
Beater Type	304 Stainless Steel
Hopper Agitator	Standard
Power	1.8 kW
Self-Check	Yes
Low Mixture Sensor	Yes
Frequency Conversion	Yes

REFRIGERATION SYSTEM

Number of Compressors	1
Compressor Brand	Tecumseh
Compressor Capacity	8866 BTU/Hr
Compressor Gas	R-404A
Gas Quantity	650g
Refrigeration Type	Air Cooled

PRODUCT LIST

Model Number	Cooling Type	Voltage	Hertz	Phase	System
S727A2	Air Cooled	220v	60hz	1ph	Gravity Fed

TRANSMISSION

Number of Motors	1
Motor Capacity	750 W

* All specifications mentioned must be considered approximate; PASMO reserves the right to modify, without notice, all parts when deemed necessary. Production capacity depends on the mix used and the room temperature.




S728

Table Top Frozen Beverage



www.pasmousa.com

+1 (844) 52-PASMO



GENERAL INFO

Model Number	S728
Type	Table Top
Production Capacity	50 L/H (13.21 gal)
Number of Flavors	1
Number of Hoppers	1
Hopper Capacity	24 L (6.34 gal)
Specifications	16.50" 24.00" 33.00"
Carton Size	20.87" 35.04" 39.57"
Net Weight	265 lbs
Gross Weight	287 lbs
Cylinder Capacity	4.0 L (1.05 gal)
Beater Type	304 Stainless Steel
Hopper Agitator	Standard
Power (110v)	1.8 kW
Power (220v)	2.0 kW
Self-Check	Yes
Low Mixture Sensor	Yes
Frequency Conversion	Yes

DESCRIPTION

PASMO S728 - Gravity-Fed, Single Flavor, Table Top Multi-Functional Frozen Drink Machine. Air Cooled, 110-115 V, 60 Hz, 1-ph Power. Compact Size, High Capacity and Fast Refrigeration Speed with Easy Operation. Makes Milkshakes, Slushes, Smoothies or Frozen Cocktails. cETLus, ETL, CE

FEATURES

DIGITAL CONTROL AND DISPLAY:

Digital control provides access to system settings and critical information.

QUIET OPERATION:

Adopt the most advanced soft-starting technology with our advanced noise reduction system; reduces the resonance between parts for more energy-saving and quieter operation.

STAND-BY FUNCTION:

Ensures product temperatures in the hopper and cylinder are maintained below 4.4°C (40°F) for safety throughout the evening.

INTELLIGENT FAULT DETECTION:

Provides multiple levels of security with easy to read "Error Codes".

INTEGRATED CYLINDER:

Seamless design makes cleaning easier and helps to prevent the growth of bacteria.

REFRIGERATION SYSTEM

Number of Compressors	1
Compressor Brand	Tecumseh
Compressor Capacity	8866 BTU/Hr
Compressor Gas	R-404A
Gas Quantity (110v)	400g
Gas Quantity (220v)	350g
Cooling Type	Air Cooled

TRANSMISSION

Number of Motors	1
Motor Capacity	750 W

PRODUCT LIST

Model Number	Cooling Type	Voltage	Hertz	Phase	System	Blender
S728A1	Air Cooled	110v	60hz	1ph	Gravity Fed	No
S728A2	Air Cooled	220v	60hz	1ph	Gravity Fed	No
S728A1-B	Air Cooled	110v	60hz	1ph	Gravity Fed	Yes
S728A2-B	Air Cooled	220v	60hz	1ph	Gravity Fed	Yes

* All specifications mentioned must be considered approximate; PASMO reserves the right to modify, without notice, all parts when deemed necessary. Production capacity depends on the mix used and the room temperature.




COFA-2

Cream Whipping Machine



www.pasmousa.com
+1 (844) 52-PASMO



DESCRIPTION

PASMO COFA-2 - Single Flavor, 2.2L Hopper, Table Top Cream Whipping Machine, Air Cooled 110-115 V / 60 Hz / 1-ph. Compact Size, Adjustable overrun to make whipped cream or cold foam. cETLus, ETL, CE

FEATURES

DIGITAL CONTROL AND DISPLAY:

Digital control provides access to system settings and critical information. The simple and fast operation allows operators to make cream at any time without waiting.

ADJUSTABLE OVERRUN:

Suitable for most whip creams on the market, our pump allows for overrun adjustment to allow operators to make whip cream or cold foam according to customer needs.

PRE-COOLING FUNCTION:

Keep creams fresh for extended periods while machine is in operation.

REMOVEABLE PRODUCT STORAGE CONTAINER:

Allows for easy disassembling, cleaning and replacement.

GENERAL INFO

Model Number	COFA-2
Type	Table Top
Number of Flavors	1
Number of Hoppers	1
Hopper Capacity	2.2 L (0.58 gal)
Specifications	9.21" 20.83" 17.99"
Carton Size	11.81" 22.83" 23.03"
Net Weight	73 lbs
Gross Weight	77 lbs
Power	0.5 kW
Self-Check	Yes
Low Mixture Sensor	No
Frequency Conversion	No

REFRIGERATION SYSTEM

Number of Compressors	1
Compressor Brand	PL50F
Compressor Capacity	205 BTU/Hr
Compressor Gas	R-134A
Gas Quantity	85g
Cooling Type	Air Cooled

PRODUCT LIST

Model Number	Cooling Type	Voltage	Hertz	Phase
COFA-2	Air Cooled	110v	60hz	1ph

TRANSMISSION

Number of Motors	1
Motor Capacity	370 W

** All specifications mentioned must be considered approximate; PASMO reserves the right to modify, without notice, all parts when deemed necessary. Production capacity depends on the mix used and the room temperature.*




COFA-4

Cream Whipping Machine



www.pasmousa.com
+1 (844) 52-PASMO



GENERAL INFO

Model Number	COFA-4
Type	Table Top
Number of Flavors	2 + 1 Twist
Number of Hoppers	2
Hopper Capacity	2.2 L (0.58 gal)
Specifications	15.35" 20.75" 18.82"
Carton Size	19.69" 24.80" 25.20"
Net Weight	128 lbs
Gross Weight	140 lbs
Power	0.9 kW
Self-Check	Yes
Low Mixture Sensor	No
Frequency Conversion	No

DESCRIPTION

PASMO COFA-4 - Dual Flavor, 2.2L Hoppers, Table Top Cream Whipping Machine, Air Cooled 110-115 V / 60 Hz / 1-ph. Compact Size, Adjustable overrun to make whipped cream or cold foam. cETLus, ETL, CE

FEATURES

DIGITAL CONTROL AND DISPLAY:

Digital control provides access to system settings and critical information. The simple and fast operation allows operators to make cream at any time without waiting.

ADJUSTABLE OVERRUN:

Suitable for most whip creams on the market, our pump allows for overrun adjustment to allow operators to make whip cream or cold foam according to customer needs.

PRE-COOLING FUNCTION:

Keep creams fresh for extended periods while machine is in operation.

REMOVEABLE PRODUCT STORAGE CONTAINER:

Allows for easy disassembling, cleaning and replacement.

REFRIGERATION SYSTEM

Number of Compressors	1
Compressor Brand	PL50F
Compressor Capacity	205 BTU/Hr
Compressor Gas	R-134A
Gas Quantity	95g
Cooling Type	Air Cooled

TRANSMISSION

Number of Motors	1
Motor Capacity	370 W

PRODUCT LIST

Model Number	Cooling Type	Voltage	Hertz	Phase
COFA-4.1	Air Cooled	110v	60hz	1ph
COFA-4.2	Air Cooled	220v	60hz	1ph

* All specifications mentioned must be considered approximate; PASMO reserves the right to modify, without notice, all parts when deemed necessary. Production capacity depends on the mix used and the room temperature.




COFA-6

Cream Whipping Machine



www.pasmousa.com
+1 (844) 52-PASMO



DESCRIPTION

PASMO COFA-6 - Single Flavor, 5L Hopper, Table Top Cream Whipping Machine, Air Cooled 110-115 V / 60 Hz / 1-ph. Compact Size, Adjustable overrun to make whipped cream or cold foam. cETLus, ETL, CE

FEATURES

DIGITAL CONTROL AND DISPLAY:

Digital control provides access to system settings and critical information. The simple and fast operation allows operators to make cream at any time without waiting.

ADJUSTABLE OVERRUN:

Suitable for most whip creams on the market, our pump allows for overrun adjustment to allow operators to make whip cream or cold foam according to customer needs.

PRE-COOLING FUNCTION:

Keep creams fresh for extended periods while machine is in operation.

REMOVEABLE PRODUCT STORAGE CONTAINER:

Allows for easy disassembling, cleaning and replacement.

GENERAL INFO

Model Number	COFA-6
Type	Table Top
Number of Flavors	1
Number of Hoppers	1
Hopper Capacity	5 L (1.32 gal)
Specifications	11.61" 22.87" 19.06"
Carton Size	15.35" 27.17" 23.82"
Net Weight	50 Lbs
Gross Weight	58 Lbs
Power	0.5 kW
Self-Check	Yes
Low Mixture Sensor	No
Frequency Conversion	No

REFRIGERATION SYSTEM

Number of Compressors	1
Compressor Brand	PL50F
Compressor Capacity	205 BTU/Hr
Compressor Gas	R-134A
Gas Quantity	95g
Cooling Type	Air Cooled

PRODUCT LIST

Model Number	Cooling Type	Voltage	Hertz	Phase
COFA-6	Air Cooled	110v	60hz	1ph

TRANSMISSION

Number of Motors	1
Motor Capacity	370 W

** All specifications mentioned must be considered approximate; PASMO reserves the right to modify, without notice, all parts when deemed necessary. Production capacity depends on the mix used and the room temperature.*



PASMO AMERICA

COMMERCIAL SOFT SERVE AND FROZEN BEVERAGE EQUIPMENT

+1 (844) 52-PASMO

www.pasmousa.com

California Office: 23961 Craftsman Road, Suite E, Calabasas, CA 91302

Colorado Test Kitchen: 800 East 64th Avenue, Unit 4, Denver, CO 80229