



Migali®

TRUSTED SINCE 1955

Refrigeration & Cooking specifications & line drawings





70 Years of Innovation, Reliability & American Craftsmanship Proudly Family-Owned Since 1955

Migali Industries was founded in 1955 by Bruno and Cecelia Migali in a modest garage in South Philadelphia. With just a single metal folding machine, they began producing steel kick plates for residential entry doors. Bruno's expertise in metal fabrication soon led to expanded capabilities, including stainless steel kitchen cabinetry, worktops, and custom hoods—laying the foundation for a growing enterprise rooted in quality and craftsmanship.

As demand increased, Migali evolved into a commercial refrigeration manufacturer, introducing prep tables and under-bar refrigerators that quickly gained traction. Bruno personally traveled the East Coast and Midwest in a custom station wagon to promote the brand, forging strong relationships with dealers and national chains such as Waffle House and Village Inn. Migali earned a reputation for dependable, high-value equipment designed to meet the needs of the foodservice industry.

In the 1970s, the company relocated to a 70,000 sq. ft. facility in Camden, NJ, adopted the name Migali Industries, and launched the Imperial Series Spec Line—an all-stainless, customizable reach-in refrigeration series that set a new benchmark for durability and flexibility. By the 1980s, Migali had become a recognized leader in foodservice refrigeration, producing thousands of units annually for customers across the U.S.



1955




TRUSTED SINCE 1955

The 1990s and 2000s were marked by strategic growth and global expansion. Migali developed proprietary innovations, such as quad-door -40°F ice cream hardening cabinets and cold wall pizza prep tables, and formed OEM partnerships to extend its reach. As manufacturing scaled to include facilities in Mexico and China, U.S. operations remained focused on high-performance, specialty products that pushed the boundaries of commercial refrigeration.

Today, Migali Industries is a third-generation, family-owned business offering a comprehensive portfolio of commercial refrigeration and cooking equipment engineered for performance, efficiency, and style. Our products reflect decades of design refinement, built for reliability in the most demanding environments—from restaurants and hospitality venues to scientific laboratories.

With U.S. manufacturing in Blackwood, NJ and global operations abroad, Migali supports rapid distribution through strategically located warehouses nationwide. In 2011, we launched Migali Scientific to serve healthcare, pharmaceutical, and life sciences sectors with precision temperature-controlled equipment. In 2025, our fully retooled New Jersey facility will begin producing next-generation scientific and commercial units—combining digital innovation, energy efficiency, and modular flexibility to meet the evolving needs of modern professionals.

At Migali, we continue to invest in cutting-edge technologies, sustainable practices, and long-term partnerships. Join our trusted dealer network and experience the next chapter in performance-driven equipment manufacturing. We're proud to earn your business—and committed to helping it grow.



2025



Scan here to
open an account.
(migali.com/dealer)

TABLE OF CONTENTS

Reach-In Refrigerators	6	Glass Door Back Bar Refrigerators	70
Reach-In Freezers.....	8	Sliding Glass Door Back Bar Refrigerators	72
Glass Door Reach-In Refrigerators	10	Solid Door Back Bar Refrigerators	74
Glass Door Reach-In Freezers.....	12	Horizontal Bottle Coolers.....	76
Bottom Mount Reach-In Refrigerators.....	14	Glass Froster Freezers.....	78
Bottom Mount Reach-In Freezers	16	Direct Draw Beer Dispenser Refrigerators	80
Space Saving Two Door Reach-Ins.....	18	<u>NEW!</u> Speedino® Conveyor Pizza Oven	86
Hinged Glass Door Refrigerators	20	Convection Ovens, Bakery Depth	90
Sliding Glass Door Refrigerator.....	24	Convection Ovens, Standard Depth.....	92
Space Saving Hinged Glass Door Freezer.....	26	<u>NEW!</u> INFINITI BURNER® BY MIGALI	94
Hinged Glass Door Freezers	28	Ranges (Natural Gas & Liquid Propane)	96
Pizza Preparation Tables.....	30	Ranges With Griddles (Natural Gas).....	98
Pizza Preparation Tables With Drawers	32	Ranges With Griddles (Liquid Propane)	100
Standard Top Sandwich Preparation Tables.....	34	Hot Plates	102
Standard Top Sandwich Preparation Tables With Drawers	36	Stock Pot Stoves	104
Big Top Sandwich Preparation Tables	38	Char-Rock Broilers	106
Slim Sandwich Preparation Tables	40	Radiant Broilers	108
Under-Counter/Work Top Refrigerators	42	Salamander Broilers	110
Under-Counter/Work Top Freezers	44	Cheesemelters	112
Under-Counter/Work Top Refrigerators With Drawers	46	Griddles	114
Under-Counter/Work Top Freezers With Drawers.....	48	Thermostatic Griddles	116
Work Top Refrigerators.....	50	Fryers	118
Refrigerated Chef Bases	52	Warranty	120
<u>NEW!</u> Refrigerated Counter-Top Display Cases, Curved Glass	54		
<u>NEW!</u> Refrigerated Counter-Top Display Cases, Straight Glass	56		
<u>NEW!</u> Double-Duty, Interchangeable Meat/Fish/Deli Cases, Straight Glass.....	58		
<u>NEW!</u> Double-Duty, Interchangeable Meat/Fish/Deli Cases, Curved Glass.....	64		
<u>NEW!</u> Heated Counter-Top Display Cases, Straight Glass, Front & Rear Sliding Doors	66		
<u>NEW!</u> Heated Counter-Top Display Cases, Straight Glass, Rear Sliding Doors	68		



Migali
1955

COMPETITOR SERIES®



C-1R-LHH-HC



C-1R-HC



C-2R-HC



C-3R-HC

REACH-IN REFRIGERATORS

- Beautiful ergonomic construction & rounded corners
- Digital temperature controller & read-out
- All stainless steel exterior and interior
- Forced air refrigeration system
- Recessed door handles
- LED Interior Lighting
- Door locks
- 90 degree hold open door feature for loading products
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Years Compressor Warranty
- Top mount compressor for enhanced efficiency
- Pre-installed casters and shelving
- Auto-defrost
- Air plenum across back wall for even temperature distribution throughout cabinet interior
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Air Pressure Relief Valve for ease of opening doors

MODEL	DOORS	CAPACITY CU/FT	SHELVES	H/P	AMPS	VOLTAGE	ENERGY CONSUMPTION KWH/24 HR	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H*	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-1R-LHH-HC	1 (left hinge)	21.4	3	1/7+	2.1	115/60/1	1.3	Nema 5-15P	+33°F (~) +41°F	28.8 x 31.5 x 81.25	24 x 26.1 x 60.2	30 x 34 x 85	220 lbs.	254 lbs.
C-1R-HC	1	21.4	3	1/7+	2.1	115/60/1	1.3	Nema 5-15P	+33°F (~) +41°F	28.8 x 31.5 x 81.25	24 x 26.1 x 60.2	30 x 34 x 85	220 lbs.	254 lbs.
C-2R-HC	2	43.2	6	1/5	3.2	115/60/1	2.1	Nema 5-15P	+33°F (~) +41°F	51.75 x 31.5 x 81.25	47 x 26.1 x 60.2	53 x 35 x 85	340 lbs.	390 lbs.
C-3R-HC	3	64.9	9	1/4+	4.2	115/60/1	2.4	Nema 5-15P	+33°F (~) +41°F	77.75 x 31.5 x 81.25	73.2 x 26.1 x 60.2	79 x 35 x 85	472 lbs.	551 lbs.

* Total height includes casters

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS


C-1R-HC




C-2R-HC



C-3R-HC



SIDE VIEW (1,2,3) DOOR MODELS



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-1F-LHH-HC



C-1F-HC



C-2F-HC



C-3F-HC

REACH-IN FREEZERS

- Beautiful ergonomic construction & rounded corners
- Digital temperature controller & read-out
- All stainless steel exterior and interior
- Forced air refrigeration system
- Recessed door handles
- LED Interior Lighting
- Door locks
- 90 degree hold open door feature for loading products
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Years Compressor Warranty
- Top mount compressor for enhanced efficiency
- Pre-installed casters and shelving
- Auto-defrost
- Air plenum across back wall for even temperature distribution throughout cabinet interior
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Air Pressure Relief Valve for ease of opening doors

MODEL	DOORS	CAPACITY CU/FT	SHELVES	H/P	AMPS	VOLTAGE	ENERGY CONSUMPTION KWH/24 HR	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H*	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-1F-LHH-HC	1 (left hinge)	21.4	3	1/2	6.3	115/60/1	3.7	Nema 5-15P	-10° F (~ 0° F)	28.8 x 31.5 x 81.25	24 x 26.1 x 60.2	30 x 34 x 85	236 lbs.	269 lbs.
C-1F-HC	1	21.4	3	1/2	6.3	115/60/1	3.7	Nema 5-15P	-10° F (~ 0° F)	28.8 x 31.5 x 81.25	24 x 26.1 x 60.2	30 x 34 x 85	236 lbs.	269 lbs.
C-2F-HC	2	43.2	6	3/4+	8.6	115/60/1	6.2	Nema 5-15P	-10° F (~ 0° F)	51.75 x 31.5 x 81.25	47 x 26.1 x 60.2	53 x 35 x 85	353 lbs.	404 lbs.
C-3F-HC	3	64.9	9	1	6.2	208-230/115/60/1	14.6	Nema L14-20P	-10° F (~ 0° F)	77.75 x 31.5 x 81.25	73.2 x 26.1 x 60.2	79 x 35 x 85	489 lbs.	569 lbs.

* Total height includes casters

FOR COMMERCIAL USE ONLY

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS



C-1F-HC



C-2F-HC



C-3F-HC



SIDE VIEW (1,2,3) DOOR MODELS



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-1RG-HC



C-2RG-HC

GLASS DOOR REACH-IN REFRIGERATORS

- Beautiful ergonomic construction & rounded corners
- Digital temperature controller & read-out
- All stainless steel exterior and interior
- Forced air refrigeration system
- Recessed door handles
- Glass doors with LED interior lighting
- Door locks
- 90 degree hold open door feature for loading products
- Top mount compressor for enhanced efficiency
- Pre-installed casters and shelving
- Auto-defrost
- Air plenum across back wall for even temperature distribution throughout cabinet interior
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Air Pressure Relief Valve for ease of opening doors
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Years Compressor Warranty

MODEL	DOORS	CAPACITY CU/FT	SHELVES	H/P	AMPS	VOLTAGE	ENERGY CONSUMPTION KWH/24 HR	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H*	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-1RG-HC	1	21.4	3	1/7+	2.1	115/60/1	1.3	Nema 5-15P	+33° F (~ +41° F	28.8 x 31.5 x 81.25	24 x 26.1 x 60.2	30 x 34 x 85	220 lbs.	254 lbs.
C-2RG-HC	2	43.2	6	1/5	3.2	115/60/1	2.1	Nema 5-15P	+33° F (~ +41° F	51.75 x 31.5 x 81.25	47 x 26.1 x 60.2	53 x 35 x 85	340 lbs.	390 lbs.

* Total height includes casters

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE






TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS

C-1RG-HC



C-2RG-HC



SIDE VIEW (1 & 2) DOOR MODELS



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-1FG-HC



C-2FG-HC

GLASS DOOR REACH-IN FREEZERS

- Beautiful ergonomic construction & rounded corners
- Digital temperature controller & read-out
- All stainless steel exterior and interior
- Forced air refrigeration system
- Recessed door handles
- Glass doors with LED interior lighting
- Door locks
- 90 degree hold open door feature for loading products
- Top mount compressor for enhanced efficiency

- Pre-installed casters and shelving
- Auto-defrost
- Air plenum across back wall for even temperature distribution throughout cabinet interior
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Air Pressure Relief Valve for ease of opening doors
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Years Compressor Warranty

MODEL	DOORS	CAPACITY CU/FT	SHELVES	H/P	AMPS	VOLTAGE	ENERGY CONSUMPTION KWH/24 HR	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H*	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-1FG-HC	1	21.4	3	1/2	6.3	115/60/1	3.7	Nema 5-15P	-10° F (~) 0° F	28.8 x 31.5 x 81.25	24 x 26.1 x 60.2	30 x 34 x 85	236 lbs.	269 lbs.
C-2FG-HC	2	43.2	6	3/4+	8.6	115/60/1	6.2	Nema 5-15P	-10° F (~) 0° F	51.75 x 31.5 x 81.25	47 x 26.1 x 60.2	53 x 35 x 85	353 lbs.	404 lbs.

* Total height includes casters

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE






TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS

C-1FG-HC



C-2FG-HC



SIDE VIEW (1 & 2) DOOR MODELS



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-1RB-HC



C-2RB-HC



C-3RB-HC

BOTTOM MOUNT REACH-IN REFRIGERATORS

- Beautiful ergonomic construction & rounded corners
- Digital temperature controller & read-out
- All stainless steel exterior and interior
- Forced air refrigeration system
- Recessed door handles
- LED Interior Lighting
- Door locks
- 90 degree hold open door feature for loading products
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Years Compressor Warranty

- Bottom mount compressor for enhanced efficiency
- Pre-installed casters and shelving
- Auto-defrost
- Air plenum across back wall for even temperature distribution throughout cabinet interior
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Air Pressure Relief Valve for ease of opening doors

MODEL	DOORS	CAPACITY CU/FT	SHELVES	H/P	AMPS	VOLTAGE	ENERGY CONSUMPTION KWH/24 HR	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H*	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-1RB-HC	1	19.1	3	1/7+	2.1	115/60/1	1.09	Nema 5-15P	+33° F (~) +41° F	27 x 31.5 x 83.1	22.25 x 26.1 x 60	29 x 33.5 x 86.2	249 lbs.	282 lbs.
C-2RB-HC	2	44.7	6	1/5	3.2	115/60/1	2.36	Nema 5-15P	+33° F (~) +41° F	54.4 x 31.5 x 83.1	49.7 x 26.1 x 60	56.4 x 33.5 x 86.2	397 lbs.	452 lbs.
C-3RB-HC	3	68	9	1/4+	4.2	115/60/1	3.16	Nema 5-15P	+33° F (~) +41° F	81.9 x 31.5 x 83.1	77.2 x 26.1 x 60	83.9 x 33.5 x 86.2	538 lbs.	615 lbs.

* Total height includes casters

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS





C-1RB-HC



C-2RB-HC



C-3RB-HC



SIDE VIEW (1,2,3) DOOR MODELS



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-1FB-HC



C-2FB-HC



C-3FB-HC

BOTTOM MOUNT REACH-IN FREEZERS

- Beautiful ergonomic construction & rounded corners
- Digital temperature controller & read-out
- All stainless steel exterior and interior
- Forced air refrigeration system
- Recessed door handles
- LED Interior Lighting
- Door locks
- 90 degree hold open door feature for loading products
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Years Compressor Warranty
- Bottom mount compressor for enhanced efficiency
- Pre-installed casters and shelving
- Auto-defrost
- Air plenum across back wall for even temperature distribution throughout cabinet interior
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Air Pressure Relief Valve for ease of opening doors

MODEL	DOORS	CAPACITY CU/FT	SHELVES	H/P	AMPS	VOLTAGE	ENERGY CONSUMPTION KWH/24 HR	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H*	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-1FB-HC	1	19.1	3	1/2	6.3	115/60/1	4.36	Nema 5-15P	-10° F (~) 0° F	27 x 31.5 x 83.1	22.25 x 26.1 x 60	29 x 33.5 x 86.2	264 lbs.	297 lbs.
C-2FB-HC	2	44.7	6	3/4+	8.6	115/60/1	7.82	Nema 5-15P	-10° F (~) 0° F	54.4 x 31.5 x 83.1	49.7 x 26.1 x 60	56.4 x 33.5 x 86.2	410 lbs.	465 lbs.
C-3FB-HC	3	68	9	1	6.2	208-230/115/60/1	14.67	Nema L14-20P	-10° F (~) 0° F	81.9 x 31.5 x 83.1	77.2 x 26.1 x 60	83.9 x 33.5 x 86.2	551 lbs.	628 lbs.

* Total height includes casters

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS






C-1FB-HC



C-2FB-HC



C-3FB-HC



SIDE VIEW (1,2,3) DOOR MODELS



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-2RB-35-HC



C-2FB-35-HC

SPACE SAVING TWO DOOR REACH-INS

- Beautiful ergonomic construction & rounded corners
- Digital temperature controller & read-out
- All stainless steel exterior and interior
- Forced air refrigeration system
- Recessed door handles
- LED Interior Lighting
- Door locks
- 90 degree hold open door feature for loading products
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Years Compressor Warranty
- Bottom mount compressor for enhanced efficiency
- Pre-installed casters and shelving
- Auto-defrost
- Air plenum across back wall for even temperature distribution throughout cabinet interior
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Air Pressure Relief Valve for ease of opening doors

MODEL	DOORS	CAPACITY CU/FT	SHELVES	H/P	AMPS	VOLTAGE	ENERGY CONSUMPTION KWH/24 HR	PLUG TYPE	EXTERIOR DIMENSIONS W X D X H*	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-2RB-35-HC	2	35	6	1/5	3.2	115/60/1	2.55	Nema 5-15P	39.5 x 31.5 x 83.1	34.75 x 26.1 x 60	41 x 33 x 85.8	317 lbs.	362 lbs.
C-2FB-35-HC	2	35	6	3/4+	8.6	115/60/1	7.56	Nema 5-15P	39.5 x 31.5 x 83.1	34.75 x 26.1 x 60	41 x 33 x 85.8	331 lbs.	375 lbs.

* Total height includes casters

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE



TOLL FREE: 800.852.5292
WEB: www.migali.com




Conforms to NSF Foodservice



DIMENSIONAL DRAWINGS

C-2RB-35-HC & C-2FB-35-HC



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®

C-10RM-HC



C-12RM-HC



To learn more Scan QR codes



C-10RM-HC



C-12RM-HC

HINGED GLASS DOOR REFRIGERATORS

- Beautiful ergonomic construction
- Digital temperature controller & read-out
- White powder coated steel exterior and interior
- Forced air refrigeration system
- Bottom mount compressor
- Recessed door handles
- LED interior lighting
- Bright lighted top display sign
- Low-E, Dual pane glass**

- Heavy duty ABS extruded door frame
- Pre-installed casters and shelving
- 90 degree hold open door feature for loading products
- Door locks
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Years Compressor Warranty
- Air Pressure Relief Valve for ease of opening doors

MODEL	DOORS	CAPACITY CU/FT	SHELVES	H/P	AMPS	VOLTAGE	ENERGY CONSUMPTION KWH/24 HR	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H*	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-10RM-HC	1	10	3	1/7+	2.1	115/60/1	1.58	Nema 5-15P	+33° F (~) +41° F	24.25 x 24 x 63.25	20.25 x 17.9 x 42.9	26 x 25 x 62.25	189 lbs.	209 lbs.
C-12RM-HC	1	12	4	1/7+	2.1	115/60/1	1.83	Nema 5-15P	+33° F (~) +41° F	24.25 x 24 x 76.25	20.25 x 17.91 x 55.9	26 x 25 x 77	227 lbs.	251 lbs.

* Total height includes 3" casters

**Glass panels are rated for installation at an altitude of < 2,000 ft.

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE






TOLL FREE: 800.852.5292
WEB: www.migali.com





DIMENSIONAL DRAWINGS

C-10RM-HC



C-12RM-HC



**C-10RM-HC /
C-12RM-HC
SIDE VIEW**

**C-10RM-HC /
C-12RM-HC
TOP VIEW**



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®

C-23RM-HC



C-49RM-HC



C-72RM-HC



To learn more Scan QR codes



C-23RM-HC



C-49RM-HC



C-72RM-HC

HINGED GLASS DOOR REFRIGERATORS

- Beautiful ergonomic construction
- Digital temperature controller & read-out
- White powder coated steel exterior and interior
- Forced air refrigeration system
- Bottom mount compressor
- Recessed door handles
- LED interior lighting
- Bright lighted top display sign
- Low-E, Dual pane glass**

- Heavy duty ABS extruded door frame
- Pre-installed casters and shelving
- 90 degree hold open door feature for loading products
- Door locks
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Years Compressor Warranty
- Air Pressure Relief Valve for ease of opening doors

MODEL	DOORS	CAPACITY CU/FT	SHELVES	H/P	AMPS	VOLTAGE	ENERGY CONSUMPTION KWH/24 HR	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H*	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT	
C-23RM-HC	1	23	4	1/7+	2.1	115/60/1	1.7		Nema 5-15P	+33° F (~ +41° F)	27 x 31.75 x 81.4	22.2 x 27.3 x 60	29 x 34 x 83	293 lbs.	324 lbs.
C-49RM-HC	2	49	8	1/5	3.2	115/60/1	3.6		Nema 5-15P	+33° F (~ +41° F)	54.4 x 31.75 x 81.4	49.7 x 27.3 x 60	57 x 34 x 83	485 lbs.	544 lbs.
C-72RM-HC	3	72	12	1/4+	4.2	115/60/1	5.8		Nema 5-15P	+33° F (~ +41° F)	81.9 x 31.75 x 81.4	77.1 x 27.3 x 60	84 x 34 x 83	652 lbs.	758 lbs.

* Total height includes 3" casters

**Glass panels are rated for installation at an altitude of < 2,000 ft.

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

FOR COMMERCIAL USE ONLY




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS






C-23RM-HC



C-49RM-HC



C-72RM-HC



SIDE VIEW (1,2,3) DOOR MODELS



Migali
1955

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®

C-49RS-HC



To learn more Scan QR code



C-49RS-HC

SLIDING GLASS DOOR REFRIGERATOR

- Beautiful ergonomic construction
- Digital temperature controller & read-out
- White powder coated steel exterior and interior
- Forced-air refrigeration system
- Bottom mount compressor
- Recessed door handles
- LED interior lighting
- Bright lighted top display sign
- Low-E, dual pane glass**

- Heavy duty ABS extruded door frame
- Pre-installed casters and shelving
- Hold open door feature for loading products
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Years Compressor
- Air Pressure Relief Valve for ease of opening doors

MODEL	DOORS	CAPACITY CU/FT	SHELVES	H/P	AMPS	VOLTAGE	ENERGY CONSUMPTION KWH/24 HR	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H*	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-49RS-HC	2	49	8	1/4+	4.2	115/60/1	4.8	Nema 5-15P	+33° F (~) +41° F	54.4 x 30 x 81.4	50.5 x 25 x 60	57 x 32 x 83	456 lbs.	511 lbs.

* Total height includes 3" casters

**Glass panels are rated for installation at an altitude of < 2,000 ft.

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE





TOLL FREE: 800.852.5292
WEB: www.migali.com



DIMENSIONAL DRAWINGS

C-49RS-HC



MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali



Migali
1955

COMPETITOR SERIES®



C-10FM-HC

SPACE SAVING HINGED GLASS DOOR FREEZER

- Beautiful ergonomic construction
- Digital temperature controller & read-out
- White powder coated steel exterior and interior
- Forced air refrigeration system
- Bottom mount compressor
- Recessed door handles
- LED interior lighting
- Bright lighted top display sign
- Low-E, Triple pane heated glass**

- Heavy duty ABS extruded door frame
- Pre-installed casters and shelving
- 90 degree hold open door feature for loading products
- Door locks
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Years Compressor Warranty
- Air Pressure Relief Valve for ease of opening doors

MODEL	DOORS	CAPACITY CU/FT	SHELVES	H/P	AMPS	VOLTAGE	ENERGY CONSUMPTION KWH/24 HR	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H*	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-10FM-HC	1	10	3	2/5	6.3	115/60hz	5.21	Nema 5-15P	-10° F (~) 0° F	24.2 x 24 x 63.2	20.2 x 17 x 42.8	29 x 34 x 83	205 lbs.	224 lbs.

* Total height includes 3" casters

**Glass panels are rated for installation at an altitude of < 2,000 ft.

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE






TOLL FREE: 800.852.5292
WEB: www.migali.com



DIMENSIONAL DRAWINGS

C-10FM-HC



**SIDE VIEW (1,2,3)
DOOR MODELS**



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®

C-23FM-HC



C-49FM-HCe



C-72FM-HC



To learn more Scan QR codes



C-23FM-HC



C-49FM-HCe



C-72FM-HC

HINGED GLASS DOOR FREEZERS

- Beautiful ergonomic construction
- Digital temperature controller & read-out
- White powder coated steel exterior and interior
- Forced air refrigeration system
- Bottom mount compressor
- Recessed door handles
- LED interior lighting
- Bright lighted top display sign
- Low-E, Triple pane heated glass**

- Heavy duty ABS extruded door frame
- Pre-installed casters and shelving
- 90 degree hold open door feature for loading products
- Door locks
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Years Compressor Warranty
- Air Pressure Relief Valve for ease of opening doors

MODEL	DOORS	CAPACITY CU/FT	SHELVES	H/P	AMPS	VOLTAGE	ENERGY CONSUMPTION KWH/24 HR	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H*	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-23FM-HC	1	23	4	1/2	6.3	115/60/1	6.6	Nema 5-15P	-10° F (~) 0° F	27 x 31.75 x 81.4	22.25 x 27.3 x 60	29 x 34 x 83	308 lbs.	340 lbs.
C-49FM-HCe	2	49	8	3/4+	8.6	115/60/1	12.1 	Nema 5-15P	-10° F (~) 0° F	54.4 x 31.75 x 81.4	49.7 x 27.3 x 60	57 x 34 x 83	498 lbs.	558 lbs.
C-72FM-HC	3	72	12	1	6.2	208-230/115/60/1	19.1	Nema L14-20P	-10° F (~) 0° F	82 x 31.75 x 81.4	77.1 x 27.3 x 60	84 x 34 x 83	688 lbs.	722 lbs.

* Total height includes 3" casters

**Glass panels are rated for installation at an altitude of < 2,000 ft.

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS






C-23FM-HC



C-49FM-HCe



C-72FM-HC



SIDE VIEW (1,2,3) DOOR MODELS



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-PP44-HC



C-PP67-HC



C-PP93-HC

PIZZA PREPARATION TABLES

- Beautiful ergonomic construction & rounded corners
- Digital temperature controller and read-out
- All stainless steel exterior and interior
- Forced air refrigeration system
- Side mount compressor for enhanced efficiency
- 19^{1/2}" deep cutting board included
- Recessed door handles
- Pre-installed casters and shelving
- 90 degree hold open door feature for loading products
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Rail accommodates 4" deep pans
- Insulated lids help ensure food products in rail stay cold
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Years Compressor Warranty

MODEL	DOORS	NUM. OF (1/3) SIZE PANS*	CAPACITY CU/FT	SHELVES	H/P	AMPS	VOLTAGE	ENERGY CONSUMPTION KWH/24 HR	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H**	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H**	WEIGHT	PACKAGED WEIGHT
C-PP44-HC	1	6	14	1	1/7+	2.3	115/60/1	1.5	Nema 5-15P	+33° F (~) +41° F	44 x 33 x 43.4	40.4 x 26.4 x 26.3	47 x 35 x 46	238 lbs.	295 lbs.
C-PP67-HC	2	9	20	2	1/5	2.8	115/60/1	2.1	Nema 5-15P	+33° F (~) +41° F	67 x 33 x 43.4	63.5 x 26.4 x 26.3	68 x 35 x 46	335 lbs.	405 lbs.
C-PP93-HC	3	12	26	3	1/4+	3.1	115/60/1	2.6	Nema 5-15P	+33° F (~) +41° F	93 x 33 x 43.4	89.4 x 26.4 x 26.3	95 x 35 x 46	427 lbs.	527 lbs.

* Pans are not included

FOR COMMERCIAL USE ONLY

** Height is measured floor to the top of the pan rail and include 6" casters

Removal of pan rail lids during operation will compromise the performance of the Pizza Prep Table.

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS






C-PP44-HC



C-PP67-HC



C-PP93-HC



SIDE VIEW (1,2,3) DOOR MODELS



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-PP44-D-HC



C-PP67-D-HC



C-PP93-D-HC

PIZZA PREPARATION TABLES WITH DRAWERS

- Beautiful ergonomic construction & rounded corners
- Digital temperature controller and read-out
- All stainless steel exterior and interior
- Forced air refrigeration system
- Side mount compressor for enhanced efficiency
- 19^{1/2}" deep cutting board included
- Recessed drawer handles
- Pre-installed casters and shelving
- Drawers with stainless steel drawers slides and nylon wheels
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Rail accommodates 4" deep pans
- Insulated lids help ensure food products in rail stay cold
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Years Compressor Warranty

MODEL	DRAWERS	NUM. OF (1/3) SIZE PANS*	CAPACITY CU/FT	SHELVES	H/P	AMPS	VOLTAGE	ENERGY CONSUMPTION KWH/24 HR	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H**	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H**	WEIGHT	PACKAGED WEIGHT
C-PP44-D-HC	2	6	9.7	1	1/7+	2.3	115/60/1	1.5	Nema 5-15P	+33° F (~) +41° F	44 x 33 x 43.4	40.4 x 26.4 x 26.3	47 x 35 x 46	238 lbs.	295 lbs.
C-PP67-D-HC	4	9	18.5	2	1/5	2.8	115/60/1	2.1	Nema 5-15P	+33° F (~) +41° F	67 x 33 x 43.4	63.5 x 26.4 x 26.3	68 x 35 x 46	335 lbs.	405 lbs.
C-PP93-D-HC	6	12	28.4	3	1/4+	3.1	115/60/1	2.6	Nema 5-15P	+33° F (~) +41° F	93 x 33 x 43.4	89.4 x 26.4 x 26.3	95 x 35 x 46	427 lbs.	527 lbs.

* Pans are not included

FOR COMMERCIAL USE ONLY

** Height is measured floor to the top of the pan rail and include 6" casters

Removal of pan rail lids during operation will compromise the performance of the Pizza Prep Table.

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS


C-PP44-D-HC




C-PP67-D-HC




C-PP93-D-HC




C-PP44-D-HC
TOP VIEW




C-PP67-D-HC
TOP VIEW



C-PP93-D-HC
TOP VIEW



SIDE VIEW (2, 4, 6 DRAWER)



Migali
1955

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-SP27-8-HC



C-SP48-12-HC



C-SP60-16-HC



C-SP72-18-HC

STANDARD TOP SANDWICH PREPARATION TABLES

- Beautiful ergonomic construction & rounded corners
- Digital temperature controller and read-out
- All stainless steel exterior and interior
- Forced air refrigeration system
- 9^{1/4}" deep cutting board included
- Recessed door handles
- Rail accommodates 6" deep pans
- Pre-installed casters and shelving
- 90 degree hold open door feature for loading products
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Insulated hood and lids ensure food products in rail stay cold
- Migali Industries® Protection Plan: 2 Year Parts & Labor Warranty, 5 Years Compressor Warranty

MODEL	DOORS	NUM. OF (1/6) SIZE PANS*	CAPACITY CU/FT	SHELVES	H/P	AMPS	VOLTAGE	ENERGY CONSUMPTION KWH/24 HR	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H**	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H**	WEIGHT	PACKAGED WEIGHT
C-SP27-8-HC	1	8	6.5	2	1/7+	2.3	115/60/1	1.6	Nema 5-15P	+33° F (~) +41° F	27.5 x 30 x 44.25	23.9 x 23.6 x 26.7	30 x 33 x 46	158 lbs.	196 lbs.
C-SP48-12-HC	2	12	12	4	1/7+	2.3	115/60/1	1.8	Nema 5-15P	+33° F (~) +41° F	48.25 x 30 x 44.25	44.7 x 23.6 x 26.7	51 x 33 x 46	231 lbs.	275 lbs.
C-SP60-16-HC	2	16	20	4	1/5	2.8	115/60/1	2.1	Nema 5-15P	+33° F (~) +41° F	60.25 x 30 x 44.25	56.7 x 23.6 x 26.7	64 x 33 x 46	271 lbs.	319 lbs.
C-SP72-18-HC	3	18	22	6	1/5	2.8	115/60/1	2.2	Nema 5-15P	+33° F (~) +41° F	72.7 x 30 x 44.25	68.9 x 23.6 x 26.7	75 x 33 x 46	317 lbs.	379 lbs.

* Pans are not included

** Total height includes casters

Removal of pan rail lids during operation will compromise the performance of the Sandwich Prep Table.

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS


C-SP27-8-HC




C-SP48-12-HC




C-SP60-16-HC




C-SP27-8-HC
TOP VIEW




C-SP48-12-HC
TOP VIEW




C-SP60-16-HC
TOP VIEW




C-SP72-18-HC



C-SP72-18-HC TOP VIEW



SIDE VIEW(1,2,3 DOOR)



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-SP27-8-D-HC



C-SP48-12-D-HC



C-SP60-16-D-HC

STANDARD TOP SANDWICH PREPARATION TABLES WITH DRAWERS

- Beautiful ergonomic construction & rounded corners
- Digital temperature controller and read-out
- All stainless steel exterior and interior
- Forced air refrigeration system
- 9 1/4" deep cutting board included
- Recessed drawer handles
- Rail accommodates 6" deep pans
- Drawers with stainless steel drawers slides and nylon wheels
- Pre-installed casters and shelving
- 90 degree hold open door feature for loading products
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Insulated hood and lids ensure food products in rail stay cold
- Migali Industries® Protection Plan: 2 Year Parts & Labor Warranty, 5 Years Compressor Warranty

MODEL	DRAWERS	NUM. OF (1/6 SIZE PANS*)	CAPACITY CU/FT	SHELVES	H/P	AMPS	VOLTAGE	ENERGY CONSUMPTION KWH/24 HR	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H**	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H**	WEIGHT	PACKAGED WEIGHT
C-SP27-8-D-HC	2	8	6.5	2	1/7+	2.3	115/60/1	1.6	Nema 5-15P	+33° F (~)+41° F	27.5 x 30 x 44.25	23.9 x 23.6 x 26.7	30 x 33 x 46	158 lbs.	196 lbs.
C-SP48-12-D-HC	4	12	12	4	1/7+	2.3	115/60/1	1.8	Nema 5-15P	+33° F (~)+41° F	48.25 x 30 x 44.25	44.7 x 23.6 x 26.7	51 x 33 x 46	231 lbs.	275 lbs.
C-SP60-16-D-HC	4	16	20	4	1/5	2.8	115/60/1	2.1	Nema 5-15P	+33° F (~)+41° F	60.25 x 30 x 44.25	56.7 x 23.6 x 26.7	64 x 33 x 46	271 lbs.	319 lbs.

* Pans are not included

** Total height includes casters

Removal of pan rail lids during operation will compromise the performance of the Sandwich Prep Table.

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE



TOLL FREE: 800.852.5292
WEB: www.migali.com



Conforms to NSF Foodservice
Intertek




U.S. DEPARTMENT OF
ENERGY




DIMENSIONAL DRAWINGS


C-SP27-8-D-HC




C-SP48-12-D-HC




C-SP60-16-D-HC




C-SP27-8-D-HC
TOP VIEW



C-SP48-12-D-HC
TOP VIEW




C-SP60-16-D-HC
TOP VIEW



C-SP72-18-D-HC

C-SP72-18-D-HC TOP VIEW



SIDE VIEW



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-SP27-12BT-HC



C-SP48-18BT-HC



C-SP60-24BT-HC



C-SP72-30BT-HC

BIG TOP SANDWICH PREPARATION TABLES

- Beautiful ergonomic construction & rounded corners
- Pre-installed casters and shelving
- Digital temperature controller and read-out
- 90 degree hold open door feature for loading products
- All stainless steel exterior and interior
- All Natural R290 Hydrocarbon Refrigerant
- Forced air refrigeration system
- US Department of Energy Certified
- 9^{1/4}" deep cutting board included
- Recessed door handles
- Insulated hood and lids ensure food products in rail stay cold
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Years Compressor Warranty

MODEL	DOORS	NUM. OF (1/6) SIZE PANS*	CAPACITY CU/FT	SHELVES	H/P	AMPS	VOLTAGE	ENERGY CONSUMPTION KWH/24 HR	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H**	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H**	WEIGHT	PACKAGED WEIGHT
C-SP27-12BT-HC	1	12	7.9	2	1/7+	2.3	115/60/1	1.6	Nema 5-15P	+33° F (~) +41° F	27.5 x 34 x 47.2	23.9 x 23.6 x 26.4	30 x 37 x 51	170 lbs.	212 lbs.
C-SP48-18BT-HC	2	18	14.7	4	1/7+	2.3	115/60/1	1.9	Nema 5-15P	+33° F (~) +41° F	48.25 x 34 x 47.2	44.7 x 23.6 x 26.4	51 x 37 x 51	243 lbs.	294 lbs.
C-SP60-24BT-HC	2	24	20.7	4	1/5	2.8	115/60/1	2.1	Nema 5-15P	+33° F (~) +41° F	60.25 x 34 x 47.2	56.7 x 23.6 x 26.4	64 x 37 x 51	285 lbs.	340 lbs.
C-SP72-30BT-HC	3	30	25.2	6	1/5	2.8	115/60/1	2.3	Nema 5-15P	+33° F (~) +41° F	72.7 x 34 x 47.2	69.1 x 23.6 x 26.4	75 x 37 x 51	331 lbs.	402 lbs.

* Pans are not included

FOR COMMERCIAL USE ONLY

** Total height includes casters

Removal of pan rail lids during operation will compromise the performance of the Sandwich Prep Table.

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS


C-SP27-12BT-HC




C-SP48-18BT-HC




C-SP60-24BT-HC




**C-SP27-12BT-HC
TOP VIEW**




**C-SP48-18BT-HC
TOP VIEW**




**C-SP60-24BT-HC
TOP VIEW**




C-SP72-30BT-HC



C-SP72-30BT-HC TOP VIEW



**SIDE VIEW
(1,2,3 DOOR MODELS)**



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-SP36-10-HC



C-SP36-15BT-HC

SLIM SANDWICH PREPARATION TABLES

- Beautiful ergonomic construction & rounded corners
- Digital temperature controller and read-out
- All stainless steel exterior and interior
- Forced air refrigeration system
- 9 1/4" deep cutting board included
- Recessed door handles
- Rail accommodates 6" deep pans
- Pre-installed casters and shelving
- 90 degree hold open door feature for loading products
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Insulated hood and lids ensure food products in rail stay cold
- Migali Industries® Protection Plan: 2 Year Parts & Labor Warranty, 5 Years Compressor Warranty

MODEL	DOORS	NUM. OF (1/3) SIZE PANS*	CAPACITY CU/FT	SHELVES	H/P	AMPS	VOLTAGE	ENERGY CONSUMPTION KWH/24 HR	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H**	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H**	WEIGHT	PACKAGED WEIGHT
C-SP36-10-HC	2	10	9.4	2	1/7	2.3	115/60/1	1.65	Nema 5-15P	+33°F (~) +41°F	36.3 x 30 x 41.4	32.8 x 23.6 x 23.6	38.5 x 32.7 x 46.7	175	230
C-SP36-15BT-HC	2	15	9.4	2	1/7	2.3	115/60/2	1.65	Nema 5-15P	+33°F (~) +41°F	36.3 x 36.75 x 46.6	32.8 x 23.6 x 23.6	38.5 x 36.2 x 48.4	176	242

* Pans are not included

** Total height includes casters

Removal of pan rail lids during operation will compromise the performance of the Sandwich Prep Table.

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com








DIMENSIONAL DRAWINGS

C-SP36-10-HC



C-SP36-15BT-HC



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-U27R-HC



C-U36R-HC



C-U48R-HC



C-U60R-HC



C-U72R-HC

UNDER-COUNTER/WORK TOP REFRIGERATORS

- Beautiful ergonomic construction & rounded corners
- Digital temperature controller and read-out
- All stainless steel exterior and interior
- Forced air refrigeration system
- Recessed door handles
- Pre-installed casters and shelving
- 3" caster Included
- 90 degree hold open door feature for loading products
- Optional Accessory: Backsplash for Work-Tops for in-the-field installment**
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Years Compressor Warranty

MODEL	DOORS	CAPACITY CU/FT	SHELVES	H/P	AMPS	VOLTAGE	ENERGY CONSUMPTION KWH/24 HR	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H*	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-U27R-HC	1	6.5	2	1/7+	2.3	115/60/1	0.83	Nema 5-15P	+33° F (~) +41° F	27.5 x 30 x 34.1	23.9 x 23.6 x 26.7	29 x 32 x 39	137 lbs.	172 lbs.
C-U36R-HC	2	8.7	2	1/7	2.3	115/60/1	1.65	Nema 5-15P	+33° F (~) +41° F	36.3 x 30 x 35.2	32.6 x 23.6 x 26.7	38.5 x 32.3 x 38.2	162 lbs.	212 lbs.
C-U48R-HC	2	12	4	1/7+	2.3	115/60/1	1	Nema 5-15P	+33° F (~) +41° F	48.25 x 30 x 34.1	44.7 x 23.6 x 26.7	50 x 32 x 39	192 lbs.	232 lbs.
C-U60R-HC	2	17.9	4	1/5	2.8	115/60/1	1.2	Nema 5-15P	+33° F (~) +41° F	60.25 x 30 x 34.1	56.7 x 23.6 x 26.7	63 x 32 x 39	219 lbs.	265 lbs.
C-U72R-HC	3	32.8	6	1/5	2.8	115/60/1	1.3	Nema 5-15P	+33° F (~) +41° F	72.7 x 30 x 34.1	56.7 x 23.6 x 26.7	74 x 32 x 39	254 lbs.	316 lbs.

* Total height includes casters

**Accessories: Stainless Steel Back Splash - BS27 - 27" wide / BS48 - 48" wide / BS60 - 60" wide

*** Optional 6" casters available - Part # 1759-208

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS


C-U27R-HC




C-U36R-HC




C-U48R-HC




C-U60R-HC




C-U72R-HC




C-U27R-HC
TOP VIEW




C-U36R-HC
TOP VIEW




C-U48R-HC
TOP VIEW




C-U60R-HC
TOP VIEW



SIDE VIEW (1,2,3) DOOR MODELS



C-U72R-HC
TOP VIEW



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-U27F-HC



C-U36F-HC



C-U48F-HC



C-U60F-HC

UNDER-COUNTER/WORK TOP FREEZERS

- Beautiful ergonomic construction & rounded corners
- Digital temperature controller and read-out
- All stainless steel exterior and interior
- Forced air refrigeration system
- Recessed door handles
- Pre-installed casters and shelving
- 90 degree hold open door feature for loading products
- Optional Accessory: Backsplash for Work-Tops for in-the-field installment**, Taller 6" casters available***
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Years Compressor Warranty

MODEL	DOORS	CAPACITY CU/FT	SHELVES	H/P	AMPS	VOLTAGE	ENERGY CONSUMPTION KWH/24 HR	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H*	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-U27F-HC	1	6.5	2	1/5	1.8	115/60/1	2.7	Nema 5-15P	-7° F (~) 3° F	27.5 x 30 x 34.1	23.9 x 23.6 x 26.7	29 x 32 x 39	146 lbs.	179 lbs.
C-U36F-HC	2	8.7	2	1/4	2.6	115/60/1	3.21	Nema 5-15P	-7° F (~) +3° F	36.3 x 30 x 35.2	32.6 x 23.6 x 26.7	38.5 x 32.3 x 38.2	172 lbs.	222 lbs.
C-U48F-HC	2	12	4	1/4+	2.6	115/60/1	4.1	Nema 5-15P	-7° F (~) 3° F	48.25 x 30 x 34.1	44.7 x 23.6 x 26.7	50 x 32 x 39	203 lbs.	245 lbs.
C-U60F-HC	2	17.9	4	1/4+	2.6	115/60/1	4.9	Nema 5-15P	-7° F (~) 3° F	60.25 x 30 x 34.1	56.7 x 23.6 x 26.7	63 x 32 x 39	230 lbs.	276 lbs.

* Total height includes casters

**Accessories: Stainless Steel Back Splash - BS27 - 27" wide / BS48 - 48" wide / BS60 - 60" wide

*** Optional 6" casters available - Part # 1759-208

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS


C-U27F-HC




C-U36F-HC




C-U48F-HC




C-U60F-HC




C-U27F-HC
TOP VIEW





C-U36F-HC
TOP VIEW



C-U48F-HC
TOP VIEW



C-U60F-HC
TOP VIEW



SIDE VIEW (1,2,3) DOOR MODELS



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-U27R-D-HC



C-U48R-D-HC



C-U60R-D-HC

UNDER-COUNTER/WORK TOP REFRIGERATORS WITH DRAWERS

- Beautiful ergonomic construction & rounded corners
- Digital temperature controller and read-out
- All stainless steel exterior and interior
- Forced air refrigeration system
- Recessed drawer handles
- Pre-installed casters and shelving
- Drawers with stainless steel drawers slides and nylon wheels
- 90 degree hold open door feature for loading products
- Optional Accessory: Backsplash for Work-Tops for in-the-field installment**, Taller 6" casters available***
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Years Compressor Warranty

MODEL	DAWERS	CAPACITY CU/FT	SHELVES	H/P	AMPS	VOLTAGE	ENERGY CONSUMPTION KWH/24 HR	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H*	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-U27R-D-HC	2	6.5	2	1/7+	2.3	115/60/1	0.83	Nema 5-15P	+33° F (~ +41° F	27.5 x 30 x 34.1	23.9 x 23.6 x 26.7	29 x 32 x 39	137 lbs.	172 lbs.
C-U48R-D-HC	4	12	4	1/7+	2.3	115/60/1	1	Nema 5-15P	+33° F (~ +41° F	48.25 x 30 x 34.1	44.7 x 23.6 x 26.7	50 x 32 x 39	192 lbs.	232 lbs.
C-U60R-D-HC	4	17.9	4	1/5	2.8	115/60/1	1.2	Nema 5-15P	+33° F (~ +41° F	60.25 x 30 x 34.1	56.7 x 23.6 x 26.7	63 x 32 x 39	219 lbs.	265 lbs.

* Total height includes casters

**Accessories: Stainless Steel Back Splash - BS27 - 27" wide / BS48 - 48" wide / BS60 - 60" wide

*** Optional 6" casters available - Part # 1759-208

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS


C-U27R-D-HC




C-U48R-D-HC




C-U60R-D-HC





C-U27R-D-HC
TOP VIEW



C-U48R-D-HC
TOP VIEW



C-U60R-D-HC
TOP VIEW



SIDE VIEW (2,4) DRAWER MODELS



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-U27F-D-HC



C-U48F-D-HC



C-U60F-D-HC

UNDER-COUNTER/WORK TOP FREEZERS WITH DRAWERS

- Beautiful ergonomic construction & rounded corners
- Digital temperature controller and read-out
- All stainless steel exterior and interior
- Forced air refrigeration system
- Recessed drawer handles
- Pre-installed casters and shelving
- Drawers with stainless steel drawers slides and nylon wheels
- 90 degree hold open door feature for loading products
- Optional Accessory: Backsplash for Work-Tops for in-the-field installment**, Taller 6" casters available***
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Years Compressor Warranty

MODEL	DAWERS	CAPACITY CU/FT	SHELVES	H/P	AMPS	VOLTAGE	ENERGY CONSUMPTION KWH/24 HR	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H*	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-U27F-D-HC	2	6.5	2	1/5	1.8	115/60/1	2.7	Nema 5-15P	-7° F (~) 3° F	27.5 x 30 x 34.1	23.9 x 23.6 x 26.7	29 x 32 x 39	146 lbs.	179 lbs.
C-U48F-D-HC	4	12	4	1/4+	2.6	115/60/1	4.1	Nema 5-15P	-7° F (~) 3° F	48.25 x 30 x 34.1	44.7 x 23.6 x 26.7	50 x 32 x 39	203 lbs.	245 lbs.
C-U60F-D-HC	4	17.9	4	1/4+	2.6	115/60/1	4.9	Nema 5-15P	-7° F (~) 3° F	60.25 x 30 x 34.1	56.7 x 23.6 x 26.7	63 x 32 x 39	230 lbs.	276 lbs.

* Total height includes casters

**Accessories: Stainless Steel Back Splash - BS27 - 27" wide / BS48 - 48" wide / BS60 - 60" wide

*** Optional 6" casters available - Part # 1759-208

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS


C-U27F-D-HC




C-U48F-D-HC




C-U60F-D-HC





C-U27F-D-HC
TOP VIEW



C-U48F-D-HC
TOP VIEW



C-U60F-D-HC TOP VIEW



SIDE VIEW (2,4) DRAWER MODELS



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-RWT44-HC



C-RWT67-HC



C-RWT93-HC

WORK TOP REFRIGERATORS

- Beautiful ergonomic construction & rounded corners
- Digital temperature controller and read-out
- All stainless steel exterior and interior
- Forced air refrigeration system
- Side mount compressor for enhanced efficiency
- Recessed door handles
- Pre-installed casters and shelving
- 90 degree hold open door feature for loading products
- Deep working surface with optional backsplash available
- Drawer models available. Order as an accessory
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Years Compressor Warranty

MODEL	DOORS	CAPACITY CU/FT	SHELVES	H/P	AMPS	VOLTAGE	ENERGY CONSUMPTION KWH/24 HR	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H**	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H**	WEIGHT	PACKAGED WEIGHT
C-RWT44-HC	1	14	1	1/7+	2.3	115/60/1	1.5	Nema 5-15P	+33° F (~) +41° F	44 x 33 x 37.9	40.4 x 26.4 x 26.3	47 x 35 x 40	238 lbs.	295 lbs.
C-RWT67-HC	2	20	2	1/5	2.8	115/60/1	2.1	Nema 5-15P	+33° F (~) +41° F	67 x 33 x 37.9	63.5 x 26.4 x 26.3	68 x 35 x 40	335 lbs.	405 lbs.
C-RWT93-HC	3	26	3	1/4+	3.1	115/60/1	2.6	Nema 5-15P	+33° F (~) +41° F	93 x 33 x 37.9	89.4 x 26.4 x 26.3	95 x 35 x 40	427 lbs.	527 lbs.

** Height is measured floor to the top of the pan rail and include 6" casters

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS






C-RWT44-HC



C-RWT67-HC



C-RWT93-HC



SIDE VIEW (1,2,3) DOOR MODELS



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-CB36-HC



C-CB48-HC



C-CB52-HC



C-CB52-60-HC



C-CB72-HC



C-CB72-76-HC

REFRIGERATED CHEF BASES

- Beautiful ergonomic appearance
- Heavy duty top surface area
- Digital temperature controller and read-out
- All stainless steel exterior and interior
- Forced air refrigeration system
- Side mount compressor for enhanced efficiencies
- Recessed drawers handles
- Drawers accommodate 4" deep pans
- Stainless Steel, heavy-duty, self closing drawer slides
- Removable corner guards to prevent counter top equipment from sliding
- Pre-installed casters
- (2) 6" locking casters & (2) 6" non-locking casters
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Migali Industries® Protection Plan: 2 Year Parts & Labor Warranty, 5 Years Compressor Warranty

MODEL	DRAWERS	CAPACITY CU/FT	TOP WEIGHT LIMIT	NUM. OF (1/6) SIZE PANS*	H/P	AMPS	VOLTAGE	ENERGY CONSUMPTION KWH/24 HR	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-CB36-HC	2	4.7	717 lbs.	8	1/7+	2.3	115/60/1	1.36	Nema 5-15P	+33° F (~) +41° F	36 x 33 x 26.6	23.4 x 25.6 x 16.7	51 x 33.9 x 27.6	170 lbs.	218 lbs.
C-CB48-HC	2	7.7	717 lbs.	15	1/7+	2.3	115/60/1	1.6	Nema 5-15P	+33° F (~) +41° F	48.4 x 33 x 26.2	36.2 x 25.6 x 16.7	51 x 33.9 x 27.6	221 lbs.	258 lbs.
C-CB52-HC	2	8.4	717 lbs.	18	1/7+	2.3	115/60/1	1.6	Nema 5-15P	+33° F (~) +41° F	52 x 33 x 26.2	40 x 25.6 x 16.7	51 x 33.9 x 27.6	230 lbs.	274 lbs.
C-CB52-60-HC	2	10.4	717 lbs.	18	1/7+	2.3	115/60/1	1.6	Nema 5-15P	+33° F (~) +41° F	60.5 x 33 x 26.2	40 x 25.6 x 16.7	63 x 33.9 x 27.6	234 lbs.	283 lbs.
C-CB72-HC	4	15	1084 lbs.	24	1/7+	2.3	115/60/1	1.8	Nema 5-15P	+33° F (~) +41° F	72.5 x 33 x 26.2	57.5 x 25.6 x 16.7	75 x 33.9 x 27.6	300 lbs.	364 lbs.
C-CB72-76-HC	4	15	1084 lbs.	24	1/7+	2.3	115/60/1	1.8	Nema 5-15P	+33° F (~) +41° F	76 x 33 x 26.2	57.5 x 25.6 x 16.7	78.6 x 33.9 x 27.6	309 lbs.	369 lbs.

* Pans not included

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS


C-CB36-HC




C-CB48-HC




C-CB52-HC




C-CB52-60-HC



C-CB72-HC



C-CB72-76-HC



SIDE VIEW ALL SIZE MODELS



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-42CTC-28



C-56CTC-35



C-70CTC-48



C-88CTC-60

REFRIGERATED COUNTER-TOP DISPLAY CASES, CURVED GLASS

- Beautiful ergonomic construction
- Digital temperature controller & temperature read-out
- All stainless steel interior & exterior front, glass covered black sides
- Double-paned tempered Curved Display Glass
- Glass front, sides and top
- Sliding glass doors in the rear to access the food products
- Forced-air refrigeration system
- LED interior lighting
- Bottom mount compressor
- Auto-defrost system
- Pre-installed feet
- Cantilever, chrome epoxy-plated shelves
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Year Compressor Warranty

MODEL	DOORS	SHELVES	CAPACITY CU/FT	H/P	AMPS	ENERGY CONSUMPTION KWH/24 HR	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H**	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H**	WEIGHT	PACKAGED WEIGHT
C-42CTC-28	Sliding	2	4.2	1/3	2.7	2.428	Nema 5-15P	+36°F (~) +54°F	27.6 x 22.4 x 27	26.2 x 18.9 x 16.1	30.1 x 24.8 x 28.3	125.7 lbs.	132.2 lbs.
C-56CTC-35	Sliding	2	5.7	1/3	3.0	2.433	Nema 5-15P	+36°F (~) +54°F	34.6 x 22.4 x 27	33.2 x 18.9 x 16.1	37.2 x 24.8 x 28.3	145.5 lbs.	154.3 lbs.
C-70CTC-48	Sliding	2	7.1	4/9	3.9	3.87	Nema 5-15P	+36°F (~) +54°F	48 x 22.4 x 27	46.6 x 18.9 x 16.1	50.5 x 24.8 x 28.3	202.8 lbs.	211.6 lbs.
C-88CTC-60	Sliding	2	8.8	5/9	3.4	4.487	Nema 5-15P	+36°F (~) +54°F	60 x 22.4 x 27	58.6 x 18.9 x 16.1	62.5 x 24.8 x 28.3	230.4 lbs.	246.9 lbs.

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS





C-42CTC-28






C-56CTC-35



C-70CTC-48



SIDE VIEW



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-42CTS-28



C-56CTS-35



C-70CTS-48



C-88CTS-60

REFRIGERATED COUNTER-TOP DISPLAY CASES, STRAIGHT GLASS

- Beautiful ergonomic construction
- Digital temperature controller & temperature read-out
- All stainless steel interior & exterior front, glass covered black sides
- Double-paned tempered Straight Display Glass
- Glass front, sides and top
- Sliding glass doors in the rear to access the food products
- Forced-air refrigeration system
- LED interior lighting
- Bottom mount compressor
- Auto-defrost system
- Pre-installed feet
- Cantilever, chrome epoxy-plated shelves
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Year Compressor Warranty

MODEL	DOORS	SHELVES	CAPACITY CU/FT	H/P	AMPS	ENERGY CONSUMPTION KWH/24 HR	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H**	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H**	WEIGHT	PACKAGED WEIGHT
C-42CTS-28	Sliding	2	4.2	1/3	2.7	2.428	Nema 5-15P	+36°F (~) +54°F	27.6 x 22.4 x 27	26.2 x 18.9 x 16.1	30.1 x 24.8 x 28.3	125.7 lbs.	132.2 lbs.
C-56CTS-35	Sliding	2	5.7	1/3	3.0	2.438	Nema 5-15P	+36°F (~) +54°F	34.6 x 22.4 x 27	33.2 x 18.9 x 16.1	37.2 x 24.8 x 28.3	145.5 lbs.	154.3 lbs.
C-70CTS-48	Sliding	2	7.1	4/9	3.9	3.87	Nema 5-15P	+36°F (~) +54°F	48 x 22.4 x 27	46.6 x 18.9 x 16.1	50.5 x 24.8 x 28.3	202.8 lbs.	211.6 lbs.
C-88CTS-60	Sliding	2	8.8	5/9	3.4	4.487	Nema 5-15P	+36°F (~) +54°F	60 x 22.4 x 27	58.6 x 18.9 x 16.1	62.5 x 24.8 x 28.3	230.4 lbs.	246.9 lbs.

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS





C-42CTS-28





C-56CTS-35



C-70CTS-48



SIDE VIEW



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-DS-3



C-DS-4



C-DS-5

DOUBLE-DUTY, INTERCHANGEABLE MEAT/FISH/DELI CASES, STRAIGHT GLASS

- Beautiful ergonomic construction
- Digital temperature controller & temperature read-out located in the rear
- Second temperature read-out located in the front
- All stainless steel exterior and interior
- Anodized aluminum extruded frame
- 55.4" high, Double-Duty configuration
- Gravity coil refrigeration system
- 3 Evaporator Coils: Gravity evaporator coil in the top display section, Gravity evaporator coil in the bottom storage section, Cold wall evaporator coil foamed in the floor of the top section foamed in the floor of the top section
- LED interior lighting
- Sliding glass doors in the rear to access the food products
- Side mount compressor
- Auto-defrost system
- Pre-installed casters and leveling feet
- Water drain tube located in the rear
- 24" exterior top depth
- Cantilever, chrome-plated shelves
- Top section floor drain
- Electrical cord length: 71"
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Year Compressor Warranty

MODEL	DOORS	SHELVES	CAPACITY CU/FT	H/P	AMPS	ENERGY CONSUMPTION KWH/24 HR	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H**	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H**	WEIGHT	PACKAGED WEIGHT
C-DS-3	Sliding	2	16.5	1/2	3.9	4.182	Nema 5-15P	+32°F (~)+40°F	36.3 x 33.7 x 55.4	34.6 x 28.7 x 29.9	38.7 x 36 x 61.4	256.8 lbs.	307.5 lbs.
C-DS-4	Sliding	2	22.5	2/3	3.9	4.904	Nema 5-15P	+32°F (~)+40°F	48.1 x 33.7 x 55.4	46.5 x 28.7 x 29.9	50.5 x 36 x 61.4	334 lbs.	376.9 lbs.
C-DS-5	Sliding	2	28.5	7/8	3.9	5.945	Nema 5-15P	+32°F (~)+40°F	60 x 33.7 x 55.4	58.3 x 28.7 x 29.9	62.4 x 36 x 61.4	383.6 lbs.	440.9 lbs.

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

FOR COMMERCIAL USE ONLY




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS



C-DS-3



C-DS-4



C-DS-5



SIDE VIEW



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-DS-6



C-DS-7

DOUBLE-DUTY, INTERCHANGEABLE MEAT/FISH/DELI CASES, STRAIGHT GLASS

- Beautiful ergonomic construction
- Digital temperature controller & temperature read-out located in the rear
- Second temperature read-out located in the front
- All stainless steel exterior and interior
- Anodized aluminum extruded frame 55.4" high, Double-Duty configuration
- Gravity coil refrigeration system
- 3 Evaporator Coils: Gravity evaporator coil in the top display section, Gravity evaporator coil in the bottom storage section, Cold wall evaporator coil foamed in the floor of the top section
- LED interior lighting

- Sliding glass doors in the rear to access the food products
- Side mount compressor
- Auto-defrost system
- Pre-installed casters and leveling feet
- Water drain tube located in the rear
- 24" exterior top depth
- Cantilever, chrome-plated shelves
- Top section floor drain
- Electrical cord length: 71"
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Year Compressor Warranty

MODEL	DOORS	SHELVES	CAPACITY CU/FT	H/P	AMPS	ENERGY CONSUMPTION KWH/24 HR	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H**	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H**	WEIGHT	PACKAGED WEIGHT
C-DS-6	Sliding	2	34.5	1 1/9	3.9	6.813	Nema 5-15P	+32°F (~)+40°F	71.8 x 33.7 x 55.4	70.1 x 28.7 x 29.9	74.2 x 36 x 61.4	446.4 lbs.	509.2 lbs.
C-DS-7	Sliding	2	40.5	1 2/7	5.9	9.524	Nema 5-15P	+32°F (~)+40°F	83.6 x 33.7 x 55.4	81.9 x 28.7 x 29.9	86.0 x 36 x 61.4	507 lbs.	599.6 lbs.

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

FOR COMMERCIAL USE ONLY




TOLL FREE: 800.852.5292
WEB: www.migali.com





DIMENSIONAL DRAWINGS

C-DS-6



C-DS-7



SIDE VIEW



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-DC-3



C-DC-4



C-DC-5

DOUBLE-DUTY, INTERCHANGEABLE MEAT/FISH/DELI CASES, CURVED GLASS

- Beautiful ergonomic construction
- Digital temperature controller & temperature read-out located in the rear
- Second temperature read-out located in the front
- All stainless steel exterior and interior
- Anodized aluminum extruded frame
- Double-paned tempered Curved Display Glass
- Gravity coil refrigeration system
- 55.4" high, Double-Duty configuration
- Gravity coil refrigeration system
- 3 Evaporator Coils: Gravity evaporator coil in the top display section, Gravity evaporator coil in the bottom storage section, Cold wall evaporator coil foamed in the floor of the top section

- LED interior lighting
- Sliding glass doors in the rear to access the food products
- Side mount compressor
- Auto-defrost system
- Pre-installed casters and leveling feet
- Water drain tube located in the rear
- 21 9/10 " exterior top depth
- Cantilever, chrome-plated shelves
- Top section floor drain
- Electrical cord length: 71"
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Year Compressor Warranty

MODEL	DOORS	SHELVES	CAPACITY CU/FT	H/P	AMPS	ENERGY CONSUMPTION KWH/24 HR	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H**	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H**	WEIGHT	PACKAGED WEIGHT
C-DC-3	Sliding	2	16.5	1/2	3.9	5.326	Nema 5-15P	+32°F (~) +40°F	36.3 x 33.7 x 55.4	34.6 x 28.7 x 29.9	38.7 x 36 x 61.4	256.8 lbs.	307.5 lbs.
C-DC-4	Sliding	2	22.5	2/3	3.9	6.521	Nema 5-15P	+32°F (~) +40°F	48.1 x 33.7 x 55.4	46.5 x 28.7 x 29.9	50.5 x 36 x 61.4	303 lbs.	376.9 lbs.
C-DC-5	Sliding	2	28.5	7/8	3.9	7.368	Nema 5-15P	+32°F (~) +40°F	60 x 33.7 x 55.4	58.3 x 28.7 x 29.9	62.4 x 36 x 61.4	374.8 lbs.	440.9 lbs.

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS


C-DC-3




C-DC-4



C-DC-5



SIDE VIEW



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-DC-6



C-DC-7

DOUBLE-DUTY, INTERCHANGEABLE MEAT/FISH/DELI CASES, CURVED GLASS

- Beautiful ergonomic construction
- Digital temperature controller & temperature read-out located in the rear
- Second temperature read-out located in the front
- All stainless steel exterior and interior
- Anodized aluminum extruded frame
- Double-paned tempered Curved Display Glass
- 55.4" high, Double-Duty configuration
- Gravity coil refrigeration system
- 3 Evaporator Coils: Gravity evaporator coil in the top display section, Gravity evaporator coil in the bottom storage section, Cold wall evaporator coil foamed in the floor of the top section
- LED interior lighting

- Sliding glass doors in the rear to access the food products
- Side mount compressor
- Auto-defrost system
- Pre-installed casters and leveling feet
- Water drain tube located in the rear
- 21 9/10" exterior top depth
- Cantilever, chrome-plated shelves
- Top section floor drain
- Electrical cord length: 71"
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Year Compressor Warranty

MODEL	DOORS	SHELVES	CAPACITY CU/FT	H/P	AMPS	ENERGY CONSUMPTION KWH/24 HR	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H**	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H**	WEIGHT	PACKAGED WEIGHT
C-DC-6	Sliding	2	34.5	1 1/9	3.9	8.112	Nema 5-15P	+32°F (~) +40°F	71.8 x 33.7 x 55.4	70.1 x 28.7 x 29.9	74.2 x 36 x 61.4	426.6 lbs.	509.2 lbs.
C-DC-7	Sliding	2	40.5	1 2/7	5.9	9.336	Nema 5-15P	+32°F (~) +40°F	83.6 x 33.7 x 55.4	81.9 x 28.7 x 29.9	86.0 x 36 x 61.4	509 lbs.	601.2 lbs.

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com





DIMENSIONAL DRAWINGS

C-DC-6



C-DC-7



SIDE VIEW



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-HCT14-S



C-HCT27-S



C-HCT36-S



C-HCT48-S

HEATED COUNTER-TOP DISPLAY CASES, STRAIGHT GLASS, FRONT & REAR SLIDING DOORS

- Beautiful ergonomic construction
- Dial temperature controller with mechanical temperature read-out
- All stainless steel interior & exterior front, glass covered black sides
- Glass front, sides and top
- Sliding glass doors in the front and rear to access the food products
- LED display light box with food railing on sides
- LED interior lighting
- Maintains temperatures between 86°F to 194°F
- Removable water pan to add humidity to interior
- Pre-installed feet
- Cantilever, gray epoxy-plated shelves
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Year Compressor Warranty

MODEL	DOORS	SHELVES	CAPACITY CU/FT	AMPS	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H**	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H**	WEIGHT	PACKAGED WEIGHT
C-HCT14-S	Sliding	3	2.6	5.4	Nema 5-15P	+86°F (~) +194°F	13.4 x 19 x 27.3	13 x 16.9 x 16.9	16.02 x 21.73 x 28.35	44	48.5 lbs.
C-HCT27-S	Sliding	3	3.3	9.5	Nema 5-15P	+86°F (~) +194°F	26.5 x 19 x 27.3	26.1 x 16.9 x 16.9	29.13 x 21.73 x 28.35	62.8	68.3 lbs.
C-HCT36-S	Sliding	3	4.8	12.6	Nema 5-15P	+86°F (~) +194°F	33.5 x 19 x 27.3	33.1 x 16.9 x 16.9	36.14 x 21.73 x 28.35	88.1	94.7 lbs.
C-HCT48-S	Sliding	3	6.5	12.6	Nema 5-15P	+86°F (~) +194°F	46.9 x 19 x 27.3	46.5 x 16.9 x 16.9	49.53 x 21.73 x 28.35	110.2	116.8 lbs.

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

FOR COMMERCIAL USE ONLY




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS


C-HCT14-S








C-HCT27-S



C-HCT36-S



C-HCT48-S



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali

COMPETITOR SERIES®



C-HCT27



C-HCT34



C-HCT47

HEATED COUNTER-TOP DISPLAY CASES, STRAIGHT GLASS, REAR SLIDING DOORS

- Beautiful ergonomic construction
- Dial temperature controller with digital temperature read-out
- All stainless steel interior & exterior front, glass covered black sides
- Glass front, sides and top
- Sliding glass doors in the rear to access the food products
- Maintains temperatures between 86°F to 194°F
- LED interior lighting
- Removable water pan to add humidity to interior
- Cantilever, chrome epoxy-plated shelves
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Year Compressor Warranty

MODEL	DOORS	SHELVES	CAPACITY CU/FT	AMPS	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H**	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H**	WEIGHT	PACKAGED WEIGHT
C-HCT27	Sliding	3	4.5	9.5	Nema 5-15P	+86°F (~) +194°F	26.6 x 23 x 27	26.1 x 20.9 x 18.9	28.94 x 25 x 28.35	76 lbs.	81.5 lbs.
C-HCT34	Sliding	3	5.6	12.6	Nema 5-15P	+86°F (~) +194°F	33.7 x 23 x 27	33.1 x 20.9 x 18.9	35.94 x 25 x 28.35	93.6 lbs.	99.2 lbs.
C-HCT47	Sliding	3	7	12.6	Nema 5-15P	+86°F (~) +194°F	47.1 x 23 x 27	46.5 x 20.9 x 18.9	49.21 x 25 x 28.35	120.1 lbs.	127.8 lbs.

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE



TOLL FREE: 800.852.5292
WEB: www.migali.com



Conforms to NSF Foodservice




ENERGY




DIMENSIONAL DRAWINGS


C-HCT27




C-HCT34




C-HCT47



C-HCT27
BACK VIEW




C-HCT34
BACK VIEW




C-HCT47
BACK VIEW





C-HCT27
TOP VIEW



C-HCT34
TOP VIEW



C-HCT47
TOP VIEW



SIDE VIEW



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-BB48G-HC



C-BB60G-HC



C-BB72G-HC

GLASS DOOR BACK BAR REFRIGERATORS

- Beautiful ergonomic construction
- Black corrosion resistant steel exterior, stainless steel interior and stainless steel top
- Digital temperature controller and read-out
- Forced air refrigeration system
- Side mount compressor
- Safety-grip door handles
- LED interior lighting
- Door locks
- Leveling feet included
- Accessory: optional casters upon request
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Years Compressor Warranty

MODEL	DOORS	CAPACITY CU/FT	STORAGE CAPACITY	SHELVES	H/P	AMPS	VOLTAGE	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-BB48G-HC	2	13	546 (12 oz.) cans 336 (12 oz.) bottles 2 (1/2 barrel) kegs	4	1/5	2.8	115/60/1	Nema 5-15P	+33° F (~) +38° F	48.75 x 24.5 x 35.7	36.25 x 18.25 x 30.5	51.25 x 27.5 x 41.75	231 lbs.	282 lbs.
C-BB60G-HC	2	17.3	756 (12 oz.) cans 456 (12 oz.) bottles 2 (1/2 barrel) kegs	4	1/5	2.8	115/60/1	Nema 5-15P	+33° F (~) +38° F	60.75 x 25.75 x 35.7	48.25 x 18.5 x 28.9	63.5 x 27.5 x 41.75	276 lbs.	319 lbs.
C-BB72G-HC	3	21.6	966 (12 oz.) cans 576 (12 oz.) bottles 3 (1/2 barrel) kegs	6	1/4	3.96	115/60/1	Nema 5-15P	+33° F (~) +38° F	72.75 x 24.5 x 35.7	60.2 x 18.5 x 30.5	75.25 x 27.5 x 41.75	331 lbs.	374 lbs.

Accessories:

- Caster - stem - with brake (5-3/4" overall) - Part Number 1597-01
- Caster - plate - with brake (5-1/4" overall) - Part Number 2481-329

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS


C-BB48G-HC




C-BB60G-HC




C-BB72G-HC





**C-BB48G-HC
TOP VIEW**



**C-BB60G-HC
TOP VIEW**



**C-BB72G-HC
TOP VIEW**



SIDE VIEW (1,2,3) DOOR MODELS



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-BB48SG-HC



C-BB60SG-HC



C-BB72SG-HC

SLIDING GLASS DOOR BACK BAR REFRIGERATORS

- Beautiful ergonomic construction
- Black corrosion resistant steel exterior, stainless steel interior and stainless steel top
- Digital temperature controller and read-out
- Forced air refrigeration system
- Side mount compressor
- Safety-grip door handles
- LED interior lighting
- Space saving, sliding glass doors
- Leveling feet included
- Accessory: optional casters upon request
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Years Compressor Warranty

MODEL	DOORS	CAPACITY CU/FT	STORAGE CAPACITY	SHELVES	H/P	AMPS	VOLTAGE	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-BB48SG-HC	2	13	546 (12 oz.) cans 336 (12 oz.) bottles 2 (1/2 barrel) kegs	4	1/5	2.8	115/60/1	Nema 5-15P	+33° F (~) +38° F	48.75 x 24.5 x 35.7	36.25 x 18.25 x 30.5	51.25 x 27.5 x 41.75	231 lbs.	282 lbs.
C-BB60SG-HC	2	17.3	756 (12 oz.) cans 456 (12 oz.) bottles 2 (1/2 barrel) kegs	4	1/5	2.8	115/60/1	Nema 5-15P	+33° F (~) +38° F	60.75 x 25.75 x 35.7	48.25 x 18.5 x 28.9	63.5 x 27.5 x 41.75	276 lbs.	319 lbs.
C-BB72SG-HC	3	21.6	966 (12 oz.) cans 576 (12 oz.) bottles 3 (1/2 barrel) kegs	6	1/4	3.96	115/60/1	Nema 5-15P	+33° F (~) +38° F	72.75 x 24.5 x 35.7	60.2 x 18.5 x 30.5	75.25 x 27.5 x 41.75	331 lbs.	374 lbs.

Accessories:

- Caster - stem - with brake (5-3/4" overall) - Part Number 1597-01
- Caster - plate - with brake (5-1/4" overall) - Part Number 2481-329

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS


C-BB48SG-HC




C-BB60SG-HC




C-BB72SG-HC





**C-BB48SG-HC
TOP VIEW**



**C-BB60SG-HC
TOP VIEW**



**C-BB72SG-HC
TOP VIEW**



SIDE VIEW (1,2,3) DOOR MODELS



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-BB48-HC



C-BB60-HC



C-BB72-HC

SOLID DOOR BACK BAR REFRIGERATORS

- Beautiful ergonomic construction
- Black corrosion resistant steel exterior, stainless steel interior and stainless steel top
- Digital temperature controller and read-out
- Forced air refrigeration system
- Side mount compressor
- Recessed door handles
- LED interior lighting
- Door locks
- Leveling feet included
- Accessory: optional casters upon request
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Years Compressor Warranty

MODEL	DOORS	CAPACITY CU/FT	STORAGE CAPACITY	SHELVES	H/P	AMPS	VOLTAGE	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-BB48-HC	2	13	546 (12 oz.) cans 336 (12 oz.) bottles 2 (1/2 barrel) kegs	4	1/5	2.8	115/60/1	Nema 5-15P	+33° F (~) +38° F	48.75 x 24.4 x 35.7	36.25 x 18.5 x 28.9	51.25 x 27.5 x 41.75	231 lbs.	282 lbs.
C-BB60-HC	2	17.3	756 (12 oz.) cans 456 (12 oz.) bottles 2 (1/2 barrel) kegs	4	1/5	2.8	115/60/1	Nema 5-15P	+33° F (~) +38° F	60.75 x 24.5 x 35.7	48.25 x 18.5 x 29	63.5 x 27.5 x 41.75	276 lbs.	319 lbs.
C-BB72-HC	3	21.6	966 (12 oz.) cans 576 (12 oz.) bottles 3 (1/2 barrel) kegs	6	1/3	3.96	115/60/1	Nema 5-15P	+33° F (~) +38° F	72.75 x 24.5 x 35.7	60.2 x 18.5 x 31.5	75.25 x 27.5 x 41.75	331 lbs.	374 lbs.

Accessories:

- Caster - stem - with brake (5-3/4" overall) - Part Number 1597-01
- Caster - plate - with brake (5-1/4" overall) - Part Number 2481-329

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS


C-BB48-HC




C-BB60-HC




C-BB72-HC





**C-BB48-HC
TOP VIEW**



**C-BB60-HC
TOP VIEW**



**C-BB72-HC
TOP VIEW**



SIDE VIEW (1,2,3) DOOR MODELS



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-HBC50-HC



C-HBC65-HC



C-HBC95-HC

HORIZONTAL BOTTLE COOLERS

- Beautiful ergonomic appearance
- Digital temperature controller and read-out
- Black corrosion resistant steel exterior, stainless steel interior and stainless steel top
- Forced air refrigeration system
- Side mount compressor
- Leveling feet included
- Door locks for each lid
- Epoxy coated wire bin dividers included
- Bottle opener and cap catcher included
- Accessory: optional casters upon request
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Years Compressor Warranty

MODEL	SLIDING LIDS WITH LOCK	STORAGE CAPACITY	CAPACITY CU/FT	BIN DIVIDERS	H/P	AMPS	VOLTAGE	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W x D x H	INTERIOR DIMENSIONS W x D x H	PACKAGED DIMENSIONS W x D x H	WEIGHT	PACKAGED WEIGHT
C-HBC50-HC	2	16.5 (12oz) Bottle Cases/ 24 (12 oz) Can Cases	12.7	3	1/7+	2.3	115/60/1	Nema 5-15P	+33° F (~) +41° F	49.5 x 28 x 34.25	45.4 x 23 x 26	56 x 32.75 x 41.75	181 lbs.	224 lbs.
C-HBC65-HC	2	24 (12oz) Bottle Cases/ 32 (12 oz) Can Cases	17.5	3	1/7+	2.6	115/60/1	Nema 5-15P	+33° F (~) +41° F	64.25 x 28 x 34.25	60.4 x 23 x 26	70 x 32.75 x 41.75	254 lbs.	297 lbs.
C-HBC95-HC	3	37 1/2 (12oz) Bottle Cases/ 55 (12 oz) Can Cases	26.6	5	1/3	4.2	115/60/1	Nema 5-15P	+33° F (~) +41° F	95.25 x 28 x 34.25	91.2 x 23 x 26	100.5 x 32.75 x 41.75	386 lbs.	429 lbs.

Accessories:

- Caster - stem - with brake (5-3/4" overall) - Part Number 1597-01

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS


C-HBC50-HC




C-HBC65-HC




C-HBC95-HC





**C-HBC50-HC
TOP VIEW**



**C-HBC65-HC
TOP VIEW**



**C-HBC95-HC
TOP VIEW**



SIDE VIEW (1,2,3) DOOR MODELS



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-GF25-HC



C-GF36-HC



C-GF50-HC

GLASS FROSTER FREEZERS

- Beautiful ergonomic construction
- Black corrosion resistant steel exterior, stainless steel interior and stainless steel top
- Digital temperature controller and read-out
- Forced air refrigeration system
- Side mount compressor
- Safety-grip door handles
- Temperature Range: -5°F (~) 2°F
- Space saving, sliding glass doors
- Leveling feet included
- Accessory: optional casters upon request
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Years Compressor Warranty

MODEL	DOORS	CAPACITY CU/FT	TEMPERATURE RANGE	SHELVES	H/P	AMPS	VOLTAGE	PLUG TYPE	REFRIGERANT	EXTERIOR DIMENSIONS W X D X H	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-GF25-HC	1	4.1	-5° F (~) 2° F	4	1/3	1.3	115/60/1	Nema 5-15P	R290	26.4 x 28 x 34.25	22 x 23 x 26	30 x 34 x 38	128 lbs.	159 lbs.
C-GF36-HC	1	8.5	-5° F (~) 2° F	4	1/2	1.9	115/60/1	Nema 5-15P	R290	36 x 28 x 34.25	31.9 x 23 x 15.75	40 x 34 x 38	159 lbs.	198 lbs.
C-GF50-HC	2	12.2	-5° F (~) 2° F	6	1/2	3.96	115/60/1	Nema 5-15P	R290	49.5 x 28 x 34	45.4 x 23 x 26	56 x 34 x 38	181 lbs.	225 lbs.

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS


C-GF25-HC




C-GF36-HC




C-GF50-HC





**C-GF25-HC
TOP VIEW**



**C-GF36-HC
TOP VIEW**



**C-GF50-HC
TOP VIEW**



SIDE VIEW (1,2,3) DOOR MODELS



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-DD23-1-HC



C-DD48-2-HC



C-DD60-2-HC



C-DD72-3-HC

DIRECT DRAW BEER DISPENSER REFRIGERATORS

- Beautiful ergonomic appearance
- Digital temperature controller and read-out
- Black corrosion resistant steel exterior, stainless steel interior and stainless steel top
- Forced air refrigeration system
- Air tubes to refrigerate beer towers
- Side mount compressor
- Recessed door handles
- Leveling feet included
- Casters included
- Dual head beer tower included
- Accessory: optional casters upon request
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Years Compressor Warranty

MODEL	DOORS	CAPACITY CU/FT	1/2 BARREL KEG CAPACITY*	BEER TOWERS INCLUDED	H/P	AMPS	VOLTAGE	PLUG TYPE	TEMP RANGE	EXTERIOR DIMENSIONS W X D X H**	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-DD23-1-HC	1	7.8	1	(1) double head	1/7+	1.92	115/60/1	Nema 5-15P	+33° F (~) +41° F	23.5 x 30.75 x 34.8	19.5 x 18.2 x 28.7	26 x 32.5 x 45	132 lbs.	176 lbs.
C-DD48-2-HC	2	13	2	(1) single head	1/5	3	115/60/1	Nema 5-15P	+33° F (~) +41° F	48.75 x 24.4 x 35.7	36.25 x 18.5 x 28.9	51.25 x 27.5 x 41.75	231 lbs.	275 lbs.
C-DD60-2-HC	2	17.3	2	(2) single head	1/5	3	115/60/1	Nema 5-15P	+33° F (~) +41° F	60.75 x 24.4 x 35.7	48.25 x 18.5 x 28.9	63.5 x 27.5 x 41.75	276 lbs.	319 lbs.
C-DD72-3-HC	3	21.6	3	(2) single head	1/3+	4	115/60/1	Nema 5-15P	+33° F (~) +41° F	72.8 x 24.4 x 35.7	60.2 x 18.5 x 28.9	75.25 x 27.5 x 41.75	331 lbs.	374 lbs.

* More combinations of keg types on spec sheet

** Height does not include draft tower

Accessories:

- Dual Head Beer Tower Part # 2481-233 (includes beer line and Sankt tap)
- Dual Head Beer Tower - CO2 gas tank and regulator are not included
- Caster - stem - with brake (5-3/4" overall) - Part Number 1597-01
- Caster - plate - with brake (5-1/4" overall) - Part Number 2481-329

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS


C-DD23-1-HC




C-DD48-2-HC




C-DD60-2-HC




**C-DD23-1-HC
TOP VIEW**




**C-DD48-2-HC
TOP VIEW**




**C-DD60-2-HC
TOP VIEW**




C-DD72-3-HC



C-DD72-3-HC TOP VIEW



SIDE VIEW (1,2,3) DOOR MODELS



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955







Migali

COMPETITOR SERIES®



INSIDE CAPACITY FOR THE C-DD23-1-HC



KEG SIZE COLOR KEY



STANDARD HALF KEG



1/4 SLIM KEG



1/6 KEG

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE



TOLL FREE: 800.852.5292
WEB: www.migali.com



Conforms to NSF Foodservice







U.S. DEPARTMENT OF
ENERGY





COMPETITOR SERIES®

INSIDE CAPACITY FOR THE C-DD48-2-HC



KEG SIZE COLOR KEY




STANDARD HALF KEG



1/4 SLIM KEG



1/6 KEG



TOLL FREE: 800.852.5292
WEB: www.migali.com












Migali

COMPETITOR SERIES®

INSIDE CAPACITY FOR THE C-DD60-2-HC



KEG SIZE COLOR KEY



TOLL FREE: 800.852.5292
WEB: www.migali.com




U.S. DEPARTMENT OF
ENERGY






COMPETITOR SERIES®

INSIDE CAPACITY FOR THE C-DD72-3-HC



KEG SIZE COLOR KEY



STANDARD HALF KEG

1/4 SLIM KEG

1/6 KEG



**HIGH
PRODUCTION,
SMALL FOOTPRINT**

Cooks 95 x 12" Pizzas
per hour @4 minutes
bake time*

*Bake time will vary
depending on
ingredients.

CONVEYOR PIZZA OVEN

- Patented innovative balanced air flow system.
- Fast cooking times and highly efficient.
- Extremely quiet operation.
- Compact design, small footprint.
- Made in USA.
- Can be used in single stack or double stack configurations.
- Digital microprocessor controlled bake time and temperature setting.
- Removable crumb trays for easy cleaning.
- Conveyors can run either right-to-left or left-to-right.
- Quality 304 stainless steel construction on major parts.
- Front access to controls.
- Migali Industries® Protection Plan: 5 Year Parts and Labor.

MODEL	BAKING TEMPERATURE	BAKING TIME	RATED HEAT INPUT- NG	RATED HEAT INPUT- LP	SUPPLY INLET PRESSURE	REGULATED PRESSURE	3/4"NPT	PLUG TYPE	VOLTS	AMPS	CORD LENGTH	OVEN DIMENSIONS H X W X D	OVEN WEIGHT	BAKING CHAMBER OPENING H X W X D	BAKING AREA	PACKAGED DIMENSIONS H X W X D	PACKAGED WEIGHT
MSP-3848	300-600°F	2-14 mins	180,085 BTU	180,085 BTU	10-14" WC	9.17" WC	3/4" NPT	NEMA 5-15P	120/60/1	16	6 FT	42.7" x 78.9" x 47.4"	775 LBS	3" x 39" x 48"	13 sq/ft	55" x 55" x 47.5"	990 LBS

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

FOR COMMERCIAL USE ONLY




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS

MSP-3848 (Double Stacked)



MSP-3848 (Single Stacked)



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



Speedino
By *Migali*



**HIGH
PRODUCTION,
SMALL FOOTPRINT**

Cooks 95 x 12" Pizzas
per hour @4 minutes
bake time*

*Bake time will vary
depending on
ingredients.

CONVEYOR PIZZA OVEN

- Patented innovative balanced air flow system.
- Fast cooking times and highly efficient.
- Extremely quiet operation.
- Compact design, small footprint.
- Made in USA.
- Can be used in single stack or double stack configurations.
- Digital microprocessor controlled bake time and temperature setting.
- Removable crumb trays for easy cleaning.
- Conveyors can run either right-to-left or left-to-right.
- Quality 304 stainless steel construction on major parts.
- Front access to controls.
- Migali Industries® Protection Plan: 5 Year Parts and Labor.

MODEL	BAKING TEMPERATURE	BAKING TIME	RATED HEAT INPUT- NG	RATED HEAT INPUT- LP	SUPPLY INLET PRESSURE	REGULATED PRESSURE	3/4" NPT	PLUG TYPE	VOLTS	AMPS	CORD LENGTH	OVEN DIMENSIONS H X W X D	OVEN WEIGHT	BAKING CHAMBER OPENING H X W X D	BAKING AREA	PACKAGED DIMENSIONS H X W X D	PACKAGED WEIGHT
MSP-2638	300-600°F	2-14 mins	156,390 BTU	146,912 BTU	10-14" WC	7.1" WC	3/4" NPT	NEMA 5-15P	120/60/1	10	6 FT	42.7" x 62.4" x 35.4"	550 LBS	3" x 27" x 38"	7 sq/ft	47.5" x 50.5" x 45.5"	715 LBS

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

FOR COMMERCIAL USE ONLY

Conforms to ANSI STD 293
11b-2000 (2011), NSF/ANSI STD 4
& CSA STD Z136.0-2009(2011)




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS

MSP-2638 (Double Stacked)



MSP-2638 (Single Stacked)



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-CO1-NG/LP



**(2) C-CO1-NG/LP
Stacked**

CONVECTION OVENS, BAKERY DEPTH

- Stainless steel exterior and enamel interior with covered corners for easy cleaning
- 50/50 dependent doors with double pane thermal tempered glass
- Size accommodates five 18" x 26" standard full-size baking pans left to right or front to back
- Solid state digital controller with "Hold" cooking temperature feature
- Temperature range: 150°F to 500°F
- Interior oven light standard
- 46,000 BTU's per oven
- Dual speed-fan with an adjustable cooling mode, (5) nickel plated oven racks on 13-position rack guides
- Fan delay switch when doors are opened
- Electronic spark ignition with an automatic pilot system
- Safety shut off switch
- 3/4" NPT rear gas connection and regulator
- Nema 5-15 plug for controller
- Migali Industries® Protection Plan: 1 Year Parts & Labor Warranty

MODEL	BURNERS	GAS SPECS	SHELVES	RACK GUIDES	VOLTAGE	TOTAL BTU	BTU PER BURNER	INTAKE-TUBE PRESSURE (IN W.C.)	AMPS	EXTERIOR DIMENSIONS W X D X H	INTERIOR DIMENSIONS W X D X H	PACKAGING DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-CO1-NG	2	NG	5	13	115/60/1	46,000	23,000	5	9.0	38.2 x 48.6 x 59.4	29 x 24 x 27.7	41.4 x 52.4 x 41.5	487 lbs.	615 lbs.
C-CO1-LP	2	LP	5	13	115/60/1	46,000	23,000	5	9.0	38.2 x 48.6 x 59.4	29 x 24 x 27.7	41.4 x 52.4 x 41.5	487 lbs.	615 lbs.

Optional: Kit to Double Stack Ovens, Part # 1759-1586

FOR COMMERCIAL USE ONLY

NOTE: Altitudes over 2,000 feet may need high latitude orifice adjustments to deliver BTU output listed

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE





TOLL FREE: 800.852.5292
WEB: www.migali.com





DIMENSIONAL DRAWINGS

C-CO1-NG/LP



SIDE VIEW - SINGLE

(2x) C-CO1-NG/LP



SIDE VIEW - DOUBLE



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-CO1-SD-NG



(2x) C-CO1-SD-LP
Shown with Stacking Kit Part #1759-1586

CONVECTION OVENS, STANDARD DEPTH

- Stainless steel exterior and enamel interior with covered corners for easy cleaning
- Double pane thermal tempered glass
- Size accommodates five 18" x 26" standard full-size baking pans left to right
- Solid state digital controller with "Hold" cooking temperature feature
- Temperature range: 150°F to 500°F
- Interior oven light standard

- 46,000 BTU's per oven
- Dual speed-fan with an adjustable cooling mode, (5) nickel plated oven racks on 13-position rack guides
- Fan delay switch when doors are opened
- Electronic spark ignition with an automatic pilot system
- Safety shut off switch
- 3/4" NPT rear gas connection and regulator
- Nema 5-15 plug for controller
- Migali Industries® Protection Plan: 1 Year Parts & Labor Warranty

MODEL	BURNERS	GAS SPECS	SHELVES	RACK GUIDES	VOLTAGE	TOTAL BTU	BTU PER BURNER	INTAKE-TUBE PRESSURE (IN W.C.)	AMPS	EXTERIOR DIMENSIONS W X D X H	INTERIOR DIMENSIONS W X D X H	PACKAGING DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-CO1-SD-NG	2	NG	5	13	115/60/1	46,000	23,000	5	9.0	38.2 x 40.8 x 59.4	29 x 18.9 x 24	41.4 x 41.5 x 44.5	379 lbs.	554 lbs.
C-CO1-SD-LP	2	LP	5	13	115/60/1	46,000	23,000	5	9.0	38.2 x 40.8 x 59.4	29 x 18.9 x 24	41.4 x 41.5 x 44.5	379 lbs.	554 lbs.

Optional: Kit to Double Stack Ovens, Part # 1759-1586

NOTE: Altitudes over 2,000 feet may need high latitude orifice adjustments to deliver BTU output listed

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com





DIMENSIONAL DRAWINGS


C-CO1-SD-NG



(2x) C-CO1-SD-LP




SIDE VIEW - SINGLE



SIDE VIEW - DOUBLE

TOP VIEW
C-CO1-SD-NG and
C-CO1-SD-LP



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



COMPETITOR SERIES®



INFINITI BURNER® BY MIGALI

REDUCE YOUR TOTAL COST OF OWNERSHIP & SAVE MONEY

Upgrade your Commercial Hotplates, Ranges and Stock Pots with Migali **INFINITI BURNERS®** and Save hundreds to thousands of dollars annually with more than 25% in gas savings.

Model	Infiniti Burner Kit	Product Description
C-HP-2B-12	iB-HP-2B-12-NG	2 Burner Hot Plate, Natural Gas
	iB-HP-2B-12-LP	2 Burner Hot Plate, Liquid Propane
C-HP-4B-24	iB-HP-4B-24-NG	4 Burner Hot Plate, Natural Gas
	iB-HP-4B-24-LP	4 Burner Hot Plate, Liquid Propane
C-HP-6B-36	iB-HP-6B-36-NG	6 Burner Hot Plate, Natural Gas
	iB-HP-6B-36-LP	6 Burner Hot Plate, Liquid Propane
C-RO10B-LP	iB-RO10B-LP	10 Burner, Liquid Propane Gas Range & Oven
C-RO10B-NG	iB-RO10B-NG	10 Burner, Natural Gas Range & Oven
C-RO2B-24GL-LP	iB-RO2B-24GL-LP	2 Burner Range, 24" Griddle Left Side, (1) Oven, Liquid Propane
C-RO2B-24GL-NG	iB-RO2B-24GL-NG	2 Burner Range, 24" Griddle Left Side, (1) Oven, Natural Gas
C-RO4B-12GL-LP	iB-RO4B-12GL-LP	4 Burner Range, 12" Griddle Left Side, (1) Oven, Liquid Propane
C-RO4B-12GL-NG	iB-RO4B-12GL-NG	4 Burner Range, 12" Griddle Left Side, (1) Oven, Natural Gas
C-RO4B-24GL-LP	iB-RO4B-24GL-LP	4 Burner Range, 24" Griddle Left Side, (2) Ovens, Liquid Propane
C-RO4B-24GL-NG	iB-RO4B-24GL-NG	4 Burner Range, 24" Griddle Left Side, (2) Ovens, Natural Gas
C-RO4B-LP	iB-RO4B-LP	4 Burner Range, (1) Oven, Liquid Propane
C-RO4B-NG	iB-RO4B-NG	4 Burner Range, (1) Oven, Natural Gas
C-RO6B-24GL-LP	iB-RO6B-24GL-LP	6 Burner Range, 24" Griddle Left Side, (2) Ovens, Liquid Propane
C-RO6B-24GL-NG	iB-RO6B-24GL-NG	6 Burner Range, 24" Griddle Left Side, (2) Ovens, Natural Gas
C-RO6B-LP	iB-RO6B-LP	6 Burner Range, (1) Oven, Liquid Propane
C-RO6B-NG	iB-RO6B-NG	6 Burner Range, (1) Oven, Natural Gas
C-RO8B-LP	iB-RO8B-LP	8 Burner Range, (2) Ovens, Liquid Propane
C-RO8B-NG	iB-RO8B-NG	8 Burner Range, (2) Ovens, Natural Gas
C-SPS-1-18	iB-SPS-1-18- NG	1 Burner Stock Pot Stove, Natural Gas
	iB-SPS-1-18-LP	1 Burner Stock Pot Stove, Liquid Propane
C-SPS-2-18	iB-SPS-2-18-NG	2 Burner Stock Pot Stove, Natural Gas
	iB-SPS-2-18-LP	2 Burner S



TOLL FREE: 800.852.5292
WEB: www.migali.com





INFINITI BURNER® BY MIGALI

- High Efficiency Burner System
- Dynamic Infrared Technology
- Anti-Clog Burner Design
- 2-Piece Cast Iron Construction
- Save More Than 25% in Gas Savings
- Durable Long-Lasting Quality
- Meets CEW Standards for Cash Rebates
- Easy & Fast Field-Installment



INFINITI BURNERS® FOR RANGES & HOTPLATES				
Application	# of Burners in Kit	BTU Equivalent to Standard 32K Burner	Standard 32K Burner Time to Boil 20 lbs of water	Infiniti Burner® Time to Boil 20 lbs of water
Ranges, Hotplates	2	24,500 per Burner	16.5 minutes	16 minutes

INFINITI BURNERS® FOR STOCK POT STOVES				
Application	# of Burners in Kit	BTU Equivalent to Standard 80K Burner	Standard 80K Burner Time to Boil 20 lbs of water	Infiniti Burner® Time to Boil 20 lbs of water
Stock Pot Stoves	1	65,500 per Burner	TBD	TBD

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

FOR COMMERCIAL USE ONLY



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-RO4B-NG/LP



C-RO6B-NG/LP



C-RO8B-NG/LP



C-RO10B-NG/LP

RANGES (NATURAL GAS & LIQUID PROPANE)

- High polished, stainless steel exterior
- NG 32,000/LP 32,000 BTU/Hr rating per burner
- Heavy duty cast iron removable trivets
- Porcelain enamel over steel oven interior
- Beautiful ergonomic design and easy to clean
- Chrome temperature knobs & oven handle
- Adjustable temperature oven knob
- Standard with 6" casters (2x locking)
- Adjustable oven shelf

- Oven rack (1) included with each oven
- Safety pilot oven shut-off, high limit switch
- Manual ignition of burners
- Valve type: Pilot lit, continuously on
- All burners and gas tubing are constructed of stainless steel
- INFINITI BURNER® upgrade available**
- Migali Industries® Protection Plan: 2 Year Parts & Labor Warranty

**Refer to page 94 for more information on the Infiniti Burner

MODEL	BURNERS	TOTAL BTU NG / LP	BTU PER BURNER NG / LP	OVEN BTU/H NG / LP	IN TAKE TUBE PRESSURE (W.C.) NG/LP	NOZZLE NO. NATURAL GAS	NOZZLE NO. LIQUID PROPANE	BURNER WORK SURFACE W X D	NO. OF OVENS & INTERIOR DIMENSIONS W X D X H	EXTERIOR DIMENSIONS W X D X H*	PACKAGED DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-RO4B-NG / LP	4	152,000 / 152,000	32,000	24,000 / 24,000	5/10	Hotplate - NG45 Oven - NG44	Hotplate - LP54 Oven - LP53	11.8 x 11.8	(1) Oven 20 x 26 x 14	24 x 32.6 x 56.4	24.2 x 41.9 x 41.3	302 lbs.	422 lbs.
C-RO6B-NG / LP	6	219,000 / 219,000	32,000	27,000 / 27,000	5/10	Hotplate - NG45 Oven - NG39	Hotplate - LP54 Oven - LP52	11.8 x 11.8	(1) Oven 26.5 x 26 x 14	36 x 32.6 x 56.4	39.2 x 41.9 x 41.3	406 lbs.	561 lbs.
C-RO8B-NG / LP	8	310,000 / 310,000	32,000	(2) Ovens Each - 27,000 / (2) Ovens Each - 27,000	5/10	Hotplate - NG45 Oven - NG44	Hotplate - LP54 Oven - LP53	11.8 x 11.8	(2) Ovens 20 x 26 x 14	48 x 32.6 x 56.4	51.2 x 41.9 x 41.3	547 lbs.	758 lbs.
C-RO10B-NG / LP	10	374,000 / 374,000	32,000	(2) Ovens Each - 27,000 / (2) Ovens Each - 27,000	5/10	Hotplate - NG45 Oven - NG39	Hotplate - LP54 Oven - LP52	11.8 x 11.8	(2) Ovens 26.5 x 26 x 14	60 x 32.6 x 56.4	63.2 x 41.9 x 41.3	739 lbs.	884 lbs.

*Total height with stainless steel back splash and top shelf

NOTE: Altitudes over 2,000 feet may need high latitude orifice adjustments to deliver BTU output listed

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS


C-RO4B-NG/
C-RO4B-LP








C-RO6B-NG/
C-RO6B-LP



C-RO8B-NG/
C-RO8B-LP



C-RO10B-NG/
C-RO10B-LP



SIDE VIEW



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-RO2B-24GL-NG



C-RO4B-12GL-NG



C-RO4B-24GL-NG



C-RO6B-24GL-NG

RANGES WITH GRIDDLES (NATURAL GAS)

- High polished, stainless steel exterior
- 32,000 BTU/H rating per burner
- Heavy duty cast iron removable trivets
- Porcelain enamel over steel oven interior
- 3/4" thick polished steel griddle cooking surface for quick, even heating
- Beautiful ergonomic design and easy to clean
- Chrome temperature knobs & oven handle
- Adjustable temperature oven knobs
- Standard with 6" casters (2x locking)

- Adjustable oven shelf
- Oven rack (1) included with each oven
- Safety pilot oven shut-off, high limit switch
- Manual ignition of burners
- Valve type: Pilot lit, continuously on
- All burners and gas tubing are constructed of stainless steel
- INFINITI BURNER® upgrade available**
- Migali Industries® Protection Plan: 2 Year Parts & Labor Warranty

**Refer to page 94 for more information on the Infiniti Burner

MODEL	BURNERS	TOTAL BTU	BTU PER BURNER	OVEN BTU/H	GRIDDLE BTU/H	IN TAKE TUBE PRESSURE (W.C.)	NOZZLE NO. NATURAL GAS	GRIDDLE WORK SURFACE W X D	BURNER WORK SURFACE W X D	NO. OF OVENS & INTERIOR DIMENSIONS W X D X H	EXTERIOR DIMENSIONS W X D X H*	PACKAGED DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-RO2B-24GL-NG	2	139,000	32,000	27,000	(1) U-Shape - 27,000 (1) I-Shape - 21,000	5	(2) Hotplate - NG45 (1) Oven - NG39 (1) Griddle U Shape - NG42 (1) Griddle I Shape - NG45	24 x 20.6 Left Side	11.8 x 11.8 26.5 x 26 x 14	(1) Oven 36 x 32.6 x 56.4	39.2 x 41.9 x 41.3	463 lbs.	600 lbs.	
C-RO4B-12GL-NG	4	176,000	32,000	27,000	(1) I-Shape - 21,000	5	(4) Hotplate - NG45 (1) Oven - NG39 (1) Griddle I Shape - NG45	12 x 20.6 Left Side	11.8 x 11.8 26.5 x 26 x 14	(1) Oven 36 x 32.6 x 56.4	39.2 x 41.9 x 41.3	437 lbs.	583 lbs.	
C-RO4B-24GL-NG	4	224,000	32,000	(2) Ovens / Each - 24,000	(1) U-Shape - 27,000 (1) I-Shape - 21,000	5	(4) Hotplate - NG45 (2) Oven - NG44 (1) Griddle U Shape - NG42 (1) Griddle I shape - NG45	24 x 20.6 Left Side	11.8 x 11.8 20 x 26 x 14	(2) Ovens 48 x 32.6 x 56.4	51.2 x 41.9 x 41.3	591 lbs.	803 lbs.	
C-RO6B-24GL-NG	6	294,000	32,000	(2) Ovens / Each - 27,000	(1) U-Shape - 27,000 (1) I-Shape - 21,000	5	(6) Hotplate - NG45 (2) Oven - NG39 (1) Griddle U Shape - NG42 (1) Griddle I shape - NG45	24 x 20.6 Left Side	11.8 x 11.8 26.5 x 26 x 14	(2) Ovens 60 x 32.6 x 56.4	63.2 x 41.9 x 41.3	734 lbs.	927 lbs.	

*Total height with stainless steel back splash and top shelf

NOTE: Altitudes over 2,000 feet may need high latitude orifice adjustments to deliver BTU output listed

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS


C-RO2B-24GL-NG









C-RO4B-12GL-NG



C-RO4B-24GL-NG



C-RO6B-24GL-NG



SIDE VIEW



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-RO2B-24GL-LP



C-RO4B-12GL-LP



C-RO4B-24GL-LP



C-RO6B-24GL-LP

RANGES WITH GRIDDLES (LIQUID PROPANE)

- High polished, stainless steel exterior
- 32,000 BTU/H rating per burner
- Heavy duty cast iron removable trivets
- Porcelain enamel over steel oven interior
- 3/4" thick polished steel griddle cooking surface for quick, even heating
- Beautiful ergonomic design and easy to clean
- Chrome temperature knobs & oven handle
- Adjustable temperature oven knobs
- Standard with 6" casters (2x locking)

- Adjustable oven shelf
- Oven rack (1) included with each oven
- Safety pilot oven shut-off, high limit switch
- Manual ignition of burners
- Valve type: Pilot lit, continuously on
- All burners and gas tubing are constructed of stainless steel
- INFINITI BURNER® upgrade available**
- Migali Industries® Protection Plan: 2 Year Parts & Labor Warranty

**Refer to page 94 for more information on the Infiniti Burner

MODEL	BURNERS	TOTAL BTU	BTU PER BURNER	OVEN BTU/H	GRIDDLE BTU/H	IN TAKE TUBE PRESSURE (W.C.)	NOZZLE NO. LIQUID PROPANE	GRIDDLE WORK SURFACE W X D	BURNER WORK SURFACE W X D	NO. OF OVENS & INTERIOR DIMENSIONS W X D X H	EXTERIOR DIMENSIONS W X D X H*	PACKAGED DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-RO2B-24GL-LP	2	139,000	32,000	27,000	(1) U-Shape - 27,000 (1) I-Shape - 21,000	5	(2) Hotplate - LP45 (1) Oven - LP39 (1) Griddle U Shape - LP42 (1) Griddle I Shape - LP45	24 x 20.6 Left Side	11.8 x 11.8	(1) Oven 26.5 x 26 x 14	36 x 32.6 x 56.4	39.2 x 41.9 x 41.3	463 lbs.	600 lbs.
C-RO4B-12GL-LP	4	176,000	32,000	27,000	(1) I-Shape - 21,000	5	(4) Hotplate - LP45 (1) Oven - LP39 (1) Griddle I Shape - LP45	12 x 20.6 Left Side	11.8 x 11.8	(1) Oven 26.5 x 26 x 14	36 x 32.6 x 56.4	39.2 x 41.9 x 41.3	437 lbs.	583 lbs.
C-RO4B-24GL-LP	4	224,000	32,000	(2) Ovens / Each - 24,000	(1) U-Shape - 27,000 (1) I-Shape - 21,000	5	(4) Hotplate - LP45 (2) Oven - LP44 (1) Griddle U Shape - LP42 (1) Griddle I shape - LP45	24 x 20.6 Left Side	11.8 x 11.8	(2) Ovens 20 x 26 x 14	48 x 32.6 x 56.4	51.2 x 41.9 x 41.3	591 lbs.	803 lbs.
C-RO6B-24GL-LP	6	294,000	32,000	(2) Ovens / Each - 27,000	(1) U-Shape - 27,000 (1) I-Shape - 21,000	5	(6) Hotplate - LP45 (2) Oven - LP39 (1) Griddle U Shape - LP42 (1) Griddle I shape - LP45	24 x 20.6 Left Side	11.8 x 11.8	(2) Ovens 26.5 x 26 x 14	60 x 32.6 x 56.4	63.2 x 41.9 x 41.3	734 lbs.	927 lbs.

*Total height with stainless steel back splash and top shelf

NOTE: Altitudes over 2,000 feet may need high latitude orifice adjustments to deliver BTU output listed

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS


C-RO2B-24GL-LP









C-RO4B-12GL-LP



C-RO4B-24GL-LP



C-RO6B-24GL-LP



SIDE VIEW



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-HP-2B-12



C-HP-4B-24



C-HP-6B-36

HOT PLATES

- Heavy duty cast iron removable trivets
- 32,000 BTU manually controlled burners
- Removable, full width slide out waste tray
- Beautiful ergonomic design and easy to clean
- High polished, stainless steel exterior and chrome temperature knobs
- (4) adjustable stainless steel feet
- Comes standard as Natural Gas with L.P orifice kit for in-field conversion
- INFINITI BURNER® upgrade available**
- Migali Industries® Protection Plan: 2 Year Parts & Labor Warranty

**Refer to page 94 for more information on the Infiniti Burner

MODEL	BURNERS	TOTAL BTU NG / LP	BTU PER BURNER - NG / LP	IN TAKE TUBE PRESSURE (W.C.) NG / LP	NOZZLE NO. NG / LP	IGNITION	VALVE TYPE	TOP PLATE SIZE W X D X H	EXTERIOR DIMENSIONS W X D X H	PACKAGING DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-HP-2B-12	2	64,000	32,000	4 / 10	#43 / #53	Manual	Pilot Light	(2) 11.8 x 11.8	12 x 27.6 x 13.1	15 x 29.9 x 16.5	56 lbs.	80 lbs.
C-HP-4B-24	4	128,000	32,000	4 / 10	#43 / #53	Manual	Pilot Light	(4) 11.8 x 11.8	24 x 27.6 x 13.1	26.8 x 29.9 x 16.5	97 lbs.	125 lbs.
C-HP-6B-36	6	192,000	32,000	4 / 10	#43 / #53	Manual	Pilot Light	(6) 11.8 x 11.8	36 x 27.6 x 13.1	38.6 x 29.9 x 16.5	137 lbs.	180 lbs.

Gas Connection: 3/4" NPT on the right

Clearance for combustible work area: 6" rear & 15" sides - Do Not Store Combustibles Underneath Unit

NOTE: Altitudes over 2,000 feet may need high latitude orifice adjustments to deliver BTU output listed

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS









C-HP-2B-12



C-HP-4B-24



C-HP-6B-36



SIDE VIEW



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-SPS-1-18



C-SPS-2-18

STOCK POT STOVES

- Heavy duty cast iron removable trivets
- 40,000 BTU manually controlled burners
- Bottom extra storage area
- Beautiful ergonomic design and easy to clean
- High polished, stainless steel exterior and chrome temperature knobs
- (4) adjustable stainless steel feet
- Comes standard as Natural Gas with L.P orifice kit for in-field conversion
- INFINITI BURNER® upgrade available**
- Migali Industries® Protection Plan: 2 Year Parts & Labor Warranty

**Refer to page 94 for more information on the Infiniti Burner

MODEL	BURNERS	TOTAL BTU NG / LP	BTU PER BURNER - NG / LP	IN TAKE TUBE PRESSURE (W.C.) NG / LP	NOZZLE NO. NG / LP	IGNITION	VALVE TYPE	TOP PLATE SIZE W X D	EXTERIOR DIMENSIONS W X D X H	PACKAGING DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-SPS-1-18	2	80,000	40,000	4 / 10	#32 / #49	Manual	Pilot Light	(1) 17.8 x 20.9	18 x 20.9 x 22.8	20.9 x 24.8 x 25.2	106 lbs.	119 lbs.
C-SPS-2-18	4	160,000	40,000	4 / 10	#32 / #49	Manual	Pilot Light	(2) 17.8 x 20.9	18 x 41.7 x 22.8	20.9 x 45.7 x 25.2	202 lbs.	222 lbs.

Gas Connection: 3/4" NPT on the right

Clearance for combustible work area: 6" rear & 15" sides - Do Not Store Combustibles Underneath Unit

NOTE: Altitudes over 2,000 feet may need high latitude orifice adjustments to deliver BTU output listed

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com









DIMENSIONAL DRAWINGS


C-SPS-1-18



C-SPS-2-18



SIDE VIEW



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-CR24



C-CR36



C-CR48

CHAR-ROCK BROILERS

- Reversible heavy duty cast iron cooking grates with angled sides for flat or sloped positions
- Cast iron grates underneath cooking grates to support char-rocks and proper airflow
- Manually controlled cooking zones
- 35,000 BTU per "U" shape burner
- Removable, full width slide out waste tray
- Beautiful ergonomic design and easy to clean
- High polished, stainless steel exterior and chrome temperature knobs
- (4) adjustable stainless steel feet
- Comes standard as Natural Gas with L.P orifice kit for in-field conversion
- Migali Industries® Protection Plan: 2 Year Parts & Labor Warranty

MODEL	BURNERS	TOTAL BTU NG / LP	BTU PER BURNER NG / LP	IN TAKE TUBE PRESSURE (W.C.) NG / LP	NOZZLE NO. NG / LP	IGNITION	VALVE TYPE	WORKING AREA W X D	EXTERIOR DIMENSIONS W X D X H	PACKAGING DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-CR24	2	70,000	35,000	4 / 10	#36 / #50	Manual	Pilot Light	23.9 x 20.2	24 x 27.6 x 15.2	26.8 x 29.9 x 18.2	137 lbs.	168 lbs.
C-CR36	3	105,000	35,000	4 / 10	#36 / #50	Manual	Pilot Light	35.7 x 20.2	36 x 27.6 x 15.2	38.6 x 29.9 x 18.2	183 lbs.	238 lbs.
C-CR48	4	140,000	35,000	4 / 10	#36 / #50	Manual	Pilot Light	47.9 x 20.2	48 x 27.6 x 15.2	50.8 x 29.9 x 18.2	243 lbs.	313 lbs.

Gas Connection: 3/4" NPT on the right

Clearance for combustible work area: 6" rear & 15" sides - Do Not Store Combustibles Underneath Unit

NOTE: Altitudes over 2,000 feet may need high latitude orifice adjustments to deliver BTU output listed

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS









C-CR24



C-CR36



C-CR48



SIDE VIEW



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-RB24



C-RB36



C-RB48

RADIANT BROILERS

- Reversible heavy duty cast iron cooking grates with angled sides for flat or sloped positions
- Manually controlled cooking zones
- 35,000 BTU per “U” shape burner
- Removable, full width slide out waste tray
- Beautiful ergonomic design and easy to clean
- High polished, stainless steel exterior and chrome temperature knobs
- (4) adjustable stainless steel feet
- Comes standard as Natural Gas with L.P orifice kit for in-field conversion
- Migali Industries® Protection Plan: 2 Year Parts & Labor Warranty

MODEL	BURNERS	TOTAL BTU NG / LP	BTU PER BURNER - NG / LP	IN TAKE TUBE PRESSURE (W.C.) NG / LP	NOZZLE NO. NG / LP	IGNITION	VALVE TYPE	WORKING AREA W X D	EXTERIOR DIMENSIONS W X D X H	PACKAGING DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-RB24	2	70,000	35,000	4 / 10	#36 / #50	Manual	Pilot Light	23.9 x 20.2	24 x 27.6 x 15.2	26.8 x 29.9 x 18.2	114 lbs.	147 lbs.
C-RB36	3	105,000	35,000	4 / 10	#36 / #50	Manual	Pilot Light	35.7 x 20.2	36 x 27.6 x 15.2	38.6 x 29.9 x 18.2	161 lbs.	205 lbs.
C-RB48	4	140,000	35,000	4 / 10	#36 / #50	Manual	Pilot Light	47.9 x 20.2	48 x 27.6 x 15.2	50.8 x 29.9 x 18.2	205 lbs.	257 lbs.

Gas Connection: 3/4" NPT on the right

Clearance for combustible work area: 6" rear & 15" sides - Do Not Store Combustibles Underneath Unit

NOTE: Altitudes over 2,000 feet may need high latitude orifice adjustments to deliver BTU output listed

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS









C-RB24



C-RB36



C-RB48



SIDE VIEW



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali

COMPETITOR SERIES®



C-SM-36-NG/LP

SALAMANDER BROILERS

- Stainless steel exterior and interior
- Dual valve controls for left and right-side independent operation
- Two (2) 21,500 BTU high efficiency ceramic infrared burners and standby pilots – totals 43,000 BTUs
- 1 Minute pre-heat time
- 4 position rack adjustments on Salamander Broiler
- One(1) removable broiler chrome rack
- Range mount kit for 36" range available upon request*
- Manual ignition of burners
- Migali Industries® Protection Plan: 2 Years Parts & Labor Warranty

MODEL	BURNERS	GAS SPECS	TOTAL BTU NG / LP	BTU PER BURNER - NG / LP	INTAKE TUBE PRESSURE (W.C.) NG / LP	NOZZLE NO. - NG / LP	CONTROL METHOD	CONTROL VALVE TYPE	EXTERIOR DIMENSIONS W X D X H	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-SM-36-NG	2	NG	43,000	21,500	5	NG47	Independent Manual Control	Pilot Light	36 x 18 x 17.3	31.8 x 15.2 x 4	40 x 24.6 x 25.4	144 lbs.	168 lbs.
C-SM-36-LP	2	LP	43,000	21,500	10	LP54	Independent Manual Control	Pilot Light	36 x 18 x 17.3	31.8 x 15.2 x 4	40 x 24.6 x 25.4	144 lbs.	168 lbs.

Optional wall mount bracket part # 1988-54

*Part Number: 1759-1562 - Connecting Rod for Salamander/Cheesemelter

NOTE: Altitudes over 2,000 feet may need high latitude orifice adjustments to deliver BTU output listed

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE







TOLL FREE: 800.852.5292
WEB: www.migali.com



DIMENSIONAL DRAWINGS

C-SM-36-NG/LP



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-CM-36-NG/LP

CHEESE MELTERS

- Stainless steel exterior and interior
- Dual valve controls for left and right-side independent operation
- Two (2) 21,500 BTU high efficiency ceramic infrared burners and standby pilots – totals 43,000 BTUs
- Removable broiler rack and crumb catcher
- Range mount kit for 36" range available upon request*
- Manual ignition of burners
- Natural gas or liquid propane configuration
- Migali Industries® Protection Plan: 2 Years Parts & Labor Warranty

MODEL	BURNERS	GAS SPECS	TOTAL BTU NG / LP	BTU PER BURNER - NG / LP	INTAKE TUBE PRESSURE (W.C.) NG / LP	NOZZLE NO. - NG / LP	CONTROL METHOD	CONTROL VALVE TYPE	EXTERIOR DIMENSIONS W X D X H	INTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-CM-36-NG	2	NG	43,000	21,500	5	NG47	Independent Manual Control	Pilot Light	36 x 18 x 17.3	31.5 x 15.5 x 8.3	40 x 24.6 x 25.4	95 lbs.	120 lbs.
C-CM-36-LP	2	LP	43,000	21,500	10	LP54	Independent Manual Control	Pilot Light	36 x 18 x 17.3	31.5 x 15.5 x 8.3	40 x 24.6 x 25.4	95 lbs.	120 lbs.

Optional wall mount bracket part # 1988-54

*Part Number: 1759-1562 - Connecting Rod for Salamander/Cheesemelter

NOTE: Altitudes over 2,000 feet may need high latitude orifice adjustments to

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE







TOLL FREE: 800.852.5292
WEB: www.migali.com



DIMENSIONAL DRAWINGS

C-CM-36-NG/LP



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-G24



C-G36



C-G48

GRIDDLES

- Manually controlled
- 3/4" thick on the griddle plate polished steel cooking surface for quick, even heating
- 30,000 BTU per "U" shape burner
- Large 20" deep cooking surface
- Removable slide out waste tray
- Beautiful ergonomic design and easy to clean
- (4) High polished, adjustable, stainless steel feet
- Stainless steel grease trough with wide opening for easy cleaning
- Comes standard as Natural Gas with L.P orifice kit for in-field conversion
- Migali Industries® Protection Plan: 2 Year Parts & Labor Warranty

MODEL	BURNERS	TOTAL BTU NG / LP	BTU PER BURNER NG / LP	IN TAKE TUBE PRES- SURE (W.C.) NG / LP	NOZZLE NO. NG / LP	IGNITION	VALVE TYPE	GRIDDLE PLATE WORKING AREA W X D X H	EXTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-G24	2	60,000	30,000	4/10	#37 / #51	Manual	Pilot Light	23.9 x 19.9 x .75	24 x 28.6 x 15.2	26.8 x 31.1 x 18.2	161 lbs.	195 lbs.
C-G36	3	90,000	30,000	4/10	#37 / #51	Manual	Pilot Light	35.7 x 19.9 x .75	36 x 28.6 x 15.2	38.6 x 31.1 x 18.2	232 lbs.	281 lbs.
C-G48	4	120,000	30,000	4/10	#37 / #51	Manual	Pilot Light	47.9 x 19.9 x .75	48 x 28.6 x 15.2	51.6 x 32.7 x 18.2	295 lbs.	416 lbs.

Gas Connection: 3/4" NPT on the right

FOR COMMERCIAL USE ONLY

Clearance for combustible work area: 6" rear & 15" sides - Do Not Store Combustibles Underneath Unit

NOTE: Altitudes over 2,000 feet may need high latitude orifice adjustments to deliver BTU output listed

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS









C-G24



C-G36



C-G48



SIDE VIEW



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-G24T



C-G36T



C-G48T

THERMOSTATIC GRIDDLES

- Thermostatically controlled
- 1" thick on the griddle plate polished steel cooking surface for quick, even heating
- 25,000 BTU per "U" shape burner
- Large 20" deep cooking surface
- Removable slide out waste tray
- Beautiful ergonomic design and easy to clean
- (4) High polished, adjustable, stainless steel feet
- Stainless steel grease trough with wide opening for easy cleaning
- Comes standard as Natural Gas with L.P orifice kit for in-field conversion
- Migali Industries® Protection Plan: 2 Year Parts & Labor Warranty

MODEL	BURNERS	TOTAL BTU NG / LP	BTU PER BURNER NG / LP	IN TAKE TUBE PRESSURE (W.C.) NG / LP	NOZZLE NO. NG / LP	IGNITION	VALVE TYPE	GRIDDLE PLATE WORKING AREA W X D X H	EXTERIOR DIMENSIONS W X D X H	PACKAGED DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-G24T	2	50,000	25,000	4/10	#37 / #51	Manual	Pilot Light	23.9 x 19.9 x 1	24 x 28.6 x 15.2	26.8 x 31.1 x 18.2	161 lbs.	195 lbs.
C-G36T	3	75,000	25,000	4/10	#37 / #51	Manual	Pilot Light	35.7 x 19.9 x 1	36 x 28.6 x 15.2	38.6 x 31.1 x 18.2	232 lbs.	281 lbs.
C-G48T	4	100,000	25,000	4/10	#37 / #51	Manual	Pilot Light	47.9 x 19.9 x 1	48 x 28.6 x 15.2	51.6 x 32.7 x 18.2	295 lbs.	416 lbs.

Gas Connection: 3/4" NPT on the right

Clearance for combustible work area: 6" rear & 15" sides - Do Not Store Combustibles Underneath Unit

NOTE: Altitudes over 2,000 feet may need high latitude orifice adjustments to deliver BTU output listed

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS









C-G24T



C-G36T



C-G48T



SIDE VIEW



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali
1955

COMPETITOR SERIES®



C-F35E-NG/LP



C-F40E-NG/LP



C-F50E-NG/LP



C-F75E-NG/LP

FRYERS

- Electro-mechanical thermostat for adjusting temperature within a range of 200°F to 400°F
- 34,000 BTU (NG) and 30,000 BTU (LP) per burner
- Beautiful ergonomic design and easy to clean
- All stainless steel tank & cabinetry
- Removable basket hanger for cleaning purposes
- Manual pilot ignition
- Auto reset high limit control for high temperatures

- Cooling zone inside the fryer tank
- Twin nickel chrome plated wire mesh baskets with blue plastic coated handles
- Built in flue deflector
- Full port drain within valve
- Standard with 6" casters (2x Locking)
- Accessory: optional casters upon request
- Migali Industries® Protection Plan: 1 Year Parts & Labor Warranty, 5 Years Oil Tank Warranty

MODEL	BURNERS	VOLUME	TOTAL BTU NG / LP	BTU PER BURNER NG / LP	IN TAKE TUBE PRESSURE (W.C.) NG / LP	NOZZLE NO. NG / LP	IGNITION	VALVE TYPE	THERMOSTAT TEMP LIMIT	TEMP LIMIT	EXTERIOR DIMENSIONS W X D X H	PACKAGING DIMENSIONS W X D X H	WEIGHT	PACKAGED WEIGHT
C-F35E-NG / C-F35E-LP	3	35 lbs.	60,000 / 60,000	20,000 / 20,000	2 / 5	#36 / #52	Manual	Often open flame, flame protection	400° F	450° F	15.6 x 30.1 x 44.4	17.7 x 33.5 x 37.9	135 lbs.	160 lbs.
C-F40E-NG / C-F40E-LP	3	40 lbs.	66,000 / 66,000	22,000 / 22,000	4 / 10	#36 / #52	Manual	Often open flame, flame protection	400° F	450° F	15.6 x 30.1 x 44.4	17.7 x 33.5 x 37.9	135 lbs.	160 lbs.
C-F50E-NG / C-F50E-LP	4	50 lbs.	88,000 / 88,000	22,000 / 22,000	4 / 10	#36 / #52	Manual	Often open flame, flame protection	400° F	450° F	15.6 x 30.1 x 44.4	17.7 x 33.5 x 37.9	146 lbs.	172 lbs.
C-F75E-NG / C-F75E-LP	5	75 lbs	110,000 / 110,000	22,000 / 22,000	4 / 10	#36 / #52	Manual	Often open flame, flame protection	400° F	450° F	21.1 x 30.1 x 44.4	23.2 x 33.5 x 37.9	166 lbs.	200 lbs.

Gas Connection: 3/4" NPT on the right

Clearance for combustible work area: 6" rear & 15" sides - Do Not Store Combustibles Underneath Unit

NOTE: Altitudes over 2,000 feet may need high latitude orifice adjustments to deliver BTU output listed

FOR COMMERCIAL USE ONLY

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS


C-F35-NG/LP









C-F40-NG/LP



C-F50-NG/LP



C-F75-NG/LP



SIDE VIEW



Migali

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Refrigeration Warranty Protection Plan

Effective 3/1/2020

(2) Year Labor Warranty: Migali warrants to the original purchasers of the Migali unit sold a 2 Year Service Warranty, which begins at the date of registration or (90) days from the date of shipment by us, which ever is earlier. Migali reserves the right to service the unit only with an authorized Migali service agent. Unauthorized service of the unit is not subject to this warranty. The term "original purchaser" as used herein shall be deemed to mean that person, firm, association or corporation for whom the refrigeration unit referred to herein is originally installed at the original location; units moved or transferred to alternate location(s) that differ from the original registered or ship to location without pre-approval from Migali, will not be subject to this warranty. The Migali warranty is subject to indoor, commercial locations only; units that are installed at residential and/or outside locations are not included in this warranty. In addition, this warranty does not include units installed on food trucks, boats or any location using electricity originating from a generator.

(2) Year Parts: Migali warrants to the original purchaser the Migali unit sold and all parts thereof to be free from defects in material or workmanship, under normal use and service for a period of 2 years, from the date of registration, or (27) months from the date of shipment by us, whichever is earlier. Our obligation under this warranty shall be limited to repairing or replacing F.O.B. factory any of such product which proves thus defective and which our examination shall disclose to our satisfaction to be defective. Transportation Charges for Warranty Parts are to be prepaid by Claimant. Any part returned to Migali under the terms of this warranty must be accompanied by a record of the cabinet model number, serial number, return authorization number, and such return shall be on the basis of transportation charges prepaid.

(5) Years Compressor: Migali warrants the hermetically sealed compressor for (5) years, not to exceed (63) months from the date of shipment from our plant, provided, upon receipt of the compressor, manufacturer examination shows the sealed compressor to be defective. This extended warranty does not apply to any electrical controls, accumulator, starting components or wiring harness, which items are covered by the parts warranty listed above. Transportation Charges for Warranty Compressor are to be prepaid by claimant. The compressor warranty is valid for (1) compressor per refrigeration unit. Migali reserves the right to void this warranty due to the following: (A) Improper operation due to low voltage conditions, inadequate wiring, and accidents or damages that are not manufacturing defects. These are strictly the responsibility of the purchaser. (B) Condenser coils must be cleaned at regular intervals or at least once per month. Failure to do so can cause compressor malfunction and/or clogged capillary tubes which will void the warranty. (C) These units must operate in normal ambient conditions, temperatures of 90° F and 55% relative humidity or less. Overheating due to excessively hot environments may void this warranty. (D) These units are for indoor use only. No claims can be made against this warranty for loss of product. This contract does not apply outside the limits of the USA or Canada, nor does it apply to any part which has been subject to misuse, neglect, alteration, accident, or to any damage caused by transportation, flood, fire or the acts of God. *Labor costs are not included with the compressor warranty unless the compressor failure occurs within the guidelines outlined in the (2) Year Labor Warranty section listed above.*

These warranties are in lieu of all other warranties, expressed or implied, and all other obligations or liabilities on our part, and we neither assume nor authorize any other person to assume for us any other obligation or liability in connection with the sale of said refrigeration units or any part thereof. This warranty shall not be assignable and shall be honored only in so far as the original purchaser.

MIGALI ASSUMES NO RESPONSIBILITY FOR INCIDENTAL, CONSEQUENTIAL, OR OTHER DAMAGES INCLUDING, BUT NOT LIMITED TO LOSS OR DAMAGE TO PROPERTY, LOSS OF PROFITS OR REVENUE, LOSS OF THE UNIT, LOSS OF STORED PRODUCT, LOSS OF TIME, OR INCONVENIENCE. WARRANTIES ARE VALID FOR MIGALI BRAND EQUIPMENT ONLY. WARRANTIES ARE NOT VALID UNLESS THE PURCHASED ITEM AND CORRESPONDING INVOICE IS PAID IN FULL ACCORDING TO MIGALI TERMS AND CONDITIONS

All Warranty Service Calls must be Pre-approved by Migali® prior to contracting service agents or purchasing over-the-counter parts for reimbursement.

**YOU MUST REGISTER YOUR MIGALI PURCHASE FOR THIS WARRANTY TO BEGIN.
GO TO www.migali.com/warranty-information TO REGISTER NOW.**

MIGALI® INDUSTRIES TEL: (800) 852 5292 FAX: (856) 963 3604 WEB: www.migali.com/customer-support



Refrigeration Warranty Protection Plan

THE FOLLOWING ITEMS ARE COVERED UNDER THE MIGALI® PROTECTION PLAN

Compressor:

Hermetically Sealed Compressor

Parts:

Compressor starting components (Capacitor, Overload & Relay), Evaporator and Condenser Coils, Evaporator and Condenser Motors, Fan Blades, Drier Filter, Capillary Tubes, Expansion Valves, Thermostats, Control Boards, Relays, Temperature Displays, Timers, Freon Leaks, Refrigerants including 404a, 134a, R600 and R290 (limit to the full charge amount (oz) listed on the model serial tag), Electrical Wires, Relays, Terminal Blocks, Drain Lines, Drain Line Heater Wires, Condensate Heating Elements, Evaporator Defrost Rods or any defective parts relating to the refrigeration system.

Labor:

Service necessary for the malfunctioning of any parts or systems listed above under normal operating conditions to be reimbursed according to Migali Labor Guideline Form which includes service travel up to 75 miles.

Freight:

UPS freight charges will be prepaid by Migali if the defective compressors or parts are diagnosed as defective within (2) years, i.e. (730) days of the warranty registration date. Migali pays UPS ground charges only. All other expedited freight charges are the responsibility of the owner/operator.

THE FOLLOWING ITEMS ARE NOT COVERED UNDER THE MIGALI® PROTECTION PLAN

Compressor:

Compressor or compressor parts deemed defective through improper maintenance and cleaning, incorrect or low voltages, GFI related and electrical surge issues, failures due to running a unit off a generator, or improper installation of the refrigeration unit.

Parts:

Door gaskets, door or lid handles, glass doors, body of the refrigeration unit, casters, door or lid hinges, door opening breaker caps, breakage of any parts due to improper use such as standing on the refrigerator or mishandling damages, failed electronics and controllers due to electrical surges or water damage from an outside source. Migali will not be held responsible for defective add-on accessories manufactured by a 3rd party not provided by Migali.

Labor:

Water, condensation or humidity inside or outside of the unit (unless service agent deems failure due to defective heating element, heater wire or broken evaporator pan), clogged evaporator drains, re-adjusting of leveling of unit, iced-up evaporator coil due to temperature controller set too low or improperly, adjusting temperature control settings, replacing damaged controllers from incorrect electrical installation or damages from an outside water source, problems caused by improper installation, low voltage due to unit running off an extension cord or multiple appliances plugged into one outlet, electrical fuses tripping due to GFI's, malfunctioning unit due to improper amperage/voltage for the specific refrigeration model, cutting the factory installed plug, temperature issues due to dirty condenser, overstocking of interior, restrictions of airflow inside or outside of the refrigeration unit, excessive heat exceeding 90° F/ 55% relative humidity, direct heat from cooking equipment affecting the refrigeration units performance. Glass door models installed at elevations over 5,000 ft above sea level are not covered under this warranty. For remote areas, a service tech that travels in excess of 75 miles one way may be subject to additional travel fees at Migali's discretion.

Stored Product & Loss of Revenue:

MIGALI® ASSUMES NO RESPONSIBILITY FOR INCIDENTAL, CONSEQUENTIAL, OR OTHER DAMAGES INCLUDING, BUT NOT LIMITED TO LOSS OR DAMAGE TO PROPERTY, LOSS OF PROFITS OR REVENUE, LOSS OF THE UNIT, LOSS OF STORED PRODUCT, LOSS OF TIME, OR INCONVENIENCE.

Freight:

UPS freight charges must be paid by the owner/operator if any parts or compressors are diagnosed as defective (2) years, i.e. (730) days after the registration date.

FOR SERVICE CALL TOLL FREE: 1-800-852-5292
or SUBMIT A CLAIM ONLINE @ www.migali.com/warranty-claims
SERVICE FOR LABOR WARRANTY MAY TAKE UP TO 72 HOURS

MIGALI® INDUSTRIES TEL: (800) 852 5292 FAX: (856) 963 3604 WEB: www.migali.com/customer-support



Migali®

Cooking Warranty Protection Plan

Effective 3/1/2020

Commercial Gas Fryers and Convection Ovens

(1) Year Labor Warranty: Migali warrants to the original purchasers of the Migali unit sold a 1 Year Service Warranty, which begins at the date of registration or (90) days from the date of shipment by us, which ever is earlier. Migali reserves the right to service the unit only with an authorized Migali service agent. Unauthorized service of the unit is not subject to this warranty. The term "original purchaser" as used herein shall be deemed to mean that person, firm, association or corporation for whom the cooking appliance referred to herein is originally installed at the original location; units moved or transferred to alternate location(s) that differ from the original registered or ship to location without pre-approval from Migali, will not be subject to this warranty. The Migali warranty is subject to indoor, commercial locations only; units that are installed at residential and/or outside locations are not included in this warranty.

(1) Year Parts Warranty: Migali warrants to the original purchaser the Migali unit sold and all parts thereof to be free from defects in material or workmanship, under normal use and service for a period of 1 year, from the date of registration, or (15) months from the date of shipment by us, whichever is earlier. Our obligation under this warranty shall be limited to repairing or replacing F.O.B. factory any of such product which proves thus defective and which our examination shall disclose to our satisfaction to be defective. Transportation Charges for Warranty Parts are to be prepaid by Claimant. Any part returned to Migali under the terms of this warranty must be accompanied by a record of the model number, serial number, return authorization number, and such return shall be on the basis of transportation charges prepaid.

(5) Year Fryer Tank Warranty: Migali warrants that the all stainless steel fryer tank will be free from defects for (5) years. If a leak occurs under normal use within the first year, the entire fryer will be replaced. Leaks that occur in the following (4) years after the effective registered start date will receive a replacement fryer tank at no charge. Labor and shipping costs will be the responsibility of the end-user.

Commercial Gas Cooking Equipment

(2) Year Labor Warranty: Migali warrants to the original purchasers of the Migali unit sold a 2 Year Service Warranty, which begins at the date of registration or (90) days from the date of shipment by us, which ever is earlier. Migali reserves the right to service the unit only with an authorized Migali service agent. Unauthorized service of the unit is not subject to this warranty. The term "original purchaser" as used herein shall be deemed to mean that person, firm, association or corporation for whom the cooking appliance referred to herein is originally installed at the original location; units moved or transferred to alternate location(s) that differ from the original registered or ship to location without pre-approval from Migali, will not be subject to this warranty. The Migali warranty is subject to indoor, commercial locations only; units that are installed at residential and/or outside locations are not included in this warranty.

(2) Year Parts Warranty: Migali warrants to the original purchaser the Migali unit sold and all parts thereof to be free from defects in material or workmanship, under normal use and service for a period of 2 years, from the date of registration, or (27) months from the date of shipment by us, whichever is earlier. Our obligation under this warranty shall be limited to repairing or replacing F.O.B. factory any of such product which proves thus defective and which our examination shall disclose to our satisfaction to be defective. Transportation Charges for Warranty Parts are to be prepaid by Claimant. Any part returned to Migali under the terms of this warranty must be accompanied by a record of the model number, serial number, return authorization number, and such return shall be on the basis of transportation charges prepaid.

These warranties are in lieu of all other warranties, expressed or implied, and all other obligations or liabilities on our part, and we we neither assume nor authorize any other person to assume for us any other obligation or liability in connection with the sale of said cooking appliances or any part thereof. This warranty shall not be assignable and shall be honored only in so far as the original purchaser.

MIGALI ASSUMES NO RESPONSIBILITY FOR INCIDENTAL, CONSEQUENTIAL, OR OTHER DAMAGES INCLUDING, BUT NOT LIMITED TO LOSS OR DAMAGE TO PROPERTY, LOSS OF PROFITS OR REVENUE, LOSS OF THE UNIT, LOSS OF FOOD PRODUCT, LOSS OF TIME, OR INCONVENIENCE. WARRANTIES ARE VALID FOR MIGALI BRAND EQUIPMENT ONLY. WARRANTIES ARE NOT VALID UNLESS THE PURCHASED ITEM AND CORRESPONDING INVOICE IS PAID IN FULL ACCORDING TO MIGALI TERMS AND CONDITIONS

All Warranty Service Calls must be Pre-approved by Migali® prior to contracting service agents or purchasing over-the-counter parts for reimbursement.

MIGALI® INDUSTRIES TEL: (800) 852 5292 FAX: (856) 963 3604 WEB: www.migali.com/support



Warranty Protection Plan for Cooking Equipment

THE FOLLOWING ITEMS ARE COVERED UNDER THE MIGALI® PROTECTION PLAN

Fryer Tank:

Under normal usage, a brand new fryer will be replaced if there is a leak inside the tank within the first year of installation. A new fryer tank will be replaced if there is a leak inside the tank in the proceeding (4) years after the date of registration.

Parts:

Cooking equipment gas tubes, burners, orifices, thermostats and high temperature limit controls that are defective under normal use.

Labor:

Service necessary for the malfunctioning of any parts or systems listed above under normal operating conditions to be reimbursed according to Migali Labor Guideline Form which includes service travel up to 75 miles.

Freight:

UPS freight charges will be prepaid by Migali if the defective parts are diagnosed as defective within (2) years, i.e. (730) days of the warranty registration date. Migali pays UPS ground charges only. All other expedited freight charges are the responsibility of the owner/operator.

THE FOLLOWING ITEMS ARE NOT COVERED UNDER THE MIGALI® PROTECTION PLAN

Fryer Tank:

A fryer tank leak due to the improper installation, operation or maintenance.

Parts:

Chrome metal casted cooking knobs, cooking equipment cabinetry, cast iron cooking grates and plates.

Labor:

Service necessary for the malfunctioning of any parts or systems listed above under abnormal operating conditions, improper installation and/or maintenance is not covered under this warranty. For remote areas, a service tech that travels in excess of 75 miles one way may be subject to additional travel fees at Migali's discretion.

Stored Product & Loss of Revenue:

MIGALI® ASSUMES NO RESPONSIBILITY FOR INCIDENTAL, CONSEQUENTIAL, OR OTHER DAMAGES INCLUDING, BUT NOT LIMITED TO LOSS OR DAMAGE TO PROPERTY, LOSS OF PROFITS OR REVENUE, LOSS OF THE UNIT, LOSS OF FOOD PRODUCT, LOSS OF TIME, OR INCONVENIENCE.

Freight:

UPS freight charges must be paid by the owner/operator if any parts diagnosed as defective (2) years, i.e. (730) days after the registration date.

**YOU MUST REGISTER YOUR MIGALI PURCHASE FOR THIS WARRANTY TO BEGIN.
GO TO www.migali.com/warranty-information TO REGISTER NOW.**

**FOR SERVICE CALL TOLL FREE: 1-800-852-5292
PLEASE HAVE THE MODEL & SERIAL NUMBER IN HAND
SERVICE FOR LABOR WARRANTY MAY TAKE UP TO 72 HOURS**

MIGALI® INDUSTRIES TEL: (800) 852 5292 FAX: (856) 963 3604 WEB: www.migali.com/support



  
MIGALI INDUSTRIES, INC

1 Triangle Lane, Blackwood, NJ 08012

Phone: 800 852 5292 **Fax:** 856 963 3604

Email: contact@migali.com **Web:** www.migali.com



Conforms to NSF 7 Foodservice



Part #: 061225